he .I.	KNOW ALL MEN BY THESE PRESENTS, That the undersigned, hereinafter designated the "claim- f", did, between the dates of December 16 19.13 and November 1 19.44, rnish to, and at the special instance and request of Martin Development Corporation reinafter designated the "builder", materials to be and which were used in the construction, alteration and improvement known as Constructing Roads and clearing outs in "Tract 1093 Pinecrest Subdivision" cated upon certain lend situated in the County of Klamath , State of Oregon, and described follows: Attached as Exhibit "A" and by this reference made a part hereof as if fully set out.	
SECELVED NOW 18 19		
Activities and activities activ	freet Number That at the time claimant commenced to furnish said materials Martin Development orporation. That at the time claimant commenced to furnish said materials Martin Development or poration. That at the time claimant commenced to furnish said materials Martin Development commenced to furnish said materials Martin Development Corporation	
	That the said builder had charge of said construction, alteration and materials furnished by the claimant as aforesaid was and is the sum of \$42,986,32. Boy and the said builder had charge of said construction, alteration and/or repair. 1 abor and That the contract price and reasonable value of said materials furnished by the claimant as aforesaid was been been been been been been been bee	
	That the following is a true statement of claimant's demand with all just credits and offsets deducted: BUILDER IN ACCOUNT WITH CLAIMANT: Dr. Cr. 10,362.91 Total footage of roadway @\$3.82 per foot per contract dated December 18,1973	
	Paid by Martin Development Corporation 22346 00 Additional 2 inches of rock on roadway 2400 00 Additional cinders over water pipes 1000 00 Balance Due Claimant: 20640 00	
	That this claimant claims a lien for the amount of the above claim upon the thin improvement is located, ment hereinbefore described and upon the land upon which said the improvement is located, together with a convenient space about the same, or so much as may be required for the convenient use and occupation thereof, to be determined by the judgment of the circuit court at the time of the foreclosure of this lien.	S477 Of C Chen S610 Said 1/81 Lence 1/20 Lence 1/20 S800

That the time in which the claimant has to make and file this claim of lien on said property with the county clerk of the county in which said land is situated has not expired. Thirty days have not elapsed since the completion of said building. 13th day of Dated this..... STATE OF OREGON, County of Klamath I, John H. Greb the claimant named in and who signed the foregoing claim and notice of intention to hold a lien, being first duly sworn, say that I know the contents of said notice of lien and have knowledge of the facts therein set forth, and that the same is in all respects true and correct and contains a true statement of claimant's demands and the amount due claimant after deducting all just credits and offsets. SUBSCRIBED AND SWORN to before me this Notary Public for Oregon My commission expires 5/20/77 Notice of
Mechanics' Li
Materialmen
gronn No. 125) STATE OF OREGON, rded in book 14774

PROPERTY DESCRIPTION A parcel of land situated in Section 30, T36S, R14E, W.M., Klamath County, Oregon being more particularly described as follows: Begining at the northwest corner of the east half of the SV 1/4 of said Section 30; thence N 89° 09' 53"E along the north line of said SW 1/4, 1285.73 feet; thence leaving said north line of the SW 1/4 S05° 19' 54"W, 352.86 feet to a 5/8 inch iron pin marking the beginning of a curve to the left; thence along the arc of a 605.99 feet radius curve to the left (delta = 05° 19' 54", long cord = N02° 39' 51"W, 56.37 feet) 56.39 feet to a 5/8 inch iron pin at the end of curve; thence SOUTH 60.00 feet to a 5/8 inch iron pin; thence WEST 38.00 56.37 feet) 56.39 feet to a 5/8 inch iron pin at the end of curve; thence SOUTH, 60.00 feet to a 5/8 inch iron pin; thence WEST, 38.00 feet to a 5/8 inch iron pin; thence SOUTH, 300.00 feet to a 5/8 inch iron pin; thence EAST, 29.50 feet to a 5/8 inch iron pin; thence S80° 01' 24"E, 74.27 feet to a 5/8 inch iron pin; thence S57° 50' 08"E, 114.59 feet to a 5/8 inch iron pin; thence S30° 41' 42"W, 100.71 feet to a 5/8 inch iron pin; thence S44° 45' 35"E, 316.53 feet to a 5/8 inch iron pin; thence S44° 45' 35"E, 316.53 feet to a 5/8 inch iron pin; thence S44° 45' 35"E, 107.50 feet to a 5/8 inch iron pin; thence S44° 45' 35"E, 287.00 feet to a 5/8 inch iron pin; thence S44° 45' 35"E, 287.00 feet to a 5/8 inch iron pin; thence S34° 16' 41"E 89.37 feet to a 5/8 inch iron pin; thence S02° 57' 39"E. thence S440 45' 35"E, 287.00 feet to a 5/8 inch iron pin; thence S340 16' 41"E, 89.37 feet to a 5/8 inch iron pin; thence S020 57' 39"E, 236.00 feet to a 5/8 inch iron pin; thence S330 29' 47"E, 267.42 feet to a 5/8 inch iron pin; thence S250 53' 43"W, 91.78 feet to a 5/8 inch iron pin at the beginning of a curve to the right; thence along the arc of a 637.31 feet radius curve to the right (delta = 10 51' 09", long chord = S630 10' 42"E, 20.60 feet) 20.61 feet to a 5/8 inch iron pin at the end of curve; thence S620 15' 08"E, 220.13 feet to a 5/8 inch iron pin at the heginning of a curve to the left; thence along the arc of a pin at the beginning of a curve to the left; thence along the arc of a 71.74 feet radius curve to the left (delta = 76° 21' 36"; long chord= N79° 34' 04"E, 88.68 feet) 95.60 feet to a 5/8 inch iron pin at the end of curve; thence \$48° 36' 44"E, 60.00 feet to a 5/8 inch iron pin end of curve; thence \$48° 36' 44"E, 60.00 feet to a 5/8 inch iron pin at the beginning of a curve to the right; thence along the arc of a 131.74 feet radius curve to the right (delta = 12° 45' 20"; long chord= \$47° 45' 56"W, 29.27 feet) 29.33 feet to a 5/8 inch iron pin at the end of curve; thence \$35° 51' 24"E, 310.92 feet to a 5/8 inch iron pin; thence \$41° 23' 16"W, 80.00 feet to a 5/8 inch iron pin; thence \$61° 03' 28"E, 718.05 feet to a 5/8 inch iron pin on the south line of said Section 30; thence \$89° 38' 56"W along said south line of Section 30, 1781.35 feet to the southwest corner of the \$E 1/4 of said Section 30; thence \$80° 45' 25"E along the west line of said \$E 1/4, 1331.63 feet to the southeast corner of the north half of said \$W 1/4; thence \$89° 24' 24"W along the south line of said north half of the \$W 1/4 S890 24' 24"W along the south line of said north half of the SW 1/4 of Section 30, 1313.82 feet to the southwest corner of the NE 1/4 of said SW 1/4; thence NOO 46' 46"E along the west line of said NE 1/4 SW 1/4, 1326.09 feet to the point of beginning containing 72.28 acres more or less. ESTANOPULALE, EXHIBIT "A" STATE OF OREGON; COUNTY OF KLAMATH; ss. Filed for record at request of ROBERT THOMAS ATTY Vol. M 74 of MECHANIC'S LIENS on Page 14774 M. D. MILNE, County Clerk

STATE OF OREGE