38054 MODIFICATION OF MORTGAGE OR TRUST DEED VOI. M84 Page 10535 THIS AGREEMENT, made and entered into this <u>21st</u> day of <u>June</u> <u>19 84</u>, by and between BATSELL BROS. OIL CO., a partnership; BATSELL BROTHERS OIL COMPANY, a partnership composed of the Richard R. Batsell and Larry D. Batsell; RICHARD R. BATSELL and LARRY D. BATSELL; and RICHARD R. BATSELL and LARRY D. BATSELL, dba BATSELL BROTHERS OIL COMPANY hereinafter called the "Borrower(s)" and WESTERN BANK, an Oregon banking corporation, hereinafter called the "Bank": maker(s) if the Borrower is an assignee of record) did make, execute and deliver to the Bank that certain promissory note in the sum of \$175,000.00 payable in maching installments with interest at the rate of 13.00 % per annum. For the purpose of securing the payment of said promissory note, the Borrower(s) (or the original maker(s) if the Borrower is an assignee of record) did make, execute and deliver to the Bank their certain Mortgage or Trust Deed, hereinafter called a property, situate in the County of Klamath , 19_83, conveying the following described real PARCEL 1: State of Oregon The Southerly 80 feet of Lots 3 and 4, Block 65, BUENA VISTA ADDITION to the City of Klamath 2 Falls, Oregon; SAVE AND EXCEPT a strip of one foot in width off the Easterly end of said premises, heretofore conveyed by the Klamath Development Co., to the City of Klamath Falls, Oregon, for street purposes, by Deed recorded in Volume 46, page 155, Deed Records, Klamath County, Oregon. "Lots 5 and 6, Block 65, BUENA VISTA ADDITION to the City of Klamath Falls, Oregon, according to the official plat thereof on file in the office of the County Clerk of Klamath County, which Security Instrument was duly recorded in the records of said county and state. Cont. There is now due and owing upon the promissory note aforesaid, the principal sum of One Hundred Seventy Five Thousand and no/100ths--together with the accrued interest thereon, and the Borrower(s) desire a modification of the terms of payment thereof, to which the Bank is agreeable on the terms and conditions hereinafter stated and not otherwise. NOW THEREFORE, in consideration of the premises and of the promises and agreements hereinafter contained, the parties hereto do hereby agree that the balance now due and owing on the promissory note hereinabove described shall be and is payable in xazarday installments of <u>One Hundred Seventy Five Thousand and no/100ths</u> DOULLARS (\$175,000,000) each plus monthly interest on the unnaid balance at the rate of \$14.50 % DOLLARS (\$175,000.00) each, <u>plus monthly</u> interest on the unpaid balance at the rate of *14.50 % per annum. The first installment shall be and is payable on the <u>lst</u> day of <u>July</u> 19_84, and a like installment shall be and is payable on the 1st day of each month thereafter until the principal and interest are fully paid, except that the final payment of principal and interest if not sooner paid, shall be due and payable on the 1st of 19 84 stift any of said installments or either principal or interest are not so paid, the entire balance then owing shall, at the option of the Bank or its successors in interest, become immediately due and payable without notice. *Rate to be adjusted to Western Bank Prime plus 2% on the last day of each calendar quareer as herein modified in the manner and on the terms and conditions herein stated, the said promissory note and Security Instrument shall be in full force and effect, with all the terms and conditions of which the Borrower(s) do agree to comply in the same manner and to the same extent as though the provisions thereof were in all respects incorporated herein and ેલા ગુજરાત IN WITNESS WHEREOF, the Borrower(s) have hereunto set their hand(s) and seal(s) and the Bank has caused these presents to be executed on its behalf by its duly authorized representative this day and year first hereinabove written. Larry I. anature of BorrowerBatsell, Individually & Detreu inaul as Partner chard R Signature of Borrower Batsell, Individually & Klamath Branch as Partner ** By Vice Pres. Authorized Signature and Manager State of OREGON 100000 County of Klamath SS: Personally appeared the above named Larry D. Batsell and Richard R. Batsell and acknowledged the foregoing instrument to be their voluntary act and deed. Before me: Western Bank P. O. Box 669 Caroline mars Klamath Falls, OR 97601 Notary Public for Oregon RE-28 5/80 My commission expires _ 2-9-86 5. 3 1 8 L C BATSELL BROS. OIL CO., INC. 12 Bando Larry D. Batsell, President = น [unand R. Batsill BY: Richard R. Batsell, Vice Pres. - 1 MCUNTAIN TITLE COMPANY, INC. has recorded this MCONTAIN TITLE COMPANY, INC. has recorded use instrument by request as an accommodation only, and has not examined it for regularity and sufficiency or rs to its effect upon the title to any real property that may be described therein.

STATE OF OREGON,		10536
County of Klamath	On this 21st day of June	10 O I
before me appeared Larry D. Batsell Richard R. Batsell		
duly sworn, did say that he, the said Larry D. is the President, and he, the said Richa is the Vice Superior President	DALSELL	
	VAC TO PRIVE implementation of the state of	
of Directors, and Larry D. Batsell acknowledge said instrument to be the free act and de		
TIN TESTIMO	NY WHEREOF, I have hereunto set my har	
	my official seal the day and year last ab	and affixed
PUDEN C		
	Constine 7d. Mors	
	Notary Public	for Oregon.
	My Commission expires 2-9-86	••••••
· · · · · · · · · · · · · · · · · · ·		
AN ADDRESS AND	이 제품은 이 전 전에 가운 것 것 정 권 전 수 있는 것 같이 있는 것 같이 있는 것 같이 있다. 것 같이 있는 것 같이 있다. 것 같이 있는 것 같이 있다. 것 같이 있는 것 같이 없는 것 같이 없는 것 같이 있는 것 같이 없다. 것 같이 있는 것 같이 없는 것 같이 없는 것 같이 없다. 것 같이 있는 것 같이 없는 것 같이 있는 것 같이 있는 것 같이 없다. 것 같이 없는 것 같이 없는 것 같이 없다. 것 같이 없는 것 같이 없는 것 같이 없는 것 같이 없다. 것 같이 없는 것 같이 없는 것 같이 없다. 것 같이 없는 것 같이 없는 것 같이 없다. 것 같이 없는 것 같이 없는 것 같이 없다. 것 같이 없는 것 같이 없는 것 같이 없다. 것 같이 없는 것 같이 없는 것 같이 없다. 것 같이 없는 것 같이 없는 것 같이 없다. 것 같이 없는 것 같이 없는 것 같이 없다. 것 같이 없다. 것 같이 없는 것 같이 없다. 것 같이 없는 것 같이 않은 것 같이 없다. 것 같이 없는 것 같이 않은 것 같이 않는 것 않이 않는 것 않는 것 않이 않는 것 않이 않는 것 않 것 같이 않은 것 같이 않는 것 않는 것 같이 않는 것 같이 않는 것 같이 않는 것 않이 않는 것 같이 않는 것 않 않이 않	
EPTING THEREFROM the following:		
inning at 2" iron pin marking the Southwe	st corner of said Block 65; thence	North 140.1
EPTING THEREFROM the following: inning at 2" iron pin marking the Southwe to a 2" iron pin; thence East 88.26 fee iron pin; thence South 140.10 feet to a 2 ice West 88.26 feet to the point of begins	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning.	North 140.10 74 feet to a to a ½" iron
EPTING THEREFROM the following: inning at 2" iron pin marking the Southwe to a 2" iron pin; thence East 88.26 fee iron pin; thence South 140.10 feet to a 2 ice West 88.26 feet to the point of begins EE 2:	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning.	North 140.10 74 feet to a to a ½" iron
SPTING THEREFROM the following: inning at 2" iron pin marking the Southwe to a 2" iron pin; thence East 88.26 fee iron pin; thence South 140.10 feet to a 2 wee West 88.26 feet to the point of begins EL 2: that pertion of Lot 70 ENTERPRISE TRANS	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning:	North 140.10 74 feet to a to a ½" iron
EPTING THEREFROM the following: inning at 2" iron pin marking the Southwe t to a 2" iron pin; thence East 88.26 fee iron pin; thence South 140.10 feet to a 2 ice West 88.26 feet to the point of begins <u>BLo2</u> : that pertion of Lot 70; ENTERPRISE TRACTS nuing at a point in the Southerland	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning. S. Klamath County, Oregon, describ	North 140.10 74 feet to a to a ½" iron ed as follows
EPTING THEREFROM the following: inning at 2" iron pin marking the Southwe t to a 2" iron pin; thence East 88.26 fee iron pin; thence South 140.10 feet to a 2 ice West 88.26 feet to the point of begins <u>BL 2</u> : that pertion of Lot 70; ENTERPRISE TRACTS nuing at a point in the Southerly line of South Line 390.0 feet West of the East 11 feet to an iron pine which is the south	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning. S, Klamath County, Oregon, describ Sixth Street, at its intersection ine of Lot 70; thence South 358.7	North 140.10 74 feet to a to a ½" iron ed as follows n with a Nort feet and West
EPTING THEREFROM the following: inning at 2" iron pin marking the Southwe to a 2" iron pin; thence East 88.26 fee iron pin; thence South 140.10 feet to a 2 iroe West 88.26 feet to the point of begins <u>EL 2</u> : that pertion of Lot 70; ENTERPRISE TRACTS ming at a point in the Southerly line of South Line 390.0 feet West of the East 12 feet to an iron pipe which is the True F pipe; thence South 295 3 fact to	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning. S, Klamath County, Oregon, describ Sixth Street, at its intersection ine of Lot 70; thence South 358.7 Point of Beginning; thence West 109	North 140.1 74 feet to a to a ½" iron ed as follows n with a Nort feet and West 9.97 feet to
SPTING THEREFROM the following: inning at ½" iron pin marking the Southwe to a ½" iron pin; thence East 88.26 fee ron pin; thence South 140.10 feet to a ½ ice West 88.26 feet to the point of begins <u>EL 2</u> : that portion of Lot 70; ENTERPRISE TRACTS nning at a point in the Southerly line of South Line 390.0 feet West of the East 11 feet to an iron pipe which is the True F pipe; thence South 295.3 feet to an iron a distance of 52.5 feet more on heat	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning. S, Klamath County, Oregon, describ 5 Sixth Street, at its intersection ine of Lot 70; thence South 358.7 Coint of Beginning; thence West 109 1 pipe; "thence on an 11 degree 30"	North 140.1 74 feet to a to a ½" iron ed as follows n with a Nort feet and West 9.97 feet to curve to the
SPTING THEREFROM the following: inning at ½" iron pin marking the Southwe to a ½" iron pin; thence East 88.26 fee ron pin; thence South 140.10 feet to a ½ ice West 88.26 feet to the point of begins <u>EL 2</u> : that pertion of Lot 70; ENTERPRISE TRACTS nning at a point in the Southerly line of South line 390.0 feet West of the East 11 feet to an iron pipe which is the True F pipe; thence South 295.3 feet to an iron a distance of 52.5 feet more or less to a line pipe; thence North a distance of	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning; S, Klamath County, Oregon, describ 5 Sixth Street, at its intersection ine of Lot 70; thence South 358.7 Point of Beginning; thence West 100 of pipe; thence on an 11 degree 30' an iron pipe; then East a distance	North 140.10 74 feet to a to a ½" iron ed as follows n with a Nort feet and West 9.97 feet to curve to the a of 107.71 f
SPTING THEREFROM the following: inning at ½" iron pin marking the Southwe to a ½" iron pin; thence East 88.26 fee ron pin; thence South 140.10 feet to a ½ ice West 88.26 feet to the point of begins <u>EL 2</u> : that portion of Lot 70; ENTERPRISE TRACTS nning at a point in the Southerly line of South Line 390.0 feet West of the East 11 feet to an iron pipe which is the True F pipe; thence South 295.3 feet to an iror a distance of 52.5 feet more or less to n iron pipe; thence North a distance of 3 approximately 38,430 square feet. All as i April, 1946;	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning. S, Klamath County, Oregon, describ Sixth Street, at its intersection ine of Lot 70; thence South 358.7 Coint of Beginning; thence West 109 i pipe; thence on an 11 degree 30' an iron pipe; then East a distance 47.8 feet to the True Point of Beg shown on Signal Oil Company Drawi	North 140.16 74 feet to a to a ½" iron ed as follows n with a Nort feet and West 9.97 feet to curve to the of 107.71 f ginning, cont ing C-944,
SPTING THEREFROM the following: inning at ''' iron pin marking the Southwe to a ''' iron pin; thence East 88.26 fee iron pin; thence South 140.10 feet to a ' iron pin; thence South 140.10 feet to a ' South line 390.0 feet West of the East 14 feet to an iron pipe which is the True F pipe; thence South 295.3 feet to an iron a distance of 52.5 feet more or less to n iron pipe; thence North a distance of 3 approximately 38,430 square feet. All as d April, 1946.	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning; S; Klamath County, Oregon, describ E Sixth Street, at its intersection ine of Lot 70; thence South 358.7 Point of Beginning; thence West 100 i pipe; thence on an 11 degree 30 an iron pipe; then East a distance 147.8 feet to the True Point of Beg i shown on Signal Oil Company Drawi	North 140.10 74 feet to a to a ½" iron ed as follows n with a Nort feet and West 9.97 feet to curve to the of 107.71 f sinning, cont ing C-944,
SPTING THEREFROM the following: Inning at 2" iron pin marking the Southwe to a 2" iron pin; thence East 88.26 fee ron pin; thence South 140.10 feet to a 2 ice West 88.26 feet to the point of begins EL 2: that pertion of Lot 70, ENTERPRISE TRACTS nning at a point in the Southerly line of South line 390.0 feet West of the East 11 feet to an iron pipe which is the True F pipe; thence South 295.3 feet to an iron a distance of 52.5 feet more or less to n iron pipe; thence North a distance of 3 approximately 38,430 square feet. All as a April, 1946.	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning; S, Klamath County, Oregon, describ E Sixth Street, at its intersection ine of Lot 70; thence South 358.7 Point of Beginning; thence West 100 i pipe; thence on an 11 degree 30 an iron pipe; then East a distance 947.8 feet to the True Point of Beg shown on Signal Oil Company Drawi	North 140.10 74 feet to a to a ½" iron ed as follows n with a Nort feet and West 9.97 feet to curve to the e of 107.71 f ginning, cont ing C-944,
SPTING THEREFROM the following: Inning at 2" iron pin marking the Southwe to a 2" iron pin; thence East 88.26 fee ron pin; thence South 140.10 feet to a 2 ice West 88.26 feet to the point of begins EL 2: that pertion of Lot 70, ENTERPRISE TRACTS nning at a point in the Southerly line of South line 390.0 feet West of the East 11 feet to an iron pipe which is the True F pipe; thence South 295.3 feet to an iron a distance of 52.5 feet more or less to n iron pipe; thence North a distance of 3 approximately 38,430 square feet. All as a April, 1946.	st corner of said Block 65; thence t to a ½" fron pin; thence East 6. " iron pin; thence West 6.74 feet ning; S, Klamath County, Oregon, describ E Sixth Street, at its intersection ine of Lot 70; thence South 358.7 Point of Beginning; thence West 100 i pipe; thence on an 11 degree 30 an iron pipe; then East a distance of Street to the True Point of Beg shown on Signal Oil Company Drawi	North 140.10 74 feet to a to a ½" iron ed as follows n with a Nort feet and West 9.97 feet to curve to the of 107.71 f sinning, cont ing C-944,
SPTING THEREFROM the following: Inning at 5" iron pin marking the Southwe to a 5" iron pin; thence East 88.26 fee Iron pin; thence South 140.10 feet to a 5 iron pin; thence South 140.10 feet to a 5 ming at a point in the Southerly line of South line 390.0 feet West of the East 11 feet to an iron pipe which is the True F pipe; thence South 295.3 feet to an iron a distance of 52.5 feet more or less to n iron pipe; thence North a distance of 3 approximately 38,430 square feet. All as d April, 1946. asement and right of way over and across he County of Klamath, State of Oregon, mo pot 70 of ENTERPRISE TRACTS, Klamath Count int in the South 140.00	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning; S, Klamath County, Oregon, describe Sixth Street, at its intersection ine of Lot 70; thence South 358.7 Point of Beginning; thence West 100 i pipe; thence on an 11 degree 30' an iron pipe; then East a distance 47.8 feet to the True Point of Beg shown on Signal Oil Company Drawi that certain property situate, lyi re particularly described as: All y, Oregon, described as follows:	North 140.10 74 feet to a to a ½" iron ed as follows n with a Nort feet and West 9.97 feet to curve to the e of 107.71 f ginning, cont ing C-944, ng and being that portio Beginning at
EPTING THEREFROM the following: inning at 2" iron pin marking the Southwe to a 2" iron pin; thence East 88.26 fee iron pin; thence South 140.10 feet to a 2 ince West 88.26 feet to the point of begins EL 2: that pertion of Lot 70, ENTERPRISE TRACTS mains at a point in the Southerly line of South Line 390.0 feet West of the East 11 feet to an iron pipe which is the True F pipe; thence South 295.3 feet to an iron a distance of 52.5 feet more or less to n iron pipe; thence North a distance of 3 approximately 38,430 square feet. All as d April, 1946. assment and right of way over and across he County of Klamath, State of Oregon, mo out in the South line of Sixth Street at West of the East 1100 of Lot 70 of ENTERPRISE TRACTS, Klamath Count	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning; S, Klamath County, Oregon, describe Sixth Street, at its intersection ine of Lot 70; thence South 358.7 Point of Beginning; thence West 109 i pipe; thence on an 11 degree 30' an iron pipe; then East a distance 47.8 feet to the True Point of Beg shown on Signal Oil Company Drawi that certain property situate, lyi re particularly described as: All y, Oregon, described as follows: its intersection with a North and	North 140.10 74 feet to a to a ½" iron ed as follows n with a Nort feet and West 9.97 feet to curve to the e of 107.71 f ginning, cont ing C-944, .ng and being that portion Beginning at South line 30
cription continued for Modif. of Mortgage EPTING THEREFROM the following: inning at 2" iron pin marking the Southwe t to a 2" iron pin; thence East 88.26 fee iron pin; thence South 140.10 feet to a 2 ice West 88.26 feet to the point of begins <u>EL-2</u> : that pertion of Lot 70, ENTERPRISE TRACTS ming at a point in the Southerly line of South Line 390.0 feet West of the East 11 i feet to an iron pipe which is the True F pipe; thence South 295.3 feet to an iron a distance of 52.5 feet more or less to n iron pipe; thence North a distance of 3 approximately 38,430 square feet. All as d April, 1946. asement and right of way over and across he County of Klamath, State of Oregon, mo ot 70 of ENTERPRISE TRACTS, Klamath Count int in the South line of Sixth Street at West of the East line of Lot 70; thence h along a North and South line 407.5 feet	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning; S, Klamath County, Oregon, describe Sixth Street, at its intersection ine of Lot 70; thence South 358.7 Point of Beginning; thence West 109 i pipe; thence on an 11 degree 30' an iron pipe; then East a distance 47.8 feet to the True Point of Beg shown on Signal Oil Company Drawi that certain property situate, lyi re particularly described as: All y, Oregon, described as follows: its intersection with a North and South 706.5 feet; thence West 17.5	North 140.10 74 feet to a to a ½" iron ed as follows n with a Nort feet and West 9.97 feet to curve to the e of 107.71 f ginning, cont ing C-944, ng and being that portion Beginning at South Line 39 feet; thence
EPTING THEREFROM the following: inning at 2" iron pin marking the Southwe to a 2" iron pin; thence East 88.26 fee iron pin; thence South 140.10 feet to a 2 ice West 88.26 feet to the point of begins <u>BL2</u> : that pertion of Lot 70, ENTERPRISE TRACTS nuing at a point in the Southerly line of South Line 390.0 feet West of the East 11 feet to an iron pipe which is the True F pipe; thence South 295.3 feet to an iron a distance of 52.5 feet more or less to n iron pipe; thence North a distance of 3 approximately 38,430 square feet. All as d April, 1946. asement and right of way over and across he County of Klamath, State of Oregon, mo of 70 of ENTERPRISE TRACTS, Klamath Count int in the South line of Sixth Street at West of the East line of Lot 70; thence a along a North and South line 407.5 feet	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning. S; Klamath County, Oregon, describe Sixth Street, at its intersection the of Lot 70; thence South 358.7 Point of Beginning; thence West 109 i pipe; thence on an 11 degree 30' an iron pipe; then East a distance 47.8 feet to the True Point of Beg s shown on Signal Oil Company Drawi that certain property situate, lyi re particularly described as: All y, Oregon, described as follows: its intersection with a North and South 706.5 feet; thence West 17.5 West of the East line of Lot 70 a	North 140.1 74 feet to a to a ¹ / ₂ " iron ed as follows n with a Nort feet and West 9.97 feet to curve to the of 107.71 f sinning, cont ing C-944, ing and being that portio Beginning at South line 3 feet; thence distance of
SPTING THEREFROM the following: Inning at 5" iron pin marking the Southwe to a 5" iron pin; thence East 88.26 fee Iron pin; thence South 140.10 feet to a 5 ice West 88.26 feet to the point of begins EL 2: that pertion of Lot 70, ENTERPRISE TRACTS nning at a point in the Southerly line of South line 390.0 feet West of the East 11 feet to an iron pipe which is the True F pipe; thence South 295.3 feet to an iron a distance of 52.5 feet more or less to n iron pipe; thence North a distance of 3 approximately 38,430 square feet. All as d April, 1946. assment and right of way over and across he County of Klamath, State of Oregon, mo out in the South line of Sixth Street at West of the East 1100 of Lot 70.	st corner of said Block 65; thence t to a ½" iron pin; thence East 6. " iron pin; thence West 6.74 feet ning. S, Klamath County, Oregon, describe Sixth Street, at its intersection the of Lot 70; thence South 358.7 Point of Beginning; thence West 109 i pipe; thence on an 11 degree 30' an iron pipe; then East a distance 47.8 feet to the True Point of Beg shown on Signal Oil Company Drawi that certain property situate, lyi re particularly described as: All y, Oregon, described as follows: its intersection with a North and South 706.5 feet; thence West 17.5 West of the East line of Lot 70 a with the South line of Sixth Stree	North 140.1 74 feet to a to a 2" iron ed as follows n with a Norr feet and West 9.97 feet to curve to the of 107.71 f sinning, cont ing C-944, ing and being that portio Beginning at South line 3 feet; thenc distance of

หม่าไม่ เข้าสีทุนส์ เป็นแม้กานเหลือ น้ำงารก็กนี่มีเหตุกลัยมีผู้อากสาวอย่าง PARCEL 3:

Lots 1, 2, and 3, Block 17, INDUSTRIAL ADDITION to the City of Klamath Falls, according to the official plat thereof on file in the office of the County Clerk of Klamath County, Oregon.

the species wild state

Last.

Nega V

Remarkans construction in an analysis of the state of the sta

egress from that certain parcel of land described in Parcel 1 herein.

Second "

HARREN LIDE OF SOL DIVER ON LIDES

-3- **10537** Description continued for Modif. of Mortgage dated June 21, 1984 - Batsell Bros. Oil Co., Inc.

PARCEL 4:

A tract of land situated in the NW4 of the SW4 of Section 7, Township 38 South Range 9 East of the Willamette Meridian, Klamath County, Oregon, described as follows:

Beginning at an iron pin on the Westerly Boundary of the New Dalles-California Highway, said point being South 89° 49' East 799.0 feet to the Westerly boundary of said highway and South 11° 36' East along said boundary 1056.29 feet from the West quarter corner of said Section 7; thence North 11° 36' West along the Westerly boundary of said Highway 100 feet; thence South thence South 11° 36' East 87 feet to an existing iron monument, which is the most Southerly corner of that parcel of land described in Deed Volume 266, page 322, Deed Records of Klamath parallel with said highway 213.8 feet to an iron pin; thence North 78° 24' East 122 feet to an iron pin on the Westerly boundary of said Highway; thence North 11° 36' East 122 feet to boundary 200 feet, more or less, to the point of beginning.

PARCEL 5:

Together with a perpetual easement and right of way over the following described strip of land: Beginning at a point in the Northwest quarter of the Southwest quarter of Section 7, Township 38 South, Range 9, East of the Willamette Meridian, Klamath County, Oregon, which point is on the Westerly right of way boundary of the presently located Dalles-California Highway, which point of beginning is South 89° 49' East 799 feet to the Westerly boundary of said highway, and thence South 11° 36' East along said Westerly boundary a distance of 956.29 feet from the of the Willamette Meridian, Klamath County, Oregon, said point of beginning being the Northeast corner of that property described in Deed Volume 294, page 426, Records of Klamath County, thence South 78° 24' West 27 feet; thence North 11° 36' West parallel to said Highway 90 feet; along said Highway boundary line to the point of beginning.

AT F OREGON; COUNTY OF KLAMATH; ss.

cd for record .		
is 22 day of June	A. D. 1984 at 3:430'clock Pl., and	
luly recorded in Vol. M84	, of Mortgages on Fage 10535	
	By Servetha Soloch	
Fee: \$12.00		