

38549

## INSTRUCTIONS:

1. PLEASE TYPE THIS FORM.
2. Enclose fee of \$3.00 per name listed plus \$2.00 per trade name.
3. This form is to be filed only with the Secretary of State.
4. Send the Alphabetical, Numerical and Acknowledgment copies with interleaved carbon paper intact to the filing officer. The Debtor(s) and Secured Party(ies) copies are retained by party making the filing.
5. If the space provided for any item(s) on the form is inadequate, the item(s) should be continued on additional sheets, size 5" x 8". Only one copy of such additional sheets need be presented to the filing officer. Long schedules of collateral, indentures, etc. may be on any size paper that is convenient for the secured party. DO NOT STAPLE OR TYPE ANYTHING TO LOWER PORTION OF THIS FORM.
6. At the time of original filing, filing officer will return acknowledgment copy to the assignee if noted on form or secured party. If secured party requires acknowledgment of long schedules of collateral, two copies should be presented and one will be returned.
7. When a copy of the security agreement is used as a financing statement, it is requested that it be accompanied by a completed UCC-21 form. Enclosed \$4.00 plus \$3.00 per debtor more than one, and \$2.00 per trade name.
8. When filing is to be terminated the acknowledgment copy may be sent to the filing officer signed by the secured party or assignee or he may use Form UCC-3 as a Termination Statement.

This FINANCING STATEMENT is presented to filing officer pursuant to the Uniform Commercial Code.

## 1A. Debtor(s):

SCHEIDT, RALPH

## 2A. Secured Party(ies)

CREDIT ALLIANCE CORPORATION

Filing Officer Use Only

## 1B. Mailing Address(es):

8 Gershwing Court  
Lake Oswego, OR 97034

## 2B. Address of Secured Party from which security information obtainable:

1900 Powell Street #500  
Emeryville, CA 94608

Vol. M84 Page 11485

M84 Page 11485

3. This financing statement covers the following types (or items) of collateral (ORS 79.4020):

1. This financing statement covers FIXTURES.
2. A description of the Real Estate upon which the fixtures are attached is annexed hereto, see attached Schedule "A".
3. The record owner of the Real Estate is: KLAMATH STUDS, INC.

See attached Schedule "A" for description of equipment.

## 4A. Assignee of Secured Party(ies) if any:

## 4B. Address of Assignee from which security information obtainable:

Check box if products of collateral are also covered ☒

No. of additional sheets attached 2

\*Signature(s) of Debtor(s) required in most cases.

Signature(s) of Secured Party(ies) in cases covered by ORS 79.4020.

FILING OFFICER—ALPHABETICAL

STANDARD FORM—UNIFORM COMMERCIAL CODE—FORM UCC-1

By:

RALPH SCHEIDT

Signature(s) of Debtor(s)  
Signature(s) of Secured Party(ies) or Assignee(s)

This form of Financing Statement approved by the Secretary of State.

3600  
102

This schedule is attached to and becomes a part of UCC-1 Financing Statement between RALPH SCHEIDT as Debtor and CREDIT ALLIANCE CORPORATION as Secured Party.

11486

DESCRIPTION OF REAL ESTATE:

PHYSICAL DESCRIPTION: Ten (10) miles South of Beaver Marsh. Located at Lentz Siding, turning left at that point.

LEGAL DESCRIPTION: Lots 3 and 4 and all that portion of the E $\frac{1}{2}$ SW $\frac{1}{4}$  lying Westerly of the right of way of the S.P. Railroad in Section 31, Township 30 South, Range 8 E.W.M.

DESCRIPTION OF EQUIPMENT:Saw Sharpening Equipment

- One (1) Armstrong No. 4 RH sharpener s/n 14419 complete. 440-3-60 voltage, with cams for tooth No. 50-E 1-3/4 tooth space, carbide wear parts, safety guards & filing clamps.
- One (1) Armstrong No. 4 LH sharpener s/n 14090 complete. 440-3-60 voltage, with cams for tooth No. 50-E 1-3/4 tooth space, carbide wear parts, safety guards & filing clamps.
- One (1) Armstrong No. 4 anti-friction bearing stretcher roll s/n 14447 complete. 440-3-60 voltage, No. 62 welding clamp, foot control, heating element and two 10" x 48" x 4" thick levelling blocks.
- One (1) Armstrong-rip No. 25 saw sharpener s/n 14330 complete. 440-3-60 voltage, two sets of cams, centering cone, carbide wear parts and safety guards.
- One (1) Armstrong 3-60-C circular stretcher roll s/n 14390 complete. 440-3-60 voltage levelling roll, levelling attachment one 18" dia. x 4" levelling block, one 24" Dia. x 4" levelling block & one 10" x 14" anvil.
- One (1) Armstrong No. 16 sharpener s/n 14221 complete. 440-3-60 voltage and safety guards.

Swages and Sharpeners

- Two (2) Armstrong No. 18 air swages complete with 250-G anvil gauge, carbide-tipped clamp screws and anvil.
- Two (2) Armstrong No. 5500B sharpeners complete with carbide-tipped side dies.
- One (1) Armstrong No. 18C air circular saw swage complete with 250-G anvil gauge and carbide-tipped clamp screws and anvil.
- One (1) Armstrong 5700C sharpener complete with carbide-tipped side dies and bench attachment for edger saws.

Deck Saw Grinder

- One (1) Bell Industries K275 s/n 83112.
- One (1) Williams Canter Knife Grinder s/n 3842.

SCHEDULE "A"

This schedule is attached to and becomes a part of UCC-1 Financing Statement between RALPH SCHEIDT as Debtor and CREDIT ALLIANCE CORPORATION as Secured Party.


11487

DESCRIPTION OF EQUIPMENT: (Cont'd.)

Planing Mill Equipment

- One (1) Michigan CHG-G-14 side head grinder s/n 529 complete with stand, balancing scales, bench vise & 10" bench grinder.
- One (1) Gockel F-40 Knife Grinder 60" capacity s/n 6651 with knife aligning attachment and planer knife grinding fixture.

RALPH SCHEIDT

A handwritten signature in black ink, appearing to be 'RS', written over a horizontal line.

SCHEDULE "A"

11488

This schedule is attached to and becomes a part of UCC-1 Financing Statement between RALPH SCHEIDT as Debtor and CREDIT ALLIANCE CORPORATION as Secured Party.

DESCRIPTION OF REAL ESTATE:

PHYSICAL DESCRIPTION: Ten (10) miles South of Beaver Marsh. Located at Lentz Siding, turning left at that point.

LEGAL DESCRIPTION: Lots 3 and 4 and all that portion of the E $\frac{1}{2}$ SW $\frac{1}{4}$  lying Westerly of the right of way of the S.P. Railroad in Section 31, Township 30 South, Range 8 E.W.M.

DESCRIPTION OF EQUIPMENT:

Saw Sharpening Equipment

- One (1) Armstrong No. 4 RH sharpener s/n 14419 complete. 440-3-60 voltage, with cams for tooth No. 50-E 1-3/4 tooth space, carbide wear parts, safety guards & filing clamps.
- One (1) Armstrong No. 4 LH sharpener s/n 14090 complete. 440-3-60 voltage, with cams for tooth No. 50-E 1-3/4 tooth space, carbide wear parts, safety guards & filing clamps.
- One (1) Armstrong No. 4 anti-friction bearing stretcher roll s/n 14447 complete. 440-3-60 voltage, No. 62 welding clamp, foot control, heating element and two 10" x 48" x 4" thick levelling blocks.
- One (1) Armstrong-rip No. 25 saw sharpener s/n 14330 complete. 440-3-60 voltage, two sets of cams, centering cone, carbide wear parts and safety guards.
- One (1) Armstrong 3-60-C circular stretcher roll s/n 14390 complete. 440-3-60 voltage levelling roll, levelling attachment one 18" dia. x 4" levelling block, one 24" Dia. x 4" levelling block & one 10" x 14" anvil.
- One (1) Armstrong No. 16 sharpener s/n 14221 complete. 440-3-60 voltage and safety guards.

Swages and Sharpeners

- Two (2) Armstrong No. 18 air swages complete with 250-G anvil gauge, carbide-tipped clamp screws and anvil.
- Two (2) Armstrong No. 5500B sharpeners complete with carbide-tipped side dies.
- One (1) Armstrong No. 18C air circular saw swage complete with 250-G anvil gauge and carbide-tipped clamp screws and anvil.
- One (1) Armstrong 5700C sharpener complete with carbide-tipped side dies and bench attachment for edger saws.

Deck Saw Grinder

- One (1) Bell Industries K275 s/n 83112.
- One (1) Williams Canter Knife Grinder s/n 3842.

11489

SCHEDULE "A"

Page two of two


This schedule is attached to and becomes a part of UCC-1 Financing Statement between RALPH SCHEIDT as Debtor and CREDIT ALLIANCE CORPORATION as Secured Party.

DESCRIPTION OF EQUIPMENT: (Cont'd.)

Planing Mill Equipment

- One (1) Michigan CHG-G-14 side head grinder s/n 529 complete with stand, balancing scales, bench vise & 10" bench grinder.
- One (1) Gockel F-40 Knife Grinder 60" capacity s/n 6651 with knife aligning attachment and planer knife grinding fixture.

RALPH SCHEIDT

A handwritten signature in black ink, consisting of a stylized 'R' followed by a horizontal line extending to the right.

This schedule is attached to and becomes a part of UCC-1 Financing Statement between RALPH SCHEIDT as Debtor and CREDIT ALLIANCE CORPORATION as Secured Party.

DESCRIPTION OF REAL ESTATE:

PHYSICAL DESCRIPTION: Ten (10) miles South of Beaver Marsh. Located at Lentz Siding, turning left at that point.

LEGAL DESCRIPTION: Lots 3 and 4 and all that portion of the E½SW¼ lying Westerly of the right of way of the S.P. Railroad in Section 31, Township 30 South, Range 8 E.W.M.

DESCRIPTION OF EQUIPMENT:

Saw Sharpening Equipment

- One (1) Armstrong No. 4 RH sharpener s/n 14419 complete. 440-3-60 voltage, with cams for tooth No. 50-E 1-3/4 tooth space, carbide wear parts, safety guards & filing clamps.
- One (1) Armstrong No. 4 LH sharpener s/n 14090 complete. 440-3-60 voltage, with cams for tooth No. 50-E 1-3/4 tooth space, carbide wear parts, safety guards & filing clamps.
- One (1) Armstrong No. 4 anti-friction bearing stretcher roll s/n 14447 complete. 440-3-60 voltage, No. 62 welding clamp, foot control, heating element and two 10" x 48" x 4" thick levelling blocks.
- One (1) Armstrong-rip No. 25 saw sharpener s/n 14330 complete. 440-3-60 voltage, two sets of cams, centering cone, carbide wear parts and safety guards.
- One (1) Armstrong 3-60-C circular stretcher roll s/n 14390 complete. 440-3-60 voltage levelling roll, levelling attachment one 18" dia. x 4" levelling block, one 24" Dia. x 4" levelling block & one 10" x 14" anvil.
- One (1) Armstrong No. 16 sharpener s/n 14221 complete. 440-3-60 voltage and safety guards.

Swages and Sharpeners

- Two (2) Armstrong No. 18 air swages complete with 250-G anvil gauge, carbide-tipped clamp screws and anvil.
- Two (2) Armstrong No. 5500B sharpeners complete with carbide-tipped side dies.
- One (1) Armstrong No. 18C air circular saw swage complete with 250-G anvil gauge and carbide-tipped clamp screws and anvil.
- One (1) Armstrong 5700C sharpener complete with carbide-tipped side dies and bench attachment for edger saws.

Deck Saw Grinder

- One (1) Bell Industries K275 s/n 83112.
- One (1) Williams Canter Knife Grinder s/n 3842.

Page two of two

SCHEDULE "A"

This schedule is attached to and becomes a part of UCC-1 Financing Statement between RALPH SCHEIDT as Debtor and CREDIT ALLIANCE CORPORATION as Secured Party. **11491**

DESCRIPTION OF EQUIPMENT: (Cont'd.)

Planing Mill Equipment

- One (1) Michigan CHG-G-14 side head grinder s/n 529 complete with stand, balancing scales, bench vise & 10" bench grinder.
- One (1) Gockel F-40 Knife Grinder 60" capacity s/n 6651 with knife aligning attachment and planer knife grinding fixture.

RALPH SCHEIDT

A handwritten signature in black ink, consisting of a stylized 'R' and 'S' followed by a horizontal line.

This schedule is attached to and becomes a part of UCC-1 Financing Statement between RALPH SCHEIDT as Debtor and CREDIT ALLIANCE CORPORATION as Secured Party.

DESCRIPTION OF REAL ESTATE:

PHYSICAL DESCRIPTION: Ten (10) miles South of Beaver Marsh. Located at Lentz Siding, turning left at that point.

LEGAL DESCRIPTION: Lots 3 and 4 and all that portion of the E½SW¼ lying Westerly of the right of way of the S.P. Railroad in Section 31, Township 30 South, Range 8 E.W.M.

DESCRIPTION OF EQUIPMENT:

Saw Sharpening Equipment

- One (1) Armstrong No. 4 RH sharpener s/n 14419 complete. 440-3-60 voltage, with cams for tooth No. 50-E 1-3/4 tooth space, carbide wear parts, safety guards & filing clamps.
- One (1) Armstrong No. 4 LH sharpener s/n 14090 complete. 440-3-60 voltage, with cams for tooth No. 50-E 1-3/4 tooth space, carbide wear parts, safety guards & filing clamps.
- One (1) Armstrong No. 4 anti-friction bearing stretcher roll s/n 14447 complete. 440-3-60 voltage, No. 62 welding clamp, foot control, heating element and two 10" x 48" x 4" thick levelling blocks.
- One (1) Armstrong-rip No. 25 saw sharpener s/n 14330 complete. 440-3-60 voltage, two sets of cams, centering cone, carbide wear parts and safety guards.
- One (1) Armstrong 3-60-C circular stretcher roll s/n 14390 complete. 440-3-60 voltage levelling roll, levelling attachment one 18" dia. x 4" levelling block, one 24" Dia. x 4" levelling block & one 10" x 14" anvil.
- One (1) Armstrong No. 16 sharpener s/n 14221 complete. 440-3-60 voltage and safety guards.

Swages and Sharpeners

- Two (2) Armstrong No. 18 air swages complete with 250-G anvil gauge, carbide-tipped clamp screws and anvil.
- Two (2) Armstrong No. 5500B sharpeners complete with carbide-tipped side dies.
- One (1) Armstrong No. 18C air circular saw swage complete with 250-G anvil gauge and carbide-tipped clamp screws and anvil.
- One (1) Armstrong 5700C sharpener complete with carbide-tipped side dies and bench attachment for edger saws.

Deck Saw Grinder

- One (1) Bell Industries K275 s/n 83112.
- One (1) Williams Canter Knife Grinder s/n 3842.



SCHEDULE "A"

11493

This schedule is attached to and becomes a part of UCC-1 Financing Statement between RALPH SCHEIDT as Debtor and CREDIT ALLIANCE CORPORATION as Secured Party.

DESCRIPTION OF EQUIPMENT: (Cont'd.)

Planing Mill Equipment

- One (1) Michigan CHG-G-14 side head grinder s/n 529 complete with stand, balancing scales, bench vise & 10" bench grinder.  
One (1) Gockel F-40 Knife Grinder 60" capacity s/n 6651 with knife aligning attachment and planer knife grinding fixture.

RALPH SCHEIDT



STATE OF OREGON; COUNTY OF KLAMATH; ss.

Recorded for record

this 6th day of July A.D. 19 84 at 4:40 o'clock P.M., and  
July recorded in Vol. M84, of Mortgages on Page 11485

EVELYN BIEHN, County Clerk

By Bernetha Helst

Fee: \$32.00