(Statutory Form)

Vol. 1/8 Page 12355

GRANTOR:

JOHN M. SCHOONOVER and ARBA  $\stackrel{\mathsf{FAYE}}{/}$  SCHOONOVER, husband and wife

SPECIALLY CONVEYS AND WARRANTS TO

GRANTER:

LOUISE A. IKE

the following described real property free of encumbrances/except as specifically set forth herein:

---- See Legal Description, together with Exhibits, Attached ----

SUBJECT TO: any liens or encumbrances made or permitted to be made by grantee herein subsequent to that contract recorded M78 Page 1970 February 1, 1978, and re-recorded March 9, 1981 M81, Page 4140, which this deed partially fulfills.

DEPUTY.

This instrument does not guarantee that any particular use may be made of the property described in this instrument. A buyer should check with the appropriate city or county planning department to verify approved uses. The true and actual consideration for this transfer is \$ see contract of record.

If grantor is a corporation, this has been signed by authority of the Board of Directors, with the seal of said corporation affixed.

DATED: July 20, 1984 Until a change is requested, all tax stamments shall be sent to the following address: no changeo STATE OF OREGON, Sound Do Klamath State of Oregon, County of July 20 .... 1984 Personally appeared the above named John F. Schoonover, and Personally appeared Arba Faye Schoonover acknowledged the foregoing instrum orn, stated that he is the corporation and that the seal affixed hereto is its seal and that this instrumed voluntarily signed and sealed in behalf of the corporation by authority of its Bodiectors. Before me: Notary Public for Oregon My commission expires: WARRANTY DEED STATE OF OREGON, County of Schoonover I certify that the within inst Ike ceived for record on the (DON'T USE THIS RECORDING RETURN TO SPACE: RESERVED FOR RECORDING M., and recorded in the LABEL OR 260 Witness my hand and real of County affixed. WHERE COUNTY CLERK alem, OR 97308

A parcel of land situated in Section 14, Township 34 South, Range 7

Range 8

Range 8

Range 7

Range 9

Range beginning at a 5/8" iron pin from which the Southwest corner of the Oregon, more particularly described as follows: NE 1/4 of the NW 1/4 of said Section 14 bears the following three NE 1/4 of the NW 1/4 of said Section 14 bears the following three bearings and distances: North 89° 54' 30" West, 902.78 feet; North bearings and distances: North 89° 54' 02" West, 1300.46 feet; South 00° 10' 16" West, 391.19 feet; 89° 54' 02" West, 1300.46 feet; South 1572 20 feet to 2 5/8" 1507 thence from said point of beginning South 1573.20 feet to a 5/8" Iron pin; thence South 89° 161 54" East 1129.61 feet to a 5/8" Iron pin; pin; thence South by 10: 54" tast 1129.DI teet to a 5/0 170n pin on the East line of the W 1/2 SE 1/4 NE 1/4 of said Section 14; thence on the East line of the W 1/2 SE 1/4 NE 1/6 of the W 1/2 SE 1/6 NE 1/ on the tast time of the W 1/2 St 1/4 Nt 1/4 of said section 14; then the North 01° 53' 14" West along the East line of the W 1/2 St 1/4 Nt 1/4 North 01° 53' 14" West along the East line of the W 1/2 St 1/4 Nt 1/4 North UI >3 14" West along the East line of the W 1/2 St 1/4 Nt 1/4 and W 1/2 Nt 1/4 Nt 1/4 of said Section 14, 1586.50 feet to 8 5/8" Iron and W 1/2 Nt 1/4 Nt 1/4 of said Section 14, 1586.50 feet to 8 5/8" Iron and W 1/2 Nt 1/4 Nt 1/4 of said Section 14, 1586.50 feet to 8 5/8" Iron and W 1/2 Nt 1/4 Nt pin; thence North 89° 54' 30" West, 1077.27 feet to the point of TOGETHER WITH: Exhibits A, B, C, D, E, F, G, H and I. SUBJECT TO: Exhibit "E" and an easement 30.00 feet in width for purposes of ingress and egress, more particularly described as The Westerly 30.00 feet of the above described property. Rights of the public in and to any portion of said premises lying Subject further to the following: 2. Reservations as set forth in Land Status Report recorded within the limits of roads and highways. December 22, 1958 in Book 308 at page 129, to-wit: "The above described property is subject to any existing easements for public roads and highways, for public utilities and for railroads and plpe lines and for any other easements or rights of way of record; and there is hereby reserved any and all roads, trails, telephone lines, etc., actually constructed by the United States. (Affects 3. Reservations and restrictions, including the terms and provisions thereof, as set forth in approved Indian Deed from Marion Nelson to Weyerhaeuser Timber Company

Weyerhaeuser Timber Company

Book 345 at page 293, Deed Records, to-wit: "There is reserved from the southern pacific the south the lands hereby granted (1) Right of way to the Southern Pacific Railway Company for a railroad approved by the First Assistant Secretary to the Interior on February 4, 1914. (2) Right of Way to Bonneville Power Administration for electric transmission lines for a period not exceeding 50 years from September 14, 1951. This conveyance is subject to any existing easements for public roads and highways, for public utilities and for railroads and pipelines and for any other easements or rights of way of record. All subsurface rights except water, are hereby reserved, in trust, by the grantor pursuant to the provisions of the Act of August 12 lock (10 ctot 720). the Act of August 13, 1954 (68 Stat. 720)". (Affects Section 14, Township 34 South, Range 7 East of the Willamette Heridian). Rights of the public and of governmental bodies in that portion of the above described property lying below the high water mark of Larson Creek and the ownership of the State of Oregon in that portion lying (Affects Parcel 1 and other property). below the high water mark thereof.

John m. Schonover arka Jaye Schoonover

Sec. 3.

# EXHIBITS

An easement 60 feet in width, measured at right angles, for purposes of ingress and egress of which the centerline is more particularly described as follows:

Beginning at a point on the South line of the NW\nw\dagger of Section 14 and the centerline of an existing road, from which the Southeast corner of the NW4NW4 of said Section 14 bears South 89° 59' 40" East 626.00 feet; thence from said point of beginning Northeasterly along the centerline of an existing road, the following six bearings and distances: North 18° 16' 56" East 31.94 feet, North 26° 36' 26" East 66.98 feet, North 45° 16' 11" East 133.72 feet, North 52° 35' 15" East 257.59 feet, North 38° 56' 57" East 65.21 feet, South 89° 54' 02" East 246.55 feet to a point on the West line of the NE\NW\ of said Section 14, from which the Southeast corner of the NW\N\ of said Section 14, bears South 00° 10' 16" West 391.19 feet.

Exhibit B

An easement for purposes of ingress and egress lying 30 feet Northerly measured at right angles and adjacent to the following described line:

Beginning at a point on the West line of the NE%NW%, from which the Southwest corner of the NE%NW% of Section 14, bears South 00° 10' 16" West 391.19 feet; thence from said point of beginning South 89° 54' 02" East 1300.46 feet; thence South 89° 54' 30" East 1980.06 feet to a point on the East line of the WhNE NEW of said Section 14.

Exhibit C

An easement for purposes of ingress and egress lying 30 feet Southerly, measured at right angles, and adjacent to the following described line:

Beginning at a point on the West line of the NEWNW of Section 14, from which the Southwest corner of the NENNW of said Section 14 bears South 00° 10' 16" West 391.19 feet; thence from said point of beginning South 89° 54' 02" East 1097.61 feet to a point.

Exhibit D

An easement for purposes of ingress and egress lying 30 feet Southerly, measured at right angles, and adjacent to the following described line:

Beginning at a point, from which the Southwest corner of the NEWNW of Section 14 bears the following two bearings and distances:
North 89° 54' 02" West 1097.61 feet, South 00° 10' 16" West 391.19
feet; thence from said point of beginning South 89° 54' 02" East
202.85 feet; thence South 89° 54' 30" East 902.78 feet to a point.

Exhibit E

An easement for purposes of ingress and egress lying 30 feet Southerly, measured at right angles, and adjacent to the following described line:

Beginning at a point, from which the Southwest corner of the NE\NW\ of Section 14 bears the following three bearings and distances:
North 89° 54' 30" West 902.78 feet, North 89° 54' 02" West 1300.46
feet, South 00° 10' 16" West 391.19 feet; thence from said point of beginning South 89° 54' 30" East 1077.27 feet to a point on the East line of the WanEanEa of said Section 14.

Exhibit F An easement 30 feet in width for purposes of ingress and egress lying 30 feet Westerly, measured at right angles, and adjacent to the following described line:

John M. Schoonver EXHIBIT "B" - 1 arla Jaye Schoonver

Beginning at a point, from which the Southwest corner of the NE $\frac{1}{4}NW^{\frac{1}{4}}$ of Section 14 bears the following two bearings and distances: North 89° 54' 02" West 1097.61 feet, South 00° 10' 16" West 391.19 feet; thence from said point of beginning, South 2372.18 feet to a point on the South line of the NaNEASWA of said Section 14.

### Exhibit G

An easement 30 feet in width for purposes of ingress and egress lying 30 feet Easterly, measured at right angels, and adjacent to the following described line:

Beginning at a point, from which the Southwest corner of the NE\sh\w\sqrt\ of Section 14, bears the following two bearings and distances: North 89° 54' 02" West 1097.61 feet, South 00° 10' 16" West 391.19 feet; thence from said point of beginning, South 2372.18 feet to a point on the South line of the N\s\nE\s\S\\\ of said Section 14.

### Exhibit H

An easement 30 feet in width for purposes of ingress and egress lying 30 feet Westerly, measured at right angles, and adjacent to the following described line:

Beginning at a point, from which the Southwest corner of the NE\N\% of Section 14 bears the following three bearings and distances:
North 89° 54' 30" West 902.78 feet, North 89° 54' 02" West 1300.46
feet, South 00° 10' 16" West 391.19 feet; thence from said point of
beginning South 2362.64 feet to a point on the South line of the Nanwasea of said Section 14.

## Exhibit I

An easement 30 feet in width for purposes of ingress and egress lying 30 feet Easterly, measured at right angles, and adjacent to the following described line:

Beginning at a point, from which the Southwest corner of the NE¼NW¼ of Section 14 bears the following three bearings and distances:
North 89° 54' 30" West 902.78 feet, North 89° 54' 02" West 1300.46
feet, South 60° 10' 16" West 391.19 feet; thence from said point
of beginning South 2362.64 feet to a point on the South line of the Nanwasea of said Section 14.

> STATE OF OREGON, ) County of Klamath ) Filed for record at request of

on this 23 day of July A.D. 19 84 at 12:04 \_ o'clock P \_ M, and duly recorded in Vol. M84 of Deeds Page\_ 12355 EVELYN BIEHN, County Clerk

By Am Smith Deputy

Fee 16.00

John M. Schomover auba Jaye Schoonover EXHIBIT "B" - 2