

STATE OF OREGON

INSTRUCTIONS:

FORM UCC-1 UNIFORM COMMERCIAL CODE-FINANCING STATEMENT-FORM UCC-1

Local

Registr'd, Inc.

1734 TAYLOR ST., N.E.

SEATTLE, WASHINGTON

1-21-27-2003

NYC 19530-1

Vol. 11088

Page 8179

1. Fill in all the spaces in this form. This form may be used in conjunction with interleaved carbon paper, inset to the filing officer, the Debtor(s) and Secured Party(ies), or
2. If the form does not contain all the space required, the (Exhibit) should be continued on additional sheet, and ORS 79-402. Only one copy of such additional
3. Use Exhibit A attached hereto for filing officer. Long schedules of collateral, descriptions, etc. may be on any size paper that is convenient for the secured party.
4. All the long or original copies of the filing officer will return acknowledgment copy to the assignee if written on form or secured party. If secured party requires acknowledgement
5. When a copy of the security agreement is used as a financing statement, it is requested that it be accompanied by a completed UCC-21 form. Enclose \$5.00 plus \$3.75
6. When filling is to be terminated the acknowledgment copy may be sent to the filing officer signed by the secured party or assignee or he may use Form UCC-3 as a
Termination Statement.

R. Leonard Garrison
Linda B. GarrisonBracton Corporation, a
Delaware corporation

Filing Officer Use Only

18. Mailing Address(es)

c/o Garrison Pacific Properties
1050 Northgate Drive
San Rafael, CA 949032B. Address of Secured Party from which
security information obtainable:100 Spear Street, 10th Floor
San Francisco, CA 94105

M88 page 8179

3C. This financing statement covers the following types (or items) of collateral (ORS 79-402):

All equipment, motor vehicles, furniture, fixtures, livestock, farm equipment, replacement parts and accessories, irrigation equipment, tools, machinery, dredging equipment, tugboat, barge and including without limitation the collateral described in Exhibit B attached hereto and including all of the foregoing which are now or hereafter affixed to or located on, whether or not severed from, the real property described in Exhibit A attached hereto and made a part hereof.

4A. Assignee of Secured Party(ies) if any:

4B. Address of Assignee from which
security information obtainable:Check box if products of collateral are also covered No. of additional sheets attached

R. Leonard Garrison

Linda B. Garrison

Michael B. Pearce, Sr. Vice President

Bracton Corporation

Signature(s) of Debtor(s) required in most cases.

Signature(s) of Secured Party(ies) in cases covered by ORS 79-4020

Signature(s) of Debtor(s)
Signature(s) of Secured Party(ies) or Assignee(s)

This Form of Financing Statement approved by the Secretary of State.

STANDARD FORM—UNIFORM COMMERCIAL CODE—FORM UCC-1

Revised 9-1-81

FILING OFFICER—ALPHABETICAL

FILING OFFICER—NUMERICAL

8180

EXHIBIT "A"
LEGAL DESCRIPTION

All that certain real property situate, lying and being in the County of Klamath, State of Oregon, more particularly described as follows:

In Township 33 South, Range 7 East of the Willamette Meridian:

In Section 19:

Lots 2, 3, 4, 5, 8, 9, 10, 11, 12, 15, 16, 17, 18, 19, 20, 23, 26, 27, 28, 29, 30 and the following described tract: Starting at a point 7.65 chains West from the Section Corner Common to Sections 19, 20, 29 and 30, Township 33 South, Range 7 East of the Willamette Meridian, and running thence West 12.13 chains; thence North 20 chains to the center line of the old Dallas-California Highway; thence South 25 degrees East following the center line of the said old Dallas-California Highway 17.00 chains; thence in a Southeasterly direction also following the center of the said Dallas-California Highway 7.27 chains, more or less, to the starting point. Being a part of Lots 24 and 31 of said Section 19.

EXCEPTING from Lot 3 the following described parcel: Beginning at the intersection of the North section line of Section 19, said Township and Range and the West right of way line of State Highway 427; thence South 13 degrees 10' 28" East along the West right of way line 415.69 feet; thence North 89 degrees 36' 24" West parallel to the North section line of Section 19, 577.28 feet to Agency Lake; thence North 3 degrees 30' 07" West along the shore line of Agency Lake 405.20 feet to the North section line of Section 19; thence South 89 degrees 36' 24" East along the section line of Section 19, 509.63 feet to the point of beginning.

ALSO EXCEPTING all that portion of Lots 2, 3, 4, 5 and 8 of Section 19, Township 33 South, Range 7 East of the Willamette Meridian, lying Northerly of State Highway No. 422 and Easterly of State Highway No. 427.

In Section 30:

Lots 1, 4, 5, 6, 7, 14, 15, 16, 17, 23, 24, 25, 26, 27, 28, 33, 34, 35, 36, 37 and the West 10 chains (660 feet) of Lots 8, 13 and 18.

EXCEPTING THEREFROM the East 250 feet of Lot 1, Section 30, Township 33 South, Range 7 East of the Willamette Meridian, in the County of Klamath, State of Oregon.

8181

ALSO EXCEPTING a substation site 40 feet square in said Section 25,
described as follows: Beginning at a point on the right hand or
Westerly bank of Williamson River, and on the Easterly side of
boundary of Lot 37 of Section 30, Township 33 South, Range 7 East of
the Willamette Meridian, said point being situated South 89 degrees
09' West 2.7 feet and West 3,114 feet, more or less, from the
Southeast corner of said Section 30; thence West 110.0 feet; thence
North 88 degrees 22' West 249.4 feet; thence West 1,750.0 feet; thence
North 70 degrees 00' West 7.0 feet to a point on the East boundary
fence line of that certain structure known and referred to as Indian
Lands Substation and from which the Southeast corner of said
substation bears South 12.5 feet, being the true point of beginning;
thence South 12.5 feet to the Southeast corner; thence West 40 feet;
thence North 40 feet; thence East 40 feet; thence South 27.5 feet to
the true point of beginning.

In Section 31:

Lot 4, EXCEPTING THEREFROM the following described parcel: Beginning
at a point on the North line of said Lot 4 which bears North 89
degrees 39' 30" East a distance of 498.3 feet from the Northwest
corner of said Lot 4; thence South 07 degrees 13' 10" East a distance
of 336.7 feet to a point; thence South 31 degrees 03' 40" East a
distance of 163.5 feet to a point; thence South 06 degrees 30' 30"
East a distance of 50.5 feet to a point; thence North 80 degrees 02'
40" East a distance of 133 feet, more or less, to a point on the
Westerly bank of Williamson River thence Northerly along said Westerly
39' 50" West along the North line of said Lot 4 to the point of
beginning.

Lots 5, 6, 7, 12, 13, 14, 15, 16, 17, 18, 19, 22, 23, 24, 25, 26, 27,
30, 31, 32, 33, 34, 35, 36, 37 and portion of Lots 11, 20, 21, 28, 29
and 38 in Section 31, more particularly described as follows:
Beginning at the stone monument marking the section corner common to
Sections 31 and 32, Township 33 South, Range 7 East of the Willamette
Meridian and to Sections 5 and 6, Township 36 South, Range 7 East of
the Willamette Meridian; thence South 89 degrees 35 3/4' West along
the section line common to said Sections 31 and 6, 423.0 feet to a
point; thence North 0 degrees 23' West 30.0 feet to an iron pipe on
the Northerly right of way line of a county road as the same is
presently located and constructed and the true point of beginning of
this description; thence South 89 degrees 35 3/4' West along the said
Northerly right of way line 868.7 feet to a point in the fence line
marking the Westerly boundary of Lot 38 of said Section 31; thence
North 0 degrees 35 3/4' West 1271.7 feet to the stone monument marking
the Northwest corner of Lot 29 of said Section 31 (said monument being
also the SE1/16 corner of said Section 31); thence North 0 degrees
25' West 1316.7 feet to the stone monument marking the Northwest
corner of Lot 21 of said Section 31 (said monument being also the East
1/16 corner on the East-West centerline of said Section 31); thence
North 0 degrees 19 3/4' West 1263.3 feet to an iron pin on the
Westerly boundary of Lot 11 of said Section 31 and from which point
the Northwest corner of said Lot 11 bears North 0 degrees 19 3/4' West
35.0 feet distant; thence South 13 degrees 14 1/2' East 3953.5 feet,
more or less, to the true point of beginning.

EXCEPTING that portion in Section 31 described as follows:

Lots 12, 16, 18, 19, lying Southerly and Easterly of the center thread of Williamson River, and all of lots 22, 23, 24, 25, 26, 27, 30, 31, 32, 33, 34, 35, 36, 37 and portion of Lots 11, 20, 21, 28, 29 and 38 in Section 31, more particularly described as follows: Beginning at the stone monument marking the section corner common to Sections 31 and 32, Township 35 South, Range 7 East of the Willamette Meridian and to Sections 5 and 6, Township 36 South, Range 7 East of the Willamette Meridian; thence South 89 degrees 55 3/4' West along the section line common to said Sections 31 and 6, 425.0 feet to a point; thence North 0 degrees 23' West 30.0 feet to an iron pipe on the Northerly right of way line of a county road as the same is presently located and constructed and the true point of beginning of this description; thence South 89 degrees 55 3/4' West along the said Northerly right of way line 868.7 feet to a point in the fence line marking the Westerly boundary of Lot 38 of said Section 31; thence North 0 degrees 55 3/4' West 1271.7 feet to the stone monument marking the Northwest corner of Lot 29 of said Section 31 (said monument being also the SE1/16 corner of said Section 31); thence North 0 degrees 23' West 1316.7 feet to the stone monument marking the Northwest corner of Lot 21 of said Section 31 (said monument being also the East 1/16 corner on the East-West centerline of said Section 31); thence North 0 degrees 19 3/4' West 1263.3 feet to an iron pin on the Westerly boundary of Lot 11 of said Section 31 and from which point the Northwest corner of said Lot 11 bears North 0 degrees 19 3/4' West 53.0 feet distant; thence South 13 degrees 14 1/2' East 3955.5 feet, more or less, to the true point of beginning.

In Township 35 South, Range 7 1/2 East of the Willamette Meridian:

All of Fractional Sections 25, 26, 27, 33, 34, 35 and a portion of Section 36, lying Westerly of the center thread of Williamson River. All of Fractional Section 24 EXCEPT Govenment Lot 5; All of Fractional Section 28 lying East of the Straits which connect Upper Klamath Lake and Agency Lake.

In Township 36 South, Range 7 1/2 East of the Willamette Meridian:

All of Section 1; and All of Fractional Sections 2, 3, 4, 11 and 12 lying Northeasterly and Northerly of the shore line of Klamath Lake and Westerly of the center thread of the Williamson River.

Townships 34 and 35 South, Range 7 1/2 East of the Willamette Meridian

All these portions of Sections 20, 21, 22, 26, 27, 28, 29, 33 and 34, Township 34 South, Range 7 1/2 East of the Willamette Meridian, and Sections 2, 3, 4, 5, 6, 7, 8, 9, 10, 16, 17 and 18, Township 35 South, Range 7 1/2 East of the Willamette Meridian, in the County of Klamath, State of Oregon, more particularly described as follows:

8183

Beginning at the intersection of the center line of Seven Mile Canal, as the same is now located and constructed with a line parallel with and 70.0 feet distant at right angles Southeasterly from the centerline of the Dixon and McQuiston Lower Levee as the same is now located and constructed and from which point the Southeasterly corner of Section 1, Township 34 South, Range 6 East of the Willamette Meridian, as established by Norman D. Price, U. S. Cadastral Engineer, between October 31, 1930 and June 22, 1931, bears North 52 degrees 51 1/2' West 18,650.2 feet distant, and running thence South 44 degrees 40' West along the aforementioned parallel line 7,011.7 feet; thence South 12 degrees 30' East along a line parallel with and 70.0 feet distant at right angles Northeasterly from the center line of the said Dixon and McQuiston Lower Levee, 2,622.3 feet, more or less, to a point in the section line between the said Sections 28 and 29, Township 34 South, Range 7 1/2 East of the Willamette Meridian; thence Southerly along the said section line between the said Sections 28 and 29, and Sections 32 and 33 of the same Township and Range, 7,928 feet, thence Southerly along the section line between the said Section 32; and 5, Township 35 South, Range 7 1/2 East of the Willamette Meridian, 788.3 feet; thence Westerly along a line parallel with and 788.3 feet distant at right angles Southerly from the Township line between Township 34 South, Range 7 1/2 East of the Willamette Meridian and Township 35 South, Range 7 1/2 East of the Willamette Meridian, 10,560 feet, more or less, to a point in the line marking the Westerly boundary of Section 6, Township 35 South, Range 7 1/2 East of the Willamette Meridian; thence Southerly along the Westerly boundary of the said Section 6, 4,492 feet, more or less, to the Southwesterly corner of the said Section 6; thence continuing Southerly along the Southwesterly boundary of Section 7, 3,280 feet, more or less, to the West line of Section 18 a distance of 660 feet; thence continuing South along parallel with and 660 feet South of the North lines of Sections 18 and 17, a distance of 10,560 feet, more or less to the East line of Section 17; thence continuing East along said parallel line a distance of 1,980.0 feet to a point; thence North at right angles to said parallel line a distance of 660 feet to a point on the South line of Section 9 which is 1,980.0 feet East of the Southwest corner thereof; thence North 13 degrees 46' East a distance of 2,717.95 feet, more or less, to the center of Section 9 and the Southwest corner of Lot 2 in said Section 9; thence North 44 degrees 52' East to the Northeast corner of said Lot 2; thence continuing North 44 degrees 52' East a distance of 0.983 chains; thence North 86 degrees 54' East a distance of 81.715 chains to a point on the East line of Section 10 and on the meander line of Agency Lake; thence Northerly along the shore line of Agency Lake to its intersection with the center line of the Seven Mile Canal as the same is now located and constructed; thence North 41 degrees 02' 30" West, along said center line, a distance of 11,000 feet, more or less, to the point of beginning.

AGENCY LAKE FARMS

<u>FARM EQUIPMENT</u>	<u>MODEL</u>	<u>SERIAL NUMBER</u>	<u>CONDITION</u>
<u>I.D. NO.</u>	<u>DESCRIPTION</u>		
A1	New Holland hay baler	500	Fair
A2	New Holland hay baler	500 330W	Fair
A3	Freeman hay baler	TC200	Fair
A5	Hyster hay squeeze	1075	Fair - Poor
A7	1981 New Holland harobed	1495	Fair - Poor
A9	1981 New Holland swather	373033	Poor
A10	Pollard turning rake-farmhand	1495 F190	Fair - Good
A11	Pollard turning rake-farmhand	258-260	Fair
A12	New Holland basket rake set	259-260	Good
A13	New Holland basket rake set	-	Good
A15	Eiston gopher getter	-	Good
A16	Tulana bait broadcaster	MN3	Poor
A17	1982 Darf turning rakes	407	Good
B2	John Deere rotary cutter - 8'	XAG60	Good
B3	Hyster shop forklift	-	Good
B4	Caterpillar road grader	8019	Good
B5	Sandstorm sand blaster	L302	Good
B6	Divibus air compressor	5031	Good
B7	Ingersol air compressor	242F6T	Very Good
B8	John Deere riding lawn mower	111	Good
B9	John Deere self-propelled sprayer	30198941	Fair
B10	Plano self-propelled sprayer	25305	Fair
B25	Ingersol air compressor	-	Fair
B26	Tulana scraper	-	Fair
B27	John Deere scraper	-	Fair
B28	Kilfer ditcher	CP-250TS	Fair
B29	Miller welder	A154722	Good
B99	Lincoln welder	A09	Good
B?	Roughneck portable welder	H603513	
	Miller model - 250 welder	NOTA50454	

EXHIBIT BRE

AGENCY LAKE FARMSLIGHT VEHICLES

I.D. No.	DESCRIPTION	MODEL	SERIAL NUMBER	CONDITION
V11	1981 Ford 4WD Pickup	F141	1FTDF4F78RA009510	Good
V20	1977 Ford 4WD Pickup	F261	F26HR003518	Poor
V21	1978 Ford 4WD Pickup	F261	F26HRCE0701	Good
V22	1977 Ford 4WD Pickup	F141	F14HRT25827	Good
V23 (23)	1972 Chevrolet 4WD Pickup	C10	CKE1422135953	Poor (to Motor)
V26	1977 Ford 4WD Pickup	F261	F26HRY26160	Fair
V27	1982 Ford 4WD Pickup	F250	1FTHF2666CRA14826	Fair - Good
V34	1982 Ford 4WD Pickup	C10	CKL185F201997	Good
V50	1976 Chevrolet 4WD Blazer	F260	1FTHF2613GPAA27398	Excellent
V?	1986 Ford 4WD Pickup	F260	1FTHF2617GPA62882	Fair
V?	1986 Ford 4WD Pickup	NH1216	82022612	Good
P39	1982 Heald 3-wheel motorcycle	V18	7651	Good
P40	1983 Heald 2 wheel motorcycle	V18	7653	Excellent
P41	1983 Heald 2 wheel motorcycle	-	JH3TE0407FPA68891	Excellent
B?	1985 Honda 2 wheel motorcycle	-	JH2AE0502FK102996	Excellent
B?	1985 Honda 2 wheel motorcycle	-	JH3TE0401FPA036017	Excellent
B?	1985 Honda 3 wheel motorcycle	F260	1FTHF2612HPA67246	Good
V	1987 Ford 4WD Pickup	F260	1FTHF2614HPA67247	Good
V	1987 Ford 4WD Pickup	-	-	Good

EXHIBIT B
2.

AGENCY LAKE FARMS

FARM EQUIPMENT

I.D. NO.	DESCRIPTION	MODEL	SERIAL NUMBER	CONDITION
A ?	Case Model 26 Extendable backhoe	-	5406824	Excellent
A ?	Ford 3 point scraper (6')	-	-	Fair
A ?	International Model 80 box scraper (8')	-	-	Fair
C1	D6 Caterpillar tractor	D6	94494	Fair
C3	D6 Caterpillar tractor	D6	51836	Good
C4	D5 Caterpillar tractor	D5	98J2074	Good
C6	D5 Caterpillar tractor	D5	98J1881	Poor
C10	D6 Caterpillar tractor	D6	4R229	Poor
C12	D6 Caterpillar tractor	D6	4R266	Poor
C17	D6 Caterpillar tractor	R6	2H2582	Poor
C18	D6 Caterpillar tractor	R6	2H3017	Poor
C23	John Deere wheel tractor	3010	1T2890	Fair
C24	John Deere wheel tractor	3020	T-113P07564R	Good
C25	John Deere wheel tractor	3020	T-11P05538R	Fair
C26	International Harvester wheel tractor	350	6313	Fair
C24	D8 Caterpillar tractor	D8	8-R9449	Fair
C36	D8 Caterpillar tractor	D8	8-28830	Fair
C43	D8 Caterpillar tractor	D8	2U20318	Fair
C48	D8 Caterpillar tractor	D8	2U5907	Fair
C49	D8 Caterpillar tractor	D8	2U6673	Fair
C54	D8 Caterpillar tractor	D8	2U21890	Fair

EXHIBIT B
3.

AGENCY LAKE FARMS

FARM EQUIPMENT		MODEL	SERIAL NUMBER	CONDITION
I.D. NO.	DESCRIPTION			
E1	Set Tulana 20' rollers-3 rollers	-	CW140-2 240	Good
E1	Towner 15' disc	620/562C	-	Good
E3	Towner 24' disc	-	-	Fair
E5	Towner 8' ring roller with	-	10500000005759	Fair
E8	Schmeisser 21" ring	-	019-0735	Fair
E11	International Harvester International plow	Tulana	W/A	Poor
E13	Lely 20' Roterra	2500	1876	Poor
E14	20' Single gang disc	600TC	075340-1089	Very Good
E25	20' Allis Chalmers tandem disc	600TC	3340	Good
E101	Allis Chalmers 5 shank ripper	W100-40	3340	Very Good
E102	1984 Allis Chalmers 5 shank ripper	W100-40	W100-40	Fair
E6	1984 Marvin harrow	Tulana	Self-propelled	Poor
E7	1984 Marvin wagon	Tulana	Self-propelled	Good
E9	Bank out wagon	7700	214842	Good
E10	Bank out wagon	7700	214844	Good
E11	Bank out combine	7700	215072	Fair
E12	John Deere combine	7700	215074	Fair
E13	John Deere combine	-	215074	Fair
E16	John Deere combine	Homemade	-	Fair
E17	John Deere grain auger	Tulana	Homemade	Fair
E23	A. H. Hayes grain auger	Tulana	006047N	Fair
E25	Header cart	9000	006435N	Fair
	Header cart			Fair
	John Deere 10' grain drill			Fair
	John Deere 10' grain drill			Fair

EXHIBIT B
4.

AGENCY LAKE FARMS

FARM EQUIPMENT

I.D. NO.	DESCRIPTION	MODEL	SERIAL NUMBER	CONDITION
6?	John Deere 10' grain drill (new)	9300	033105	Very Good
G?	John Deere 10' grain drill (new)	9300	033014	Very Good
G?	John Deere 10' grain drill (new)	9300	033017	Very Good
6?	John Deere 10' grain drill (new)	9300	033015	Very Good
630	International swather	275	1300550005151	Poor
631	Riley bulk bin (barber type)	200 bu	1384	Very Good
632	Riley bulk bin (barber type)	200 bu	2384	Very Good
633	1984 Thomas fertilizer belt	KT175	13176884	Very Good
634	1984 Thomas fertilizer belt	KT175	13176869	Very Good
G100	Caterpillar rubber tire loader	920	6225107	Good
P3	Caterpillar portable pump	3208	90024976	Good
P7	Caterpillar portable pump	3208	9007962	Good
P19	Caterpillar portable pump	3208	90025013	Good
P25	Detroit portable pump	-	V717083700	Fair - Poor
P28	Detroit portable pump	-	V717083700	Good
P30	Tulana pipe trailer	-	Homemade	Good
P31	Tulana pipe trailer	-	Homemade	Fair
P32	Tulana pipe trailer	-	Homemade	Fair
P33	Tulana pipe trailer	-	Homemade	Fair
P34	Tulana pipe trailer	-	Homemade	Fair
T122	Reliance grain trailer	Semi	68325	Fair
T123	Reliance grain trailer	Pull	68326	Fair
T124	Reliance grain trailer	Semi	68327	Fair
T125	Reliance grain trailer	Pull	68328	Fair
T126	Reliance grain trailer	Semi	68329	Fair
T127	Reliance grain trailer	Pull	68330	Fair

8189

AGENCY LAKE FARMSFARM EQUIPMENT

I.D. No.	Description	Model	Serial Number	Condition
T128	Reliance grain trailer	Semi	68501	Fair
T129	Reliance grain trailer	Pull	68502	Fair
T130	Reliance grain trailer	Semi	68503	Fair
T131	Reliance grain trailer	Pull	68504	Fair
T132	Reliance grain trailer	Semi	68505	Fair
T133	Reliance grain trailer	Pull	68506	Fair

EXHIBIT B
6.

8190

AGENCY LAKE FARMSOTHER TRUCKS AND EQUIPMENT

<u>I.D.</u>	<u>DESCRIPTION</u>	<u>MODEL</u>	<u>SERIAL NUMBER</u>	<u>CONDITION</u>
V1	1983 Volvo 10 wheel flatbed truck	F724	809366	Very Good
V4	1946 International Harvester 10 wheel flatbed truck	K-8F	HFA1746	Fair
V9	1967 Ford flatbed truck	F378	F35VRA79945	Fair
V24	1977 Ford service truck	F378	F37HRY29480	Fair
V33	1982 Ford 4WD flatbed truck	F361	1FDJF386CRA14701	Fair
V204	1970 International 2 axle COE	004070A	229471025056	Fair - Good
V207	1970 International 2 axle COE	004070A	2294711025055	Fair
V208	1970 International 6 wheel flatbed truck	1850	4688506411611	Fair
V209	1969 International dump truck	2000D	4572406364177	Fair
V210	1969 Freightliner 3 axle COE	-	CA213HP033927	Good
V11	Neckover 5th wheel horse trailer	-	6612054610	Good
V16	Archer Implement carrier	-	688225	Good
V12	Peerless low-boy trailer	-		Good

8191

AGENCY LAKE FARMS

Miscellaneous metal portable cattle corrals and chutes.

Hydraulic cattle chute.

TOTAL CATTLE CORRALS AND CHUTES

Spare parts, shop tools, and unlisted miscellaneous equipment.

TOTAL SPARE PARTS, ETC.

EXHIBIT B

8.

AGENCY LAKE FARMSIRRIGATION EQUIPMENT

<u>NUMBER OF UNITS</u>	<u>DESCRIPTION</u>	<u>CONDITION</u>
52.5	1/4 mile wheel lines with 5" pipe	Good
2,528	8" x 30' aluminum mainline	Good
392	12" x 30' aluminum mainline	Good
400	10" x 30' aluminum mainline	Good
3,375	3" x 30' aluminum center sprinkler headline	Fair
2,782	3" x 30' aluminum headline	Good
1,214	4" x 30' aluminum center sprinkler headline	Fair
203	6" x 30' aluminum mainline (ball joint)	Fair
1	Lindsay linear sprinkler system	Good

DREDGE EQUIPMENT

1. 134 ft. Dredge with Clyde Shirley House
3-½ cubic yard Clamshell Bucket Good
2. 42 ft. Fuel and Water Barge
Cap. 4,500 gallons/water - 3,000 gal. fuel Good
3. 42 ft. Equipment Barge Good
4. 36' Tug Boat (Albina Mfg.) Good

EXHIBIT B
9.

8193

AGENCY LAKE FARMS

HORSES

DESCRIPTION

- 1) Nicks Tula Mare (B)
- 2) Munmun Dice Gelding (R)
- 3) Mr. Oakwood Jr. Gelding (R)
- 4) Jack Dice Gelding (R)
- 5) Ghost Gelding
- 6) Buster Gelding
- 7) Speck Gelding
- 8) Squiggly Gelding
- 9) Brownie Gelding
- 10) Pedro Gelding

EXHIBIT B
10.

STATE OF OREGON: COUNTY OF KLAMATH: ss.

Filed for record at request of Mountain Title Co. the 25th day
of May A.D. 19 88 at 1:01 o'clock P.M., and duly recorded in Vol. M88,
of Mortgagors on Page 8179

Evelyn Blehn County Clerk
By Sherrelle L. Koch

FEE \$75.00