192 JUL 27 PH 3 57

Vol.m92 Page 16590

CONDITIONAL USE PERMIT HEARINGS OFFICER REVIEW/DISPOSITION

APPLICATION NO./REVIEW DATE: CUP 47-92, H.O. Hearing 7-24-92

APPLICANT/REPRESENTATIVE:

APP: Ron & Kathy Jones 1095 Saville Eugene, OR 97404

REQUEST: CUP 47-92 to place pre-1976 mobilehome on property zoned R-5 as conditionally permitted per LDC section 51.230 M.

LOCATION: North of Primrose Ln., west of Hwy 97, south of Crescent.

LEGAL DESCRIPTION: Por. SE 1/4 NE 1/4 Sec. 10, T 25S R 8E

ACCESS: easement roads west from Hwy 97

ZONE/PLAN: R-5/Rural

UTILITIES:

SEWER: septic

EXHIBITS:

a. Site Plan FIRE: DNA WATER: well ELECTRIC: Midstate

b.

NARRATIVE AND RECOMMENDATION:

The applicant wishes to place a pre-1976 mobilehome on property zoned for rural use west of Hwy 97 and south of Crescent in North Klamath County. Notification was sent out to interested agencies and adjacent property owners. Consideration of this application is allowed per Article 51.230 M. and Article 44 of the Code.

Staff recommends Hearings Officer approval subject to Code requirements for manufactured home placement as established by Environmental Health Services and the Building Department.

1. A placement permit for the mobilehome must be obtained within two years following the granting of this CUP.

DISPOSITION:

APPROVED 24th of JULY, 1992

Neil D. Smith, Hearings Officer

NOTICE OF APPEAL RIGHTS:

You are hereby notified that this decision may be appealed to the Klamath County Board of County Commissioners by filing with the Planning Department a notice of appeal together with the required fee within SEVEN days following the date of mailing of this decision.

Ex A STATE OF OREGON: COUNTY OF KLAMATH:	SS.				
STATE OF ORLOW!			_	27th	٠د
_	Klamath	County	the		day
Filed for record at request of		clock P_M., an	d duly recorded in \	/olM92	
In IV A.D. 19 22 W			16590		
01D	eeds	on Page	·		
01	E	velyn Biehn	 County Clerk 		
		· ·	ing Muss	moder line	
		By _\sigma_c	A Carlina - January		
FEE none	. 1				
Commissioners Journa	3.L				