	요즘 전화 가는 것이 없는 그 사람들이 있는 사람들이 되었다.	(612) 421-1713
	STATE OF OREGON L CODE—FINANCING STATEMENT—REAL PROPERTY—FORM UCC-1/ name. copies with interleaved carbon paper intact to the filing officer. The Del copies with interleaved carbon paper intact to the filing officer. The Del dequate, the Item(s) should be continued on additional sheets, size 5" x i dequate, the Item(s) should be continued on additional sheets, size paper that if the Copies of the Item (s) should be continued on additional sheets, size on any size paper that if one of the Item (s) should be continued on additional sheets. CRITION OF THIS FORM.	A Party (les) copies
	L CODE—FINANCING STATEMENT—REAL PROPERTY OF THE DESTRUCTION OF THE DESTRUCTION OF THE DESTRUCTION OF THE STATEMENT OF THE DESTRUCTION OF THE FORM. ORTION OF THIS FORM. officers who record real estate mortgages, officers who record real estate mortgages, officers who record real estate mortgages.	stor(s) and Secured Party to
MERCIA	L CODE-FINANCIPO	Only one copy of such additional
NSTRUCTIONS: UNIFORM COMMERTE	name interleaved carbon paper titude	convenient for the secures
ISTRUCTION THIS FORM name listed plus \$2.00 per	copies with	
Enclose fee of \$3.75 per Numerical and Accident	dequate, the Item(s) shodentures, etc. may	dia di
Send the Alphaberty making the miss on the form is the	hedules of collater FORM. mortgages. form of secured party.	:21 form. use Form UCC-3 or
Send she Alphabetical, Young the films. Send she Alphabetical, Young the films is not are retained by party making the films on fiscer. Long so if the space provided for one films officer. Long so if the space provided for the films officer. Long so the space provided for the films of the Court of the space of the films of the films of the films of the space of the s	L CODE—FINANCING STATEMENT name. copies with interleaved carbon paper intact to the filing officer. The Del dequate, the Item(s) should be continued on additional sheets, size 5" x dequate, the Item(s) should be continued on additional sheets, size 5" x dequate, the Item(s) should be continued on additional sheets, size 5" x dequate, the Item(s) should be continued on any size paper that in ORTION OF THIS FORM. enortgages, orticers who record real estate mortgages, norwiedgment copy to the assignee if noted, on form or secured party. Controlled the Item of the second	gnee or he may use
sheets need be presented any THING the county filing	nowledgment copy to requested that it be accured by the secured by	the state of the s
The Form UCC-1A should be filling officer will te a finan	dequate, the iterital, indentures, etc., headles of collateral, indentures, etc., headles of collateral, etc., and iterative the sasignee if noted on form or secured party. Officers who record real estate mortgages, on the convoled ment copy to the assignee if noted on form or secured party or nowledgment copy to the assignee if noted on form or secured party or assigned by the secured party or assigney may be sent to the filing officer signed by the secured party or assigned by the secured	
At the time of original third agreement is used agreement of the security agreement is used the acknowledgment of	Control of the second s	n Officer Use Only
At the time of oliging specific specifi	to the Uniform Commercial Cour	
UCC-3A as a Termination	suant to the Uniform Commercial Company In 2A Secured Partition: The Mutual Life Insurance Company On Nova York	
Retu	in mho Mutual Life Insur	0
IS FINANCINO	of New York 1740 Broadway New York, N.Y. 100 1740 Broadway Arty from which 28. Address of Secure obtainable: 28. Address of Secure obtainable:	12-15-92
Debtor(s): 11 Tames M. and	New York,	12-13-3-
Carroll, James M. and	1740 BIOGUND Party from White	
Carroll, Sharon	28. Address of Security Information obtainable: security Information obtainable: ONE Mid Rivers Drive, Suite 120 ONE Mid Rivers MO 63376	M92/29787
		PLUZI
IB. Mailing Address(es):	UNE MO 63376	
2719/ Frau	ONe Mid Kive MO 63376	
1 (0.73/4-7	QUAL	
Carmel, CA 93923	at properly:	
This financing statement covers the	e above timber is allhead or minehead of the well	. Assignee of Secured Party(les) if any:
3. Itis	will be financed at the weither the (Describe real estate) 4A	. Assigned -
(The goods are to the ding gas and oil) or account	e above timber is standing on	
minerals or the like (including		
		Address of Assignee from which Address information obtainable:
of mine (************************************	PTO AND	Address of Assignee tress with a security information obtainable:
ATTACHED HER		gatorna
SEE SCHEDULE A ATTACHED HERI INCORPORATED HEREIN BY THIS	REFERENCE	
TYCOPPORATED HEREIN DI		
INCOMPOSE.	toes not have an interest of	
그 이렇게 되는 한 국가 되어 된다고 하는 그리는 그 이 모든 일이다.	records. If the debtor dos	
to be filed in the re		
and the financing statement is:	al estate records. If the debtor does not have an interest of	
And the financing statement is records, the name of record owner is:	No. of additional sheets attached	1
also covered		
Chark box if products of collaboration	Viamath county	er MANON)
A STATE OF THE PARTY OF THE PAR	G OFFICER	Charon Carroll
Check box if products of collateral are discounted. College with: X COUNTY REAL ESTATE FILIN	- Winestil.	Il and Sharon Carroll
File with:	James M. Carro	<u></u>
	James James	

*Signature(s) of Debter(s) required in most cases,

Signature(s) of Secured Party(les) in cases covered by ORS 79.4020.

FILING OFFICER-ALPHABETICAL

This form of Financing Statement approved by Secretary of State.

9/1/81

Signature(s) of Debtor(s)*
Signature of Secured Party(ies) or Assignee(s)

Loan No. 11896

SCHEDULE A

A security interest in and to all water rights, permits and certificates, and all of the sprinklers, sprinkler heads and risers, sprinkler systems and pipelines, delivery systems, pumps and pumping plants, boosters, motors, mainlines, wheel lines and gas movers, hand lines, solid set drag lines, engines, turbines, generators, transformers and all other irrigation equipment now or hereafter owned by Mortgagor or used in connection with the property described in Exhibit A, including but not limited to those items more particularly described on Exhibit "B" attached hereto and incorporated herein by this reference, together with all substitutions, replacements, and accessions thereto, and any and all allied equipment, including by way of example but not by way of limitation, electrical panels, control boxes, wiring, switch panels, pipes, valves, elbows, joints, couplers, flanges, reducers, end plugs, risers and sprinklers.

EXHIBIT "A"

DESCRIPTION OF PROPERTY

The following described real property situate in Klamath County, Oregon:

Township 37 South, Range 10 East of the Willamette Meridian

Section 14: Wiswi

Section 14: Wlow Section 15: Wind, Sini, Neisting Section 23: Wine; Seine; Eisting Section 24: Swiswi Section 25: Winding Sect

Section 26: Eith

Section 35: NEINE

Section 36: All

Township 38 South, Range 10 East of the Willamette Meridian Section 12: NEt, EiNWt, NEtSEt

Township 38 South, Range 114 East of the Willamette Meridian

Section 6: Government Lots 4, 5, 6 and 7, /

seinwi, eiswi, swisei

Section 7: Government Lots 1, 2, 3 and 4, wieł, seineł, eiwi, eisel, neineł

Section 8: Wiswi

Section 17: Hi

Section 18: Government Lots 1 and 2, NEt, EinWt

Section 20: SWiNET, NWT, NisWi, WisEl, SEISEL

Section 21: Siswi, Swise!

Section 27: Washe, Selswa, EXCEPTING THEREFROM that portion of the SEESHE lying Southerly of the Northerly line of the Oregon California & Eastern Railroad.

Section 28: Ni, NEISWi, SE

Section 29: NEt, SETNWE, ETSWE

Section 32: NEINWI

EXHIBIT B

Lone Rock Well

Priority Date:

7/19/49

Permit Number:

U-343

Certificate No:

50381 5.98 cfs

Flow Rate: Flow Rate Cap.

1/80 cfs to 3 Acre Feet per year

Acres Inigated:

478.3

Lone Rock Well Pumping Equipment

Identifying Information:

Engine Manufacturer:

Engine Horse Power: Engine Serial Number:

Pump Manufacturer:

Pump Type:

Pump Serial Number:

Main Well:

U.S. Motors 100

Unknown Peerless

Turbine Unknown Booster #1:

U.S. Molors
75 (Estimated)
Unknown

Unknown Unknown Centrifugal

Unknown

Booster #2: Century

75 6339/72-1 Unknown

Centrifugal Unknown

Schmore Well

Priority Date: 9/30/76

Permit Number: G-6835 Certificate No: 66457

Flow Rate: 3.43 cfs

Flow Rate Cap. 1/80 cfs to 3 Acre Feet per year

Acres Inigated: 274.3

Schmore Well Pumping Equipment

Identifying Information:

Engine Manufacturer:

Engine Horse Power: Engine Serial Number: Pump Manufacturer:

Pump Type:

Pump Serial Number:

Main Well:

G.E. 100

100 5K6267XH3A Unknown

Turbine Unknown Booster #1:

Century 50 6-32-3060

Berkley Centrifugal

H 817 CW

EXHIBIT B - Page 2

	Priority Date:	7/19/49				
	Permit Number:	U-343				
	Certificate No:	50381				
	Flow Rate:	2.19 cfs				
	Flow Rate Cap.		to 3 Acre Feel	t ber Aegu		
	Acres Irrigated:	175.0				
		Hamak	er Well Pumpi	ing Equipment		
					Decelor #0	Booster #3:
	Identifying Information		Main Well:	Booster #1:	Booster #2:	
	Engine Manufacturer:		U.S. Motors	U.S. Motors	Century	Century
	Engine Horse Power:		100	40	30	25
	Engine Serial Number	:	854613	R1715-01-170	S-324UY-FGA	SC286UC7-FCA
	Pump Manufacturer:		Unknown	Peerless .	Unknown	Berkley
	Pump Type:		Turbine	Centrifugal	Centrifugal	Centrifugal
	Pump Serial Number:		Unknown	Unknown	Unknown	Unknown
		as Well 7/19/4	9 & 1968			
	Priority Date:		& G-4401			
	Permit Number:		& 38246			
	Certificate No:					
	Flow Rate:	3.63	ors ofs to 3 Acre Fe	of nor year		
		1/20 0	WA IA (ALTA PH	IRI DAI AGGI		
	Flow Rate Cap.					
	Flow Rate Cap. Acres Inigated:	290.3				
		290.3				
		290.3		ing Equipment		Boostos #2:
	Acres Irrigated:	290.3 Thom		ing Equipment	ter #1:	Booster #2:
	Acres Irrigated: Identifying Information	290.3 Thom	nas Well Pump	ing Equipment Boos G. E.		G. E.
	Acres Irrigated: Identifying Informatio Engine Manufacture	290.3 Thom on:	nas Well Pump Main Well:	ing Equipment Boos G. E. 50		G. E. 30
	Acres Irrigated: Identifying Information Engine Manufacturer Engine Horse Power	290.3 Thom	nas Well Pump <u>Main Well:</u> U.S. Motors	ing Equipment Boos G. E. 50		G. E. 30 5K1364GFI
	Acres Irrigated: Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number	290.3 Thom	mas Well Pump Main Well: U.S. Motors 75	ing Equipment Boos G. E. 50	64XA1Y1	G. E. 30 5K1364GFI Cornell
	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Numbrump Manufacturer:	290.3 Thom	Main Well: U.S. Motors 75 895574 Unknown	ing Equipment Boos G. E. 50 5K43	64XA1Y1	G. E. 30 5K1364GFI Cornell Centrifugal
	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type:	290.3 Thom :: :: ::	Main Well: Waln Well: U.S. Molors 75 895574	ing Equipment Boos G. E. 50 5K43	64XA1Y1 eli rifugal	G. E. 30 5K1364GFI Cornell
	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type: Pump Serial Number	290.3 Thom	Main Well: U.S. Motors 75 895574 Unknown Turbine Unknown	ing Equipment Boos G. E. 50 5K43 Com Cent	64XA1Y1 sii rifugal rown	G. E. 30 5K1364GFI Cornell Centrifugal Unknown
	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type: Pump Serial Number	290.3 Thom on: : : : : : : : : : : : : : : : : : :	Main Well: U.S. Motors 75 895574 Unknown Turbine Unknown	ing Equipment Boos G. E. 50 5K43 Com Cent Unkn	64XA1Y1 eli rifugal rown are elther unklentifi	G. E. 30 5K1364GFI Cornell Centrifugal Unknown
	identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type: Pump Serial Number Make, serial and model in	290.3 Thorr	Main Well: U.S. Motors 75 895574 Unknown Turbine Unknown several of the lister 0, 1992 and, conse	ing Equipment Boos G. E. 50 5K43 Com Cent Unkn	64XA1Y1 eli rifugal rown are elther unklentifi	G. E. 30 5K1364GFI Cornell Centrifugal Unknown
	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type: Pump Serial Number Make, serial and model in physical inspection on N	290.3 Thorrenders: ar: ar: bumbers on ovember 16 Faulome	Main Well: U.S. Motors 75 895574 Unknown Turbine Unknown several of the listed 0, 1992 and, conse	Boosing Equipment G. E. 50 5K43 Com Cente Unknown	64XA1Y1 eil rifugal rown are elther unidentifi lated as unknown.)	G. E. 30 5K1364GFI Cornell Centrifugal Unknown
	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type: Pump Serial Number Make, serial and model in physical inspection on N Additional Irrigation 44,490 feet of whee	290.3 Thorr Th	Main Well: U.S. Motors 75 895574 Unknown Turbine Unknown several of the listed 0, 1992 and, conse	Boosing Equipment G. E. 50 5K43 Com Cente Unknown	64XA1Y1 eil rifugal rown are elther unidentifi lated as unknown.)	G. E. 30 5K1364GFI Cornell Centrifugal Unknown
	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type: Pump Serial Number Make, serial and model in physical inspection on N Additional Irrigation 44,490 feet of whee	290.3 Thorr	Main Well: U.S. Motors 75 895574 Unknown Turbine Unknown Several of the listed 0, 1992 and, conse	Boosing Equipment G. E. 50 5K43 Com Cente Unknown	64XA1Y1 eil rifugal rown are elther unidentifi lated as unknown.)	G. E. 30 5K1364GFI Cornell Centrifugal Unknown
	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type: Pump Serial Number Make, serial and model in physical inspection on N Additional Irrigation 44,490 feet of wheel 4,840 feet of 10 inc	290.3 Thorr	Main Well: U.S. Motors 75 895574 Unknown Turbine Unknown Several of the listed 0, 1992 and, conse	Boosing Equipment G. E. 50 5K43 Com Cente Unknown	64XA1Y1 eil rifugal rown are elther unidentifi lated as unknown.)	G. E. 30 5K1364GFI Cornell Centrifugal Unknown
	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type: Pump Serial Number Make, serial and model in physical inspection on National Irrigation 44,490 feet of wheel 4,840 feet of 10 incumosation 13,250 feet of 8 incumosation 14,704 feet of 6 incumosation	290.3 Thorr	Main Well: U.S. Motors 75 895574 Unknown Turbine Unknown Several of the fisted 0, 1992 and, conse	Boosing Equipment G. E. 50 5K43 Com Cente Unknown	64XA1Y1 eil rifugal rown are elther unidentifi lated as unknown.)	G. E. 30 5K1364GFI Cornell Centrifugal Unknown
	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type: Pump Serial Number Make, serial and model in physical inspection on N Additional Irrigation 44,490 feet of wheel 4,840 feet of 10 inc	290.3 Thorr	Main Well: U.S. Motors 75 895574 Unknown Turbine Unknown Several of the fisted 0, 1992 and, conse	Boosing Equipment G. E. 50 5K43 Com Cente Unknown	64XA1Y1 eil rifugal rown are elther unidentifi lated as unknown.)	G. E. 30 5K1364GFI Cornell Centrifugal Unknown
• TE OF OR	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type: Pump Serial Number Make, serial and model in physical inspection on N Additional Irrigation 44,490 feet of wheel 4,840 feet of 10 inc 13,250 feet of 8 inc 14,704 feet of 6 inc 1,320 feet of buried	290.3 Thorr Th	Main Well: U.S. Motors 75 895574 Unknown Turbine Unknown Several of the listed 0, 1992 and, conse	Boosing Equipment G. E. 50 5K43 Com Cente Unknown	64XA1Y1 eil rifugal rown are elther unidentifi lated as unknown.)	G. E. 30 5K1364GFI Cornell Centrifugal Unknown
	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type: Pump Serial Number Make, serial and model in physical inspection on N Additional Irrigation 44,490 feet of whee 4,840 feet of 10 inc 13,250 feet of 8 inc 14,704 feet of 6 inc 1,320 feet of buried	290.3 Thorrent in the company of the	Main Well: U.S. Motors 75 895574 Unknown Turbine Unknown Several of the listed 0, 1992 and, conse	ing Equipment Boos G. E. 50 5K43 Com Cent Unkn d pieces of equipment quently, have been it	64XA1Y1 eff rifugal rown are either unidentifi isted as unknown.) and 30 gasoline in	G. E. 30 5K1364GFI Cornell Centrifugal Unknown able or unavailable via a
d for recor	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type: Pump Serial Number Make, serial and model in physical inspection on Number Additional Irrigation 44,490 feet of wheeler 4,840 feet of 10 incumon 13,250 feet of 8 incumon 1,320 feet of 6 incumon 1,320 feet of buried EGON: COUNTY OF Kind at request of	290.3 Thorrest.	Main Well: U.S. Motors 75 895574 Unknown Turbine Unknown 0, 1992 and, conse	Boose G. E. 50 5K43 Community Centing Centing Conting	64XA1Y1 eff eff eff eff eff eff eff eff eff ef	G. E. 30 5K1364GFI Cornell Centrifugal Unknown able or unavailable via a
	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type: Pump Serial Number Make, serial and model in physical inspection on N Additional Irrigation 44,490 feet of whee 4,840 feet of 10 inc 13,250 feet of 8 inc 14,704 feet of 6 inc 1,320 feet of buried EGON: COUNTY OF Kild at request of A.D., 19 9	290.3 Thorr Th	Main Well: U.S. Motors 75 895574 Unknown Turbine Unknown O, 1992 and, conse ent: ar. ages, brande ene mainline I: ss. Klamath Co. 9:58	Boose G. E. 50 5K43 Community Centing Continuity Contin	64XA1Y1 eff rifugal rown tere either unidentificated as unknown.) and 30 gasoline in and duly recorde	G. E. 30 5K1364GFI Cornell Centrifugal Unknown able or unavailable via a
d for recor	Identifying Information Engine Manufacturer Engine Horse Power Engine Serial Number Pump Manufacturer: Pump Type: Pump Serial Number Make, serial and model in physical inspection on Number Additional Irrigation 44,490 feet of wheeler 4,840 feet of 10 incumon 13,250 feet of 8 incumon 1,320 feet of 6 incumon 1,320 feet of buried EGON: COUNTY OF Kind at request of	290.3 Thorrest.	Main Well: U.S. Motors 75 895574 Unknown Turbine Unknown O, 1992 and, conse ent: ar. ages, brande ene mainline I: ss. Klamath Co. 9:58	Boosi G. E. 50 5K43 Command Centre Unknown of equipment equently, have been if a and models), and county Title cooleackA_M., con Page	64XA1Y1 eit iffugal cown tare either unidentificated as unknown.) and 30 gasoline in and duly recorde 29787	G. E. 30 5K1364GFI Cornell Centrifugal Unknown able or unavailable via a