

ON  
83729

07-01-94 P03:35 RCV

MTC

3916-1105

Vol. MAY Page 20666



**KNOW ALL MEN BY THESE PRESENTS**, That California Alternative Energy Source, Financing Authority, of the sum of One Dollar and other consideration, does hereby release from the lien of a certain mortgage, executed by JELD-WEN, inc., mortgagor, dated December 15, 1983, in favor of California Alternative Energy Source, financing authority, and recorded in the mortgage records of Klamath County, Oregon on December 19, 1983, in book/reel/volume No. M83 at page 27155 thereof or as fee/file/instrument/microfilm/reception No. N/A (indicate which); the following described premises therein described, viz:

See Exhibit B attached to this Release of Mortgage and by this reference incorporated herein.

In construing this instrument and whenever the context so requires, the singular includes the plural.  
**IN WITNESS WHEREOF**, the undersigned has executed this mortgage; if the undersigned is a corporation, it has caused its name to be signed and its seal affixed by an officer or other person duly authorized to do so by order of its board of directors.


Dated JUNE 29, 1994

California Alternative Energy Source  
Financing Authority

by: *Keith M. Seegmiller*  
*#1 DEPUTY EXECUTIVE SECRETARY*

CALIFORNIA  
STATE OF OREGON, County of Sacramento ss.

This instrument was acknowledged before me on June 29, 1994,  
by *Keith M. Seegmiller*  
This instrument was acknowledged before me on —, 19 —,  
by *Deputy Executive Secretary*  
as *Deputy Executive Secretary*  
of *The California Alternative Energy Source, Financing Authority*



W-3  
Notary Public for ~~XXXXXX~~  
My commission expires December 2, 1997 CALIFORNIA

### RELEASE OF MORTGAGE WITHOUT WAIVER OF DEBT

TO

(DON'T USE THIS  
SPACE; RESERVED  
FOR RECORDING  
LABEL IN COUNTIES  
WHERE USED.)

AFTER RECORDING RETURN TO

*Jeld-Wen  
Attn: mort  
P.O. Box 1339  
K. Falls, OR 97601*

STATE OF OREGON, { ss.  
County of } ss.

I certify that the within instrument  
was received for record on the day  
of , 19 ,  
at o'clock M., and recorded  
in book/reel/volume No. on  
page or as fee/file/instru-  
ment/microfilm/reception No. ,  
Record of Mortgages of said County.

Witness my hand and seal of  
County affixed.

NAME \_\_\_\_\_

By \_\_\_\_\_

TITLE \_\_\_\_\_

Deputy

EXHIBIT BDESCRIPTIONPARCEL 1:

A tract of land situated in Lots 3, 4, 5, 6, 7, 8, 10 and 11, Section 19, Township 38 South, Range 9 East of the Willamette Meridian, Klamath County, Oregon, more particularly described as follows:

Beginning at an iron pin located North  $7^{\circ} 15'$  West a distance of 1433.3 feet from the iron pipe marking the center quarter corner of said Section 19; thence South  $10^{\circ} 20'$  East parallel with Lakeport Boulevard a distance of 1396.45 feet to an iron pin on the Northerly right of way line of the Shippington "E" line spur track, said iron pin being 12.5 feet distant at right angles from the center line of said spur track; thence Westerly parallel with and 12.5 feet distant at right angles from said spur track to a point of intersection with the Northerly right of way of the old Earl Fruit Company spur track, said point being 30 feet distant at right angles from the center line of the old Earl Fruit Company spur track; thence Northwesterly parallel with and 30 feet Northwesterly at right angles from the center line of the old Earl Fruit Company spur track on  $12^{\circ} 30'$  curve to the right to a point which is located South 796.8 feet from the Northeast corner of the old Earl Fruit Company tract; thence North a distance of 796.8 feet to the Northeast corner of the old Earl Fruit Company tract; thence South  $89^{\circ} 23'$  West a distance of 1170 feet, more or less, to the intersection of the Westerly line of said Lot 8; thence North  $10^{\circ} 20'$  West (North  $10^{\circ} 30'$  West by Deed record) along the Westerly line of said Lot 8 to the line between said Lots 7 and 8; thence North  $89^{\circ} 47\frac{1}{2}'$  East along said lot line to a point that bears South  $86^{\circ} 34'$  West from the point of beginning; thence North  $86^{\circ} 34'$  East to the point of beginning.

PARCEL 2:

A tract of land situated in Lots 5, 6 and 7, Section 19, and Lots 1, 3 and 6, Section 18, all in Township 38 South, Range 9 East of the Willamette Meridian, Klamath County, Oregon, more particularly described as follows:

Beginning at an iron pin which is North  $7^{\circ} 15'$  West a distance of 1433.3 feet from the iron pin marking the center quarter corner of said Section 19, said iron pin being South  $10^{\circ} 20'$  East a distance of 1070.88 feet and South  $79^{\circ} 40'$  West a distance of 1055.96 feet from the gas pipe monument on the Northwest corner of Pelican City Subdivision; thence North  $79^{\circ} 40'$  East at right angles to Lakeport Blvd. a distance of 1055.96 feet to an iron pin on the Westerly right of way line of Lakeport Blvd.; thence Northerly along the Westerly right of way line of Lakeport Blvd. to an iron pin that is North  $89^{\circ} 54'$  West a distance of 78.32 feet and North  $23^{\circ} 49'$  West a distance of 128.77 feet from the gas monument on the Northwest corner of Pelican City Subdivision, said gas pipe monument being North  $89^{\circ} 54'$  West a distance of 1929.5 feet from the Southeast corner of said Section 18; thence South  $79^{\circ} 40'$  West a distance of 182.53 feet to an iron pin on the Westerly line of old Pelican Bay Lumber Co. spur track; thence Southerly and Westerly along the Westerly and Northerly line of said spur track to an iron pin which is South  $79^{\circ} 40'$  West a distance of 579.34 feet from the gas pipe monument on the Northwest corner of Pelican City Subdivision; thence North  $10^{\circ} 20'$  West a distance of 753.0 feet to an iron pin; thence South  $79^{\circ} 40'$  West a distance of 860.36 feet; thence North

## PARCEL 2: (con't)

$10^{\circ} 20'$  West a distance of 192.3 feet; thence South  $80^{\circ} 10'$  West to the Westerly boundary of Lot 7 said Section 19; thence South  $10^{\circ} 40'$  East (South  $10^{\circ} 30'$  East by Deed record) along the Westerly boundary of lot 7, said Section 19 to the line between Lots 7 and 8, said Section 19; thence North  $89^{\circ} 47\frac{1}{2}'$  East along said Lot line to a point that bears South  $86^{\circ} 34'$  West from the point of beginning; thence North  $86^{\circ} 34'$  East to the point of beginning.

## PARCEL 3:

A tract of land situated in Lots 4 and 5, Section 19, Township 38 South, Range 9 East of the Willamette Meridian, Klamath County, Oregon, being more particularly described as follows:

Beginning at an iron pin on the Westerly right of way line of Lakeport Boulevard said point being South  $10^{\circ} 20'$  East a distance of 1070.88 feet from the gas pipe monument on the Northwest corner of "Pelican City" subdivision, said gas pipe monument being North  $89^{\circ} 54'$  West a distance of 1995.5 feet from the Northeast corner of said Section 19; thence South  $79^{\circ} 40'$  West at right angles to Lakeport Boulevard a distance of 1055.66 feet to an iron pin, said point being North  $7^{\circ} 15'$  West a distance of 1433.3 feet from the iron pipe marking the centerline corner of said Section 19; thence South  $10^{\circ} 20'$  East parallel with Lakeport Boulevard a distance of 1396.45 feet to an iron pin on the Northerly right of way line of the Shippington "E" spur tracks; thence Easterly along said spur track to its intersection with the Westerly right of way line of Lakeport Boulevard; thence North  $10^{\circ} 20'$  West along said right of way to the point of beginning.

## PARCEL 4:

A portion of the SENEK, the N.E. 1/4 of lot 4, all in Section 19, Township 38 South, Range 9 East of the Willamette Meridian, Klamath County, Oregon, being more particularly described as follows:

Beginning at a point which is South  $10^{\circ} 20'$  East a distance of 60 feet from the Southwest corner of Block 1, "Pelican City", Klamath County, Oregon, and running thence North  $79^{\circ} 40'$  East 309 feet to the Westerly line of the right of way of the California Northeastern Railway; thence Southerly along said right of way, and 50 feet distant at right angles from the centerline thereof, the following courses and distances: South  $21^{\circ} 17'$  East 100 feet; South  $26^{\circ} 10'$  East 100 feet; South  $27^{\circ} 06'$  East 100 feet; South  $30^{\circ} 08'$  East 100 feet; South  $32^{\circ} 52'$  East 100 feet; South  $35^{\circ} 30'$  East 100 feet; South  $38^{\circ} 55'$  East 100 feet; South  $41^{\circ} 34'$  East 100 feet; South  $44^{\circ} 31'$  East 100 feet; South  $47^{\circ} 11'$  East 100 feet; South  $50^{\circ} 13'$  East 100 feet; South  $48^{\circ} 00'$  East 44 feet to a point which is distant 25 feet Northerly at right angles from the centerline of the Shippington "E" spur; thence Westerly parallel to and 25 feet distant Northerly at right angles from the centerline of said Shippington "E" spur, with the following courses and distances, North  $68^{\circ} 27'$  West 721.3 feet; North  $70^{\circ} 06'$  West 100 feet, North  $72^{\circ} 56'$  West 100 feet; thence North  $76^{\circ} 42'$  West a distance of 30 feet, more or less to a point on the centerline of Lakeport Boulevard; thence North  $10^{\circ} 20'$  West along the centerline of said Lakeport Boulevard to a point which is on the said centerline and is South  $79^{\circ} 40'$  West a distance of 30 feet from the place of beginning; thence North  $79^{\circ} 40'$  West 30 feet to the place of beginning, less right of way for Lakeport Boulevard.

**PARCEL 5:**  
Beginning at an iron pin on the Westerly right of way line of Lakeport Boulevard as it is presently located, said point being North  $89^{\circ} 54'$  West a distance of 78.32 feet and North  $23^{\circ} 49'$  West a distance of 128.77 feet from the gas pipe monument on the Northwest corner of "Pelican City" Subdivision, said gas pipe monument being North  $89^{\circ} 54'$  West a distance of 1995.5 feet from the Southeast corner of Section 18; thence South  $79^{\circ} 10'$  West a distance of 182.53 feet to an iron pin on the Westerly line of the old Pelican Bay Lumber Company spur tract; thence Southerly and Westerly along the Westerly and Northerly line of said spur tract to an iron pin which is South  $79^{\circ} 10'$  West a distance of 579.34 feet from the gas pipe monument on the Northwest corner of "Pelican City" subdivision; thence North  $10^{\circ} 21'$  West a distance of 253.0 feet to an iron pin; thence South  $19^{\circ} 40'$  West a distance of 860.36 feet; thence North  $10^{\circ} 20'$  West a distance of 192.3 feet; thence South  $79^{\circ} 40'$  West to the Westerly boundary of Lot 7, Section 19; thence North  $10^{\circ} 20'$  West along said Lot line and the Westerly line of Lot 5, said Section 18, a distance of 100.0 feet, thence North  $79^{\circ} 40'$  East to an iron pipe on the point of intersection with the Southwesterly right of way line of the railroad spur tract known as "Hanks Spur"; thence Southeasterly parallel to and 50 feet distant at right angles from the center line of said spur tract to its intersection with the Westerly right of way line of Lakeport Boulevard as it is presently located; thence Southerly along said right of way line to the point of beginning.

EXCEPTING THEREFROM the following described tract of land situated in Lot 1, Section 18, Township 38 South, Range 9 East of the Willamette Meridian, Klamath County, Oregon, more particularly described as follows: Beginning at an iron pin located North  $89^{\circ} 54'$  West a distance of 78.32 feet; North  $23^{\circ} 48'$  West a distance of 128.77 feet, and North  $73^{\circ} 10'$  West a distance of 151.55 feet from the gas pipe monument on the Northwest corner of "Pelican City" subdivision, said gas pipe monument being North  $89^{\circ} 54'$  West a distance of 1995.5 feet from the Southeast corner of said Section 18; thence North  $86^{\circ} 13' 30"$  West along the Northerly line of a 20 foot roadway a distance of 57.90 feet to an iron pin; thence Northwesterly along the Northwesterly line of said roadway on a curve to the left a distance of 114 feet, more or less, to an iron pin (the long chord of said curve bears North  $70^{\circ} 36' 30"$  West a distance of 111.77 feet); thence North  $9^{\circ} 48' 30"$  West along the Easterly line of a roadway a distance of 208.40 feet to an iron pin; thence leaving said roadway at right angles thereto North  $80^{\circ} 11' 30"$  East a distance of 52.00 feet to an iron pin; thence North  $80^{\circ} 18' 30"$  West a distance of 5.00 feet to an iron pin; thence North  $80^{\circ} 11' 30"$  East a distance of 111.60 feet; thence following the arc of a curved fence line to the right the following courses and distances: South  $40^{\circ} 09'$  East 37.35 feet; South  $21^{\circ} 33'$  East 64.7 feet; South  $7^{\circ} 03'$  East 65.78 feet; South  $3^{\circ} 58'$  West, 72.4 feet; and South  $13^{\circ} 39'$  West 54.45 feet, more or less to the point of beginning.

**PARCEL 6:**  
Beginning at an iron pin located on the intersection of the Northeasterly right of way line of the railroad spur known as "Hanks Spur" and the South line of Section 18, Township 38 South, Range 9 East of the Willamette Meridian, Klamath County, Oregon, said point being South  $89^{\circ} 54'$  East a distance of 215.85 feet from the gas pipe monument marking the Northwest corner of "Pelican City" subdivision, said gas pipe monument being North  $89^{\circ} 54'$  West a distance of 1995.5 feet from the Southeast corner of said Section 18; thence Northwesterly parallel with and 50 feet distant at right angles from the centerline of said

20670

PARCEL 6: (continued)

railroad spur a distance of 1130 feet, more or less, to an iron pin, said pin being North 34° 23' West a distance of 982.8 feet from the gas pipe monument on the Northwest corner of "Pelican City"; thence North 40° 37' East a distance of 149.8 feet to an iron pin located on the Southwesterly right of way of the Southern Pacific Railroad; thence Southeasterly parallel with and 50 feet distant at right angles from the centerline of said railroad to an iron pin at the intersection with the South line of said Section 18; thence North 89° 54' West a distance of 56.3 feet (58.3 feet by Deed record), more or less, to the point of beginning.

PARCEL 7:  
That portion of the SW 1/4 of Section 19, Township 38 South, Range 9 East of the Willamette Meridian, Klamath County, Oregon, lying Northerly of the Klamath Falls City limits, as of December 29, 1981.

STATE OF OREGON: COUNTY OF KLAMATH:

Filed for record at request of \_\_\_\_\_  
of July A.D. 1994

of \_\_\_\_\_

FEE \$30.00

Mountain Title Co.

Mortgages

the 1st day

of July A.D. 1994

on Page 20666.

Evelyn Biehn County Clerk

By Caroline W. Mullendore