

**PACIFICORP**

The applicant requests a conditional use permit to install a 16" waterline from the Klamath River through which to pump water for fire protection to the J.C. Boyle Hydroelectric Plant, the housing facility and adjoining public and privately owned land. The intake pipe will be fitted with a wedge-wire screen for fish protection. A pumphouse will be constructed and a pump installed. The system will be available for use by local fire district crews.

The system will replace an inadequate smaller line system.  
 The subject property is a very small portion of a 333.66 acre parcel identified as T.L. R-4007-0060-00300, 00400,00100. The legal description is the NE 1/4 SW 1/4; SW 1/4 NE 1/4; and Lots 1-6 and 8 of Section 6, T40S, 7EWM. Article 55.050 of the Klamath County Comprehensive Land Development Code provides the authority for granting the requested conditional use permit.

#### CONCLUSION

There is no reasonable basis upon which to deny the requested conditional use permit.

#### ORDER

It is hereby ordered that the requested conditional use permit 98-94 is granted.

DATED THIS 10th day of October 1994.

*Michael L. Brant*

Michael L. Brant  
 Hearings Officer

KLAMATH COUNTY LAND DEVELOPMENT CODE SECTION 24.060 PROVIDES:

"An Order of the Hearings Officer may be appealed to the Board of County Commissioners within seven (7) days of its mailing as set forth in Article 33."

STATE OF OREGON: COUNTY OF KLAMATH: ss.

Filed for record at request of Klamath County the 19th day  
 of Oct A.D., 19 94 at 9:48 o'clock A M., and duly recorded in Vol. M94  
 of Deeds on Page 32406

FEE none

Commissioners Journal

Evelyn Biehn - County Clerk

By *Audrey M. Mendenhall*