Vol. 1946 Page 36395

96 10V 19 P1 1 PGT 1440 SE CAKERD REDMOND OR 97756

Parcel No. O-KL-1444 APN: K390500000-00300

NOTICE OF LOCATION

PACIFIC GAS TRANSMISSION COMPANY, a California corporation, pursuant to the rights conveyed to it by that certain grant of easement by WEYERHAEUSER COMPANY, recorded July 21, 1995 in Vol M95 of Deeds at Page 18873 and by easement recorded July 21, 1995 in Vol M95 of Deeds at Page 18887 in the Official Records of the County of Klamath State of Oregon, does hereby further define the location of the strip of lands described in said grant as follows on the attached Exhibit A.

Nothing herein contained shall, or shall be construed to, modify in any way to terminate any of the rights and obligations of the parties under and by virtue of the said grant of easements in the lands therein described or the said strip thereof.

PACIFIC GAS TRANSMISSION COMPANY

STATE OF OREGON	}
	} ss.
County of Multnomah	}

On this day of November, 1996 before me appeared W. G. Thomas, to me personally known, who being duly swom, did say that he, the said W. G. Thomas is the Land Director of Pacific Gas Transmission Company, the within named Corporation, and that the said instrument was signed in behalf of said Corporation by authority of its Board of Directors, and W. G. Thomas acknowledges said instrument to be the free act and deed of said Corporation.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this Cerificate first above written.

OFFICIAL SEAL DINO ANGELOSANTE NOTARY PUBLIC - OREGON COMMISSION NO.037102 MY COMMISSION EXPIRES AUG. 16, 1948 NOTARY PUBLIC FOR OREGON My Commission Expires: August 16, 1998

NARRATIVE

THE PURPOSE OF THIS DOCUMENT IS TO DESCRIBE A SERIES OF PIPELINE EASEMENTS AFFECTING THE LANDS HELD BY WEYERHAUESER COMPANY, LOCATED IN THE SOUTH HALF OF SECTION 18, T.39 S., R. 9 E., W.M., KLAMATH COUNTY, OREGON.

BASIS OF BEARINGS IS OREGON STATE PLANE COORDINATE SYSTEM, SOUTH ZONE, ALL DISTANCES ARE GRID, DIVIDE DISTANCES SHOWN BY 0.99965 TO OBTAIN GROUND DISTANCES.

PARCEL 2124 (TAX LOT NO. K390901800-01500)

A 0.08 ACRE PARCEL OF JAND FOR THE AS-BUILT LOCATION OF A NATURAL GAS PIPELINE, BEING A PORTION OF THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SCTION 18, T. 39 S., R. 9 E., W.M., KLAMATH COUNTY, OREGON, BEING A STEPL OF LAND 35.0 FEET WIDE LYING 15.0 FEET TO THE LETT OF AND 20.0 FEET TO THE RIGHT OF THE FOLLOWING DESCRIBED LINE:

BEGINNING AT A POINT ON THE EASTERLY LINE OF THAT CERTAIN 100° WIDE STRIP OF LAND LYING PARALLEL AND ADJACENT TO THE LOW WATER MARK ON THE LEFT BANK OF THE KLAMATH RIVER, LOCATED IN THE SOUTHEAST CULRETE OF THE SOUTHEAST CULRETE OF SAID SECTION 18. SOUTHEAST OLD ARCEL OF LAND AS SAID PARCEL SHOWN ON KLAMATH COUNTY PARCEL OF LAND AS SAID PARCEL SHOWN ON KLAMATH COUNTY SURVEY NO. 1472, SAID POINT BEING ON THE EASTERLY RIGHT-OF-WAY LINE OF STATE HIGHWAY 97, BEARS S.39*46*44*E.. A DISTANCE OF 661.13 FEET, THENCE FROM SAID POINT OF BEGINNING, LEXING SAID EASTERLY LINE, N.68*18*46*W. 100.58 FEET TO A POINT ON THE LEFT BANK OF THE KLAMATH RIVER, THE POINT OF TERMINATION OF THIS DESCRIPTION, FROM WHENCE THE SOUTHWEST CORNER OF SAID SECTION 18. AS SAID CORNER IS SHOWN ON KLAMATH COUNTY SURVEY NO. 3814, BEARS S.8112*55*W. A DISTANCE OF 4487.37 FEET.

THE SIDELINES OF SAID STRIP SHALL TO INTERSECT WITH THE BOUNDARIES BE SHORTENED OR EXTENDED SO OF SAID LANDS.

REFERENCE "PACIFIC GAS TRANSMISS SHEET 6 OF 23, DRAWING NUMBER TRANSMISSION COMPANY R/W & LAND; NUMBER 1700-A-RW-2, DATED MAY, SURVEY 1996.

DATE /20

RECORD OF

APPROVALS

AND

CHANGES

949444

퓹 DR.

٩ 유

> 7 A

SHS DWN DSGN

¥ 5 ۲

PACIFIC GAS TRANSMISSION COMPANY PORTLAND, OREGON

DRAWING

700-F-RW-187 NUMBER

o

KLAMATH COUNTY, OREGON T-39-S, R-9-E, W.M.

DATE JUL 96

SUPV . 0.

RIGHT-OF-WAY PLAT SHEET PIPELINE EASEMENT

BILL OF MATERIAL

SUPERSEDES

읶

SCALE

NONE

WEYERHAEUSER COMPANY -

TRACT'S

NO. 0-KL-2124

R 2100

949444

AS-BUILT

KLAMATH COUNTY, 18_T-39-S. R-9-E. W.M.

PARCEL 2100 (TAX LOT NO. K390901800-01000

A 2.92 ACRE PARCEL OF LAND FOR THE AS-BUILT LOCATION OF A NATURAL 6AS PIPELINE, BEING, A PORTION OF THE SOUTH-HALF OF SECTION 18.

1. 39 S., R. 9 E., W.M., KLAMATH COUNTY, OREGON, BEING A STRIP OF LAND 35.0 FEET WIDE LYNG 15.0 FEET TO THE LEFT OF AND 20.0 FEET TO THE RIGHT OF THE FOLLOWING DESCRIBED LINE:

BEGINNING AT A POINT ON THE RIGHT BANK OF THE KLAMATH RIVER, LOCATED IN THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SAID SECTION 18, FROM WHENCE THE SOUTHWEST CORNER OF SAID SAID SCRIPE IS SHOWN ON KLAMATH COUNTY SURVEY NO. 3814. BEARS S.74'11'56'W., A DISTANCE OF 373'12 FEET, THENCE FROM SAID SAIK OF THE KLAMATH RIVER.
POINT OF BEGINNING, LEAVING SAID BANK OF THE KLAMATH RIVER.
N.68'18'46'W. 378.30 FEET, THENCE N.79'22'50'W. 107'132 FEET, THENCE N.87'38'00'W. 98.86 FEET, THENCE N.88'34'21'W. 109'18 FEET, THENCE N.87'31'238'W. 234.11 FEET, THENCE N.88'34'21'W. 109'18 FEET TO A POINT ON THE WEST LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 18. THE POINT OF TERMINATION OF THIS DESCRIPTION, FROM WHENCE THE SOUTHWEST CORNER OF SAID SECTION 18 BEARS, S. 1'07'24'W., A DISTANCE OF 1327.79 FEET. 9

THE SIDELINES OF SAID STRIP SHALL BE SHORTENED TO INTERSECT WITH THE BOUNDARIES OF SAID LANDS. 유 EXTENDED So

ઢ

REFERENCE "PACIFIC CAS TRANSMISSION COMPANY R/W & LAND SURVEY SHEETS 6 & 7 OF 23, DRAWING NUMBER 1700-A-RW-2, DATED MAY, 1

EXHIBIT A PAGE 1 OF 9

1994-1.dgn 01-AUG-1996 09:56:28

NARRATIVE

KLAMATH COUNTY, OREGON

SEC. 13,24,23,26,27,28,33,32,31, T+39-S, R-8-E, & SEC. 5, T-40-S R-8-E. W.M.

THE PURPOSE OF THIS DOCUMENT IS TO DESCRIBE A SERIES OF PIPELINE EASEMENTS AFFECTING THE LANDS HELD BY WEYERHAUESER COMPANY, LOCATED IN T. 39 S., R. 8 E., W.M. KLAMATH COUNTY, OREGON.

BASIS OF BEARINGS IS OREGON STATE PLANE COORDINATE SYSTEM, SOUTH ZONE, ALL DISTANCES ARE GRID. DWIDE DISTANCES SHOWN BY 0.99985 TO OBTAIN GROUND DISTANCES.

PARCELS 1994 AND 2010

(TAX LOT NO. K390800000-04301 & K390801300-01200-A1)

A 3.97 ACRE PARCEL OF LAND FOR THE AS-BUILT LOCATION OF A NATURAL GAS PIPELINE, BEING A PORTION OF SECTION 13 AND THE NORTHWEST OLD ARTER OF LAND 35.0 FEET WIDE LYING KLAMATH COUNTY, OREGON, BEING A STRIP OF LAND 35.0 FEET WIDE LYING 15.0 FEET TO THE RIGHT OF THE FOLLOWING

BEGINNING AT A POINT ON THE EAST LINE OF THE SOUTHEAST OUARTER OF SAID SECTION 13, FROM WHENCE THE SOUTHEAST CORNER OF SAID SECTION 13, AS SUD CORNER IS SHOWN ON KLAWATH COUNTY SURVEY NO.

3814, BEARS S. 170724 W., A DISTANCE OF 1337.79 FEET, THENCE FROM SAID SAID LAST LINE, NEUTRICE, THENCE FROM SAID FEET, THENCE N.8713197 W. 145.66 FEET, THENCE N.8732407 W. 250.51 FEET, THENCE S.8729547 W. 256.45 FEET, THENCE S.8729547 W. 256.45 FEET, THENCE S.8729547 W. 256.45 FEET, THENCE S.572927 W. 275 FEET, THENCE S.572927 W. 275 FEET, THENCE S.572927 W. 162.05 FEET, THENCE S.5

THE SIDELINES OF SAID STRIP SHALL BE SHORTENED OR EXTENDED SO AS TO INTERSECT WITH THE BOUNDARIES OF SAID LANDS.

REFERENCE "PACIFIC GAS TRANSMISSION COMPANY R/W & LAND SURVEY SHEET 7 OF 23, DRAWING NUMBER 1700-A-RW-2, DATED MAY, 1996.

11/20

AS-BUIL

RECORD OF APPROVALS AND CHANGES

DESCRIPTION

949444 ¥.0. OR. B

2 J۴

APPROVALS

DWN CHKD HW DATE JUL 96

. ე

WEYERHAEUSER COMPANY - TRACT NO. 0-KL-1994, 2010 & 1719 PACIFIC GAS TRANSMISSION COMPANY PORTLAND, OREGON RIGHT-OF-WAY PLAT SHEET PIPELINE EASEMENT KLAMATH COUNTY, OREGON T-39-S, R-8-E, W.M. SCALE DRAWING NUMBER SHEET BILL OF MATERIAL SUPERSEDES 700-F-RW-187 NONE 2 약 ဖ CHG Ö

SUPV DSGN JF

W.O. 949444

EXHIBIT A PAGE 2

	N O		П	Ŧ	T								10 10 10 10 10 10		•						1710.
	11/20 DATE			1	S	S.76'25'37 241.61 FE N.61'14'30	79.09 5.582 FEET	Λυ ξ βυ ξ	97.38 97.38 5.4851	PORTE I	CORNER CAP ST CONTINU	THENCE 509.68 5.45'42	OK SERVICE	OF LES	SAID CORREST MARKED BY A 2 RON PIPE, BEARS N.760 THENCE FROM SAID POINT OF BEGINNING, ALONG THE LIE THENCE FROM SAID POINT OF BEGINNING, ALONG THE LIE THENCE FROM SAID POINT OF BEGINNING, ALONG THE LIE THENCE FROM SAID POINT OF BEGINNING.	BECHANII	AND SECTION ST. A.O. S., R. B. E., W.M., KLAMATH COUNTY, ORLGON, BEING AND SECTION ST. AND 20.0 FEET TO THE LEFT OF AND 20.0 FEET TO THE CETT OF AND 20.0 FEET TO	AZ. 32 ACRE PARCEL OF LAND FOR THE AS-BUILT LOCATION OF A NATURAL PRINCE & PORTION OF SECTIONS 24, 23, 26, 27, 28, 33, 32 AND 31, 139, 5	A PORTION OF THAT CERTAIN STRIP OF LAND COMMUNALLY KNOWN AS THE WESTERHAFTISER 100 ROAD.	PARCEL 1719	719-1 dan 01-AUG-1996
	0		\parallel	十	CORNER	FEET.	THENCE	ONUME P	FEET. T	AST CO	AMPED SING S	5.362 FEET.	S.270	FEET 1	FROM	S AT A	TION 5	ACRE -	SE S	1719	01
	AS-BUILT				MARKE	THENCE 415.60	HENCE 129.48 5.59'3	11 STAW 28 PE/ 221.00	S2.40	CONTIN	NO SEC PLS-2: PLS-2: 320.66	B'22 W. HENCE 247.81	ECTION	97.02 F	SARKED	POINT	T WIDE	PARCEL	IHAI CI	K390800000-04500)	AUG-
RECC	o				D BY	8 FEET.	S.55'49 FEET. 2'08' W.	PED N	S.59'55		765, BE	69.24 S.425 FEET.	129.01 123.11	S.39.2	S S S	ON TH	E CYNG R.	SECTION :	ORTAIN ROA	000-0	9661
NO O	DESCRIPTION				5/8	FROM V	178.5	017. BE	AST LENCE	SECTION SECTIO	ARS N.	FEET.	PEET,	ENCE	BEGIN	EXIST	NE 0 FE	S 24.	STRIP O	1500)	11:22:01
F APP	NOIT				RON	HENCE	4791.4 E S.55:	7E. A	62.27 S.61.02	05 ¥ 27 L	S.S.J.	THENCE 247.2: S.47.1	ENCE OF	120.85	NNG.	ENCE TE	E7 70 X	THE A)F LANE		:01
RECORD OF APPROVALS					IN. BEARS	157.80 FEET. N.6201'14 W. HENCE THE SO	9.09 FEET, THENCE S.55'49'08 W. 4791.48 FEL. 58'24'06' W. 129.48 FEET, THENCE S.55'43'40' W. EET, THENCE S.59'32'08 W. 178.54 FEET, THENCE	DISTA DISTA	FEET. T	E S.55	OW. A	S.450 FEET. 5'40 W.	THE NO.	¥.	ALONG S.6	HE NOT	THE LEI	5-BUIL1 27, 28	СОММ	SEC.	
S AND					RS S. T		5.66	NCE OF OF	HENCE 64.42 TION 2	N.038	ED BY DISTAN 51'27'1	5:34 W. THENCE 357.03	CE COL	145.05 48.64	IRON PIPE, BEARS N.76'08 3EGINNING, ALONG THE LEF FB 100 ROAD, S.66'26'39"	THWEST	OF A	LOCAT	UNALLY	. 13.2	
CHANGES	1213		_		02.20	THENCE N.69'31'23' B31.74 FEET TO A UTHEAST CORNER OF	42 FEE	182.39 FEET	S.5548 FEET, TI B. FRO	17E. / THENCE 797.	A 5/8 CE OF STEET	95.10 S.443 FEET, 26. FRG	CORN	S.213	W. 440	CORNE	NO 20.	ON OF	KNOWN	4.23.26	
AGE S			-		╣,	10 A NER OF	1. THEN	THE VO	WHENCE	DISTAT	1765.54 1765.54 71.08 F	THENCE	S.41	HENCE	A PER 14.	R OF AC	O FEET	u NAT	&	5,27,28	
	-	ī	-	-	4	POINT C	K 9 FEET 5.56	THENCE S.SC 1	5069.14 5.55'50' CE A G	CE OF	FEET. THE S.55'S	507.3 507.3 S.49 1	AID SE	112.89 5. 9*57 60 A PC	THE THE	CONTROLLING ACCESS TO THE	TO THE		Ì	KL/	
			\vdash		-	7.18 FEET ON THE SECTION	HENCE 3.330', 10" 1607'10" W. 681.97 3701.42 FEET, THENCE S.6607'10" W. 681.97 360 74 FEET, THENCE N.8617'01" W.	100N	14 W. 6	1313.1 110.68 E S.53	THENCE	O'17 W.	CTION 2 2684.	24 2 × E	ELED W	D THE	THE RIGHT OF	GAS PIPELINE, R. B E., W.J	١,	KLAMATH 3.32.31, T-	
	APPROVALS	†)	$\ \cdot\ $	+	$\left \cdot \right $	EAST 31,	W. 681.	THENC	66.83 ASS	FEET.	רי פֿ	THENCE 581.66	SO FEE	113.47 THE E	Y MOR 529'20	7	OF.	W.K.	F	-39-S	
	S	+	$\frac{1}{1}$	+	H	'n	97	H			CORNER OF SAID SCEION 26, SAID CORNER MARKED BY A 5/8" IRON PIN WITH A FUNCTION CORNER OF SAID SCEION 26, SAID SCIENCE OF 1765,54 FEET, THENCE CAP STAMPED PLS-2265, BEARS N.89'10'40'W. A DISTANCE OF 1765,54 FEET, THENCE CAP STAMPED PLS-2265, BEARS N.89'10'40'W. A DISTANCE S.5127'11'W. 371.08 FEET, THENCE S.55'5'05'W. 364.54 FEET, THENCE S.55'5'US'W. 364.54 FEET, THENCE S.55'S'W.	À		133	ΞM	٩	٦			KLAMATH COUNTY, C 13.24.23.26,27,28.33.32,31, T-39-S, R-8-E,	
-	용 수	DWN	22	Vans	W.0.			·	أدحم	u HVA	. O E 3 @	20 > 07			-1	- 2	ಶ ಕ	異君父			
	DATE JUL 96	t	DSGN JF	P). 949444	REFEREN	INTER	ONT O	97.53 97.53	AID CON HENCE	OUNTY.	STRE A	1.88 A	PORTIO	PARCEL 1719 -	FERENC SETS 7	E SIDEL	ARS. S.	ROBIE	& SEC.	2
	8 8				444	6 % 84. 98	RSECT V	OF SA	FEET WO	FROM S	EUSER	OF LAND	CRE PA	TRHAFU	719 -	& PACI	INES OF	RIPTION 56'09'5	AVING	7 J. 7 I. 4 L	
	PACIFIC	_		į	ם ה	REFERENCE "PACIFIC GAS TRANSMISSION SHEETS 8 & 9 OF 23, DRAWING NUMBE WEYERHAEL	THE SIDELINES OF SAID STRIP SHALL TO INTERSECT WITH THE BOUNDARIES	NATION	#8# NOS	SHOWN A POINT	POINT MATH R VHENCE	BEING A PORTION OF SECTION 31, 1.39 G	SCET OF	A PORTION OF THAT CERTAIN STRIP OF	REMAINDER	REFERENCE "PACIFIC GAS TRANSMISSION C SHEETS 7 & 8 OF 23, DRAWING NUMBER	THE SIDELINES OF SAID STRIP SHALL BE TO INTERSECT WITH THE BOUNDARIES OF	BEARS, S.56'09'50"E., A DISTANCE OF	THENCE LEAVING SAID LEFT IN THE NO. 11 THE N	T-40-S R-8-E	
	ก Se Se	KLAMATH COUNTY, OREGON	-39 & 40-S,	PIPELINE	DICHT-OF-WAY	AS TRAI	STRIP	용유를 얼룩[EET T	2 Q 2 Q 2 Q	COMPAN	FEET W	L OF LAND FOR THE	O ROAD		DRAWING	STRIP S	DISTANC	11000	-8-E.	
	RTLAN	00 H	40-9	NE.	_WA	NG NUMBE	SHALL	BENESCH BENESCH	DE € Z	E LETT BEGINNI	T SURVE	RIBED O	FOR T	RP OF	TO1 XAT)	MISSION	SES OF	유류	5 FE 7	₩.M.	
	D. OR	NTY.			PI AT	BER 17	OHS 38 OHS 38	SPTION,	5320°	E CENTRE	RIER C	NE 15.0	-S4 3	LAND C	NO. K.	COMPA CR 1700		SOUTHEAST CO	TRAN	NTINCIN	
	CON	OREGO	R-8-E, W.M.	ASEMENT	T S	COMPAN	MENED	FROM V	SEET W	ANG SA	ORNER TO	EE1 1	- 10 - 12 - 12	NOWMO	908000	NY R/W	ANDS.	SI COR	TEO &	N.6270	
!	PORTLAND, OREGON	Ž	Ĭ.	1	SHEET	7 - 2; 1 - 2; 1 - 1 - 1 - 1 - 1 - 1	OR EX	A DISTA	RICE N	D RIGHT	SAF	JHE C	E CATION	EL 23	NO. K390800000-04500)	2. DAN	R EXTE	NEX OF	POINT SE)1.14 W.	
k.	├	-	SU		SCALE	USER COMPANY - TRACT NO. 0-KL-1994, 2010	SHORTENED OR EXTENDED SO AS	NCE OF	2904'4 SAID	POF-W	SECTION SECTION	전 년 유	AS-BUILT LOCATION OF A NATURAL GAS PIPELINE, C B B W.M. KLANATH COUNTY, OREGON, BEING	LAND COMMUNALLY KNOWN AS	8	COMPANY R/W & LAND SURVEY 1700-A-RW-2, DATED MAY, 1996.	SHORIENED OR EXTENDED SO SAID LANDS.	SAID	TRAVELED WAY OF THE WETERHAUESER OF A POINT ON THE SOUTHERLY LINE OF TERMINATION OF	1911.0	
٦	1700-F	SHEET	SUPERSEDES	, C	ή	. 0-KL	3 6	1428	SECTION 1		ORDS 31.	AND 2	ATURAL	•		, 1996.	, A	CIC	NATION Y LINE)7 FEET	
	-RW	SHEET 3 OF			NONE	1994		SO FEET	4347'5 38,15 31, T	N. 467	ON THA	D.O FEE	CAS PI					ū	:មុមុទ្ធ	3	
	F-RW-187	됐 우 9	1 '		≥ ''	2010 &			EET TO	4.59 W.	KLAMA KLAMA RNER RNER	ND 17	Ž BEN								
		었				1719			-	ਨਾਂ	BEONNING AT A POINT ON THE RIGHT-OF-THAT AS SAID POINT IS SHOWN ON THAT CERTAIN WETERHARDISER THISBER COUNTRY LOCKING ROAD, AS SAID FORDAL RECORDS OF SAID KLAMATH WAS TITLED "CLAMATH RIVER ACRES" RECORDED IN THE OFFICIAL RECORDS OF SAID CORNER COUNTRY, FROM WHEINCE THE WEST CHAMATHER CORNER OF SAID SECTION 31, SAID CORNER COUNTRY, FROM WHEINCE THE WEST CHAMATHER CORNER OF SAID SECTION 31, SAID CORNER COUNTRY FOR WHEINCE THE WEST CHAMATHER CORNER OF THE WAS ANALLY COUNTRY SURVEY SALUMINUM CLP ACCURATION OF THE WAS ANALLY COUNTRY SURVEY SALUMINUM CLP ACCURATION OF THE WAS ANALLY COUNTRY SURVEY SALUMINUM CLP ACCURATION OF THE WAS ANALLY COUNTRY SURVEY SALUMINUM CLP ACCURATION OF THE WAS ANALLY COUNTRY SURVEY SALUMINUM CLP ACCURATION OF THE WAS ANALLY COUNTRY SURVEY SALUMINUM CLP ACCURATION OF THE WAS ANALLY COUNTRY SURVEY SALUMINUM CLP ACCURATION OF THE WAS ANALLY COUNTRY SURVEY SALUMINUM CLP ACCURATION OF THE WAS ANALLY COUNTRY SURVEY SALUMINUM CLP ACCURATION OF THE WAS ANALLY COUNTRY SURVEY SALUMINUM CLP ACCURATION OF THE WAS ANALLY COUNTRY SURVEY SALUMINUM CASH ANALLY COUNTRY SALU		ี ดี								
	1	_ــــــــــــــــــــــــــــــــــــــ	ــبـــ	—			кніві	1' A	PAGE	3 0				•							

1585-1.dgn 01-AUG-1996 11:32:13

NARRATIVE

KLAMATH COUNTY, OREGON

36,25,35,26,27,22,21,20,29 & 30 T-39-S, R-7-E, W.M.

THE PURPOSE OF THIS DOCUMENT IS TO DESCRIBE A SERIES OF PIPE EASEMENTS AFFECTING THE LANDS HELD BY WEYERHAEUSER COMPANY LOCATED IN T. 39 S., R. 7 E., W.M., KLAMATH COUNTY, OREGON.

BASIS OF BEARINGS IS OREGON STATE PLANE COORDINATE SYSTEM. SOUTH ZONE. ALL DISTANCES ARE GRID. DIVIDE DISTANCES SHOWN 0.99985 TO OBTAIN GROUND DISTANCES.

A PORTION OF THAT CERTAIN STRIP OF LAND COMMUNALLY KNOWN AS THE WEYERHAEUSER 100 ROAD. (TAX LOT NO. K390700000-01200 & K390700000-00900)

A 11.05 ACRE PARCEL OF LAND FOR THE AS-BUILT LOCATION OF A NATURAL (PIPELINE, BEING A PORTION OF SECTIONS 36, 25, 35, AND 26 T. 39 S., R. 7 KLAMATH COUNTY, OREGON, BEING A STRIP OF LAND 35.0 FEET WIDE LYING 15 FEET TO THE LEFT OF AND 20.0 FEET TO THE RIGHT OFTHE FOLLOWING DESCRIBED LINE: 15.0 15.0 ×

BEGINNING AT A POINT ON THE EAST LINE OF SAID SECTION 36, FROM WHENCE THE EAST QUARTEE CORNER OF SAID SECTION 35, SAID CORNER MARKED BY A KLAMATH COUNTY SURVEY AUMINUM CAP MONUMENT STAMPED LIS—658, BEARS S. 1702'20" W., A DISTANCE OF 1428.30 FEET, THENCE FROM SAID POINT OF BEGINNING, LEAVING SAID EAST LINE AND ALONG THE LEFT EDGE OF THE TRAVELED MAY, MORE OF LESS, OF SAID "MEYERHAUSER 100 ROAD", N.2904'41" W. 486.52 FEET, THENCE N.35'41'48" W. 241.29 FEET, THENCE N.48'12'19" W. 174.26 FEET, THENCE N.55'31" W. 100.22 FEET, THENCE N.65'30'1" W. 100.23 FEET, THENCE N.85'41'12" W. 129.86 FEET, THENCE N.76'51'59" W. 143.41 FEET, THENCE N.85'10'136' W. 267.20 FEET, THENCE N.76'51'59" W. 143.32 FEET, THENCE N.85'17'56" W. 230.96 FEET, THENCE N.75'17'56" W. 415.21 FEET

W.O. 949444 WEYERHAEUSER COMPANY - TRACT NO. RIGHT-OF-WAY PLAT SHEET PIPELINE EASEMENT 0-KL-1585,1570,1554,1534

BILL OF

MATERIAL

11/20 DATE

AS-BUIL

RECORD OF APPROVALS DESCRIPTION

AND **≸** 0. 949444

CHANGES 믔 B

읖

APPROVALS

CHKD DWZ DSGN SUPV

DATE JUN 96 ¥ Б ۲

PACIFIC GAS TRANSMISSION COMPANY PORTLAND, OREGON

KLAMATH COUNTY, OREGON T-39-S, R-7-E, W.M

SHEET DRAWING

700-F-RW-187

0

NUMBER 4 윾 ø SUPERSEDES

EXHIBIT A PAGE 4 OF

01-AUG-1996 13:47:38

36,25,35,26,27,22,21,20,29 & 30 T-39-S, R-7-E, W.M. KLAMATH COUNTY, OREGON

(PARCEL 1585 CONT.)

THE SIDELINES OF SAID STRIP SHALL BE SHORTENED OR EXTENDED SO AS TO INTERSECT WITH THE BOUNDARIES OF SAID LANDS. COUNTY SURVEY NO. 3841, BEARS S. 0'29'44"W., A DISTANCE OF 281.18 FEET.

REFERENCE "PACIFIC GAS TRANSMISSION COMPANY R/W & LAND SURVEY" SHEET 9 OF 23, DRAWING NUMBER 1700-A-RW-2, DATED MAY, 1996.

PARCELS 1570 AND 1554

(TAX LOT NO. K390700000-00200 & K390702900-00200)

A 13.33 ACRE PARCEL OF LAND FOR THE AS-BUILT LOCATION OF A NATURAL GAS PIPELINE. BEING A PORTION OF THE NORTH HALF OF THE NORTHEAST QUARTER OF SECTION 27, SECTIONS 22, 21, 20 AND 18.00 ASTER OF THE NORTHWEST QUARTER OF THE NORTHWEST QUARTER OF SECTION 29, 1, 39 S. R. 7 E. W.M., KLAMATH COUNTY, OREGON, BEING A STRIP OF LAND 35.0 FEET WIDE LYING 15.0 FEET TO THE LEFT OF AND 20.0 FEET TO THE RIGHT OF THE FOLLOWING DESCRIBED LINE:

BEGINNING AT A POINT ON THE SOUTH LINE OF THE MORTH HALF OF THE MORTHHAST QUARTER OF SAID SECTION 27, SAID CORNER MENCE THE MORTH OUARTER CORNER OF SAID SECTION 27, SAID CORNER OF SAID SECTION 27, SAID CORNER IS SHOWN ON KLAWATH CONNUNENT STAMPED ORLS—1139 1983, AS SAID CORNER IS SHOWN ON KLAWATH COUNTY SURVEY NO. 3841, BEARS N.3958847 W. A DISTANCE OF 1748.64 FEET, THENCE N. 502 THE TRAVELED WAY, MORE OR LESS OF THE "WEYERHAUSER 100 ROAD". N.1845307 W. 115.55 FEET, THENCE N. 47505567 W. 182-18 FEET, THENCE N. 200'20 W. 172.31 FEET THENCE N. 231'427 N. 179.05 FEET, THENCE N. 504'10 W. 255.92 FEET, THENCE N. 171'58'52 W. 207.09 FEET, THENCE N. 604'10 W. 255.92 FEET, THENCE N. 171'58'52 W. 207.09 FEET, THENCE N. 602'10 W. A. DISTANCE OF BA1.17 FEET, THENCE N. 371'42 W. 50.60 FEET, THENCE N. 251'42 W. 50.60 FEET, THENCE N. 231'42 W. 50.60 FEET, THENCE N. 50'21'36' W. 4.64 FEET TO A POINT ON THE WEST LINE OF SAID SECTION 27, BEARS, N. 89'22'50' W. A. DISTANCE OF BA1.17 FEET, THENCE N. 65'23'36' W. 1240.14 FEET, THENCE N. 65'23'36' W. 1240.14 FEET, THENCE N. 65'23'36' W. 1240.14 FEET, THENCE N. 65'23'36' W. 121'21' W. A. DISTANCE OF BA1.17 FEET, THENCE N. 50'28' W. A. DISTANCE OF BA1.17 FEET, THENCE N. 65'23'36' W. 121'21' W. A. DISTANCE OF BA1.17 FEET, THENCE N. 85'23'24' W. 20.60 FEET, THENCE N. 85'23'24' W. 21'21' G. A. DISTANCE OF BA1.27 W. 21'25' W. 36'29 FEET, THENCE N. 85'23'52' W. 32'6.06 FEET, THENCE N. 85'32'-24' W. 12'1.63' G. T. THENCE N. 85'32'-25' W. 32'6.06 FEET, THENCE N. 85'32'-25' W. 3

WEYERHAEUSER COMPANY - TRACT NO. 0-KL-1585,1570,1554,1534

AS-BUIL RECORD OF APPROVALS AND CHANGES DESCRIPTION 949444 DR. H H CH. \mathcal{Z} APPROVALS Vans SHS DWN DSGN DATE JUN 96 W.O. 949444 5 ¥ 듞 PACIFIC GAS TRANSMISSION COMPANY PORTLAND, OREGON RIGHT-OF-WAY PLAT SHEET PIPELINE EASEMENT KLAMATH COUNTY, OREGON T-39-S, R-7-E, W.M. DRAWING 1700-F-RW-187 SHEET SUPERSEDES BILL OF MATERIAL SCALE NUMBER NONE ა წ 0

111/20). DATE

EXHIBIT A PAGE 5 OF 9

01-AUG-1996 13:39:

36,25,35,26,27,22,21,20,29 & 30 T-39-S, R-7-E, KLAMATH COUNTY, OREGON

(PARCELS 1570 & 1554, CONT.)

THE SIDELINES OF SAID STRIP SHALL BE SHORTENED OR EXTENDED SO AS TO INTERSECT WITH THE BOUNDARIES OF SAID LANDS.

REFERENCE "PACIFIC GAS TRANSMISSION COMPANY R/W & LAND SURVEY" SHEETS 9 & 19 OF 23, DRAWING NUMBER 1700-A-RW-2, DATED MAY, 1996

(TAX LOT NO. K390703000-00500)

A 4.03 ACRE PARCEL OF LAND FOR THE AS-BUILT LOCATION OF A NATURAL GAS PEPELINE, BEING A PORTION OF SECTION 30, T. 39 S. R. 7 E., W.M., KLAWATH COUNTY, OREGON, BEING A STREP OF LAND 35.0 FEET WIDE LYING 15.0 FEET TO THE RIGHT OF THE FOLLOWING DESCRIBED LINE:

COMMENCING AT THE NORTHEAST CORNER OF THE NORTHWEST OUARTER OF
THE NORTHEAST OUARTER OF SAID SECTION 30, SAID CORNER MARKED BY A
THE NORTHEAST OUARTER OF SAID SECTION 30, STATE THE NORTHWEST OUARTER
OF THE NORTHEAST OUARTER OF SAID SECTION 30, STATE THE NORTHWEST OUARTER
OF THE NORTHEAST OUARTER OF SAID SECTION 30, STATE TO THE NORTHEAST OUARTER
OF THE NORTHEAST OUARTER OF SAID SECTION 30, STATE TO THE NORTHEAST OUARTER
THENCE S.45°33'42"W. 129.86 FEET THENCE S.24*33'47"W. 71.73 FEET, THENCE S.45°33'42"W. 179.93 FEET TO A POINT ON THE LEFT EDGE OF THE TRAVELED WAY
OF THE "WEYERHAEUSER TOO ROAD" MORE OR LESS, THENCE ALONG SAID
TRAVELED WAY, MORE OR LESS, ST.849'49"W. 503.21 FEET, THENCE S.45°26'17"W.
THENCE S.61°06'35"W. 191.35 FEET, THENCE S.57°27'17"W. 165.21 FEET, THENCE
S.61°06'35"W. 191.35 FEET, THENCE S.75°27'17"W. 165.21 FEET, THENCE
S.74°22"W. 41.13 FEET, THENCE S.75°315"W. 1479.99 FEET, THENCE
S.74°22"W. 41.13 FEET, THENCE S.75°315"W. 1479.99 FEET, THENCE
S.74°22"W. 41.13 FEET, THENCE S.75°315"W. 1479.99 FEET, THENCE
S.74°24"OW. 42.74 FEET THENCE S.63°09'56"W. 161.62 FEET, THENCE S.65°09'59'W.
S.49°24"OW. 42.74 FEET THENCE S.63°09'56"W. 161.62 FEET, THENCE S.65°09'59'W.
S.49°24"OW. 42.74 FEET THENCE S.63°09'56"W. 161.62 FEET, THENCE S.65°09'59'W.
S.49°24"OW. 42.74 FEET THENCE S.63°09'56"W. 161.62 FEET, THENCE S.65°09'71"W. 138.97 FEET
THENCE S.69°12"OW 232.70 FEET, THENCE S.65°59'71"W. 138.97 FEET
THENCE S.69°12"OW 232.70 FEET THENCE S.65°59'71"W. 138.97 FEET
THENCE S.69°12"OW 232.70 FEET THENCE S.65°

THE SIDELINES OF SAID STRIP SHALL BE SHORTENED ON EXTENDED SO AS INTERSECT WITH THE BOUNDARIES OF SAID LANDS. REFERENCE "PACIFIC CAS TRANSMISSON COMPANY R/W & LAND SURVEY" SHEET 10 OF 23, DRAWING NUMBER 1700-A-RW-2, DATED MAY, 1996.

WEYERHAEUSER COMPANY - TRACT NO. 0-KL-1585,1570,1554,1534

W.O. 949444 DATE JUN 96 ر د ¥ ۲ PACIFIC GAS TRANSMISSION COMPANY PORTLAND, OREGON RIGHT-OF-WAY PLAT SHEET PIPELINE EASEMENT KLAMATH COUNTY, OREGON T-39-S. R-7-E, W.M. SCALE NONE BILL OF MATERIAL DRAWING NUMBER SHEET SUPERSEDES 700-F-RW-187 6 0F ٥ Ö

SUPV

11/20

RECORD OF APPROVALS DESCRIPTION

AND CHANGES . 0. 949444

R 뮵

유 S

AFPROVALS

CHSO DWZ DSGN

EXHIBIT A PAGE 6 OF 9

3580-1.dgn 01-AUG-1996

13:48:54

NARRATIVE

25,36,35,34,33,32,31, T-39 & 40-S, R-6-E, KLAMATH COUNTY, OREGON

PARCEL 1505 & REMAINING PORTION

BASIS OF BEARINGS IS DREGON STATE PLANE CODEDINATE SYSTEM, SOUTH I ALL DISTANCES ARE GRID. DMIDE DISTANCES SHOWN BY 0.99985 TO OBTAIN GROUND DISTANCES.

THE PURPOSE OF THIS DOCUMENT IS TO DESCRIBE A SERIES OF PIPELINE AFFECTING THE LANDS HELD BY WEYERHAEUSER COMPANY, LOCATED IN T. 1. 40 S., R. 6 E., W.M.,KLAMATH COUNTY, OREGON.

PARCEL 3580 (TAX LOT NO. K390500000-00100)

A 6.89 ACRE PARCEL OF LAND FOR THE AS-BUILT LOCATION OF A NATURAL GAS PIPELINE, BEING A PORTION OF SECTIONS 25 AND 35, T. 39 S., R. 6 E., W.M., KLANATH COUNTY, OPEGON, BEING A "STRIP OF LAND 35,0 FEET TO THE RIGHT OF THE FOLLOWING DESCRIBED LINE;

BEGINNANG AT A POINT ON THE EAST LINE OF SAID SECTION 25, FROM WHENCE THE SOUTHEAST CORNER OF SAID SECTION 25, SAID CORNER MARKED BY A 2-1/2". RON PRE STAMPED OCK-SEA6 1970, BEARS S. 1723-5"W. A DISTANCE OF 1949.94 FEET, THENCE FROM SAID POINT OF REGINNING, LEAVING SAID EAST LINE, ON AND ALONG THE LEFT EDGE OF THE TRAVELED OF THE TRAVELED OF THE "REPERHAEUSER 100 ROND". MORE OR LESS S.645717"W. 39.84 FEET, THENCE S.551915"W. 99.73 FEET, THENCE S.3546'09"W. 102.49 FEET, THENCE S.357017"W. 34.25 FEET, THENCE S.357517"W. 39.84 FEET, THENCE S.357517"W. 263.46 FEET, THENCE S.357517"W. 263.46 FEET, THENCE S.357517"W. 31.26 FEET, THENCE S.357517"W. 31.26 FEET, THENCE S.357517"W. 31.26 FEET, THENCE S.3757517"W. 31.26 FEET, THENCE S.375717"W. 31.26 FEET,

ဝင္က EXTENDED SS AS

(TAX LOT NO. K4006000000-00500 & K390600000-00100)

A 21.54 ACRE PARCEL OF LAND FOR THE AS-BUILT LOCATION OF A NATURAL GAS PIPELINE, BEING A PORTION OF THE NORTHEAST OWARTER OF THE NORTHEAST OWARTER OF SECTION 2, T. 40 S., R. 5 E., W.M., AND SECTIONS 35, 34, 33, 32 AND 31, T. 39 S., R. 6 E., W.M., LAWAMATH COUNTY, ORFICON, BEING A STRIP OF LAND 35.0 FEET WIDE LYING 15.0 FEET TO THE LEFT OF AND 20.0 FEET TO THE RIGHT OF THE FOLLOWING DESCRIBED LINE:

COMMENCING AT THE NORTHEAST CORNER OF SAID SECTION 2, SAID CORNER MARKED BY A BRASS CAP MONUMENT STAMPED LS—290 1966, THENCE ALONG THE EAST LINE OF SAID SECTION 2, S. TOYOOW, A DISMACE OF 56.16 FEET TO A POINT BB.5 FEET NORTHERLY OF THE CENTERUNE OF THE PLY AL TRANSMISSION LINE, THE POINT OF BEGINNING OF THIS DESCRIPTION, THENCE FROM SAID POINT OF BEGINNING OF THIS DESCRIPTION, THENCE FROM SAID POINT OF BEGINNING SAID EAST LINE AND PARALLEL WITH AND BB.5 FEET NORTHERLY OF SAID SECTION 2, FROM WHENCE THE NORTHEAST CORNER OF SAID SECTION 2, FROM WHENCE THE NORTHEAST CORNER OF SAID SECTION 3, FROM WHENCE THE SOUTHWEST CONTINUING ALONG SAID PARALLEL LINE, N.851340°W, 9764.67 FEET TO A POINT CORNER OF SAID SECTION 34, FROM WHENCE THE SOUTHWEST CORNER OF SAID SECTION 34, SAID CORNER MARKED BY A 5/8 TRON PIN WITH CORNER OF SAID SECTION 34, SAID CORNER MARKED BY A 5/8 TRON PIN WITH CORNER OF SAID SECTION 34, SAID CORNER MARKED BY A 5/8 TRON PIN WITH CORNER OF SAID SECTION 34, SAID CORNER MARKED BY A SOUTHWEST THENCE N.851340°W, 1092.97 FEET, THENCE N.375370°W, 32.09.76 FEET, THENCE LEXING SAID PARALLEL LINE, N.851340°W, 1092.97 FEET, THENCE N.375370°W, 32.09.76 FEET, THENCE N.772578.789 FEET, THENCE N.7725780°W, 12.121 FEET, THENCE N.7227172 W, 855.91 FEET TO A POINT ON THE WEST LINE OF SAID SECTION 31, SAID CORNER MARKED BY A BRASS CAP MONUMENT, BEARS N. 10800°E., A DISTANCE OF 3936.55 FEET.

INTERSECT WITH THE BOUNDARIES OF BE SHORTENED OR SAID LANDS. EXTENDED So Š

REFERENCE "PACIFIC GAS TRANSMISSION COMPANY R/W & LAND SURVEY SHEETS 11 & 12 OF 23, DRAWING NUMBER 1700-A-RW-2, DATED MAY, 1996.

				_	_				-
	0 0	0	L		Ĺ	L		=	R
	NO. DATE	11/20						OF 23	FRENC
		11/20 AS-BUILT						DRAWING NUL	F PACIFIC GAS
RECORD OF APPROVALS AND CHANGES	DESCRIPTION	٠						11 OF 23, DRAWING NUMBER 1700-A-RW-2, DATED MAY, 1996.	TRANSMISSION COMPANY R/
AND CH	W.O.	94944						MAY, 1996.	W ~ LAND
ANGE	DR.	<u>в</u>	Ī				П		SIRVE
S	W.O. DR. CH.	949444 TB JF Des 1/4	-	T		\mid		(SHS Y
		The state of				-		,	7
	APPR	(Aq	5	-	 -	-			
	AP\$ROVALS	-		T		-			
			Ī	T	Γ				
DATE JUN 96	CHKU HW	,	DWN IC	DSGN JF	00	SIDV	W.O. 949444		
TORILAND, OREGON	PACIFIC GAS TRANSMISSION COMPANY	KLAMAIH COUNTY, OREGON		T-39 & 40-S, R-6-E, W.M.	TITELINE EASEMENT	TEAL ODGE		WEYERHAEUSER COMPANY - TRACT NO. 0-KL-3580,1505	
1700-F-RW-187 0	WISSION COMPANY DRAWING NUMBER CHG	SHEET / OF 9		SUPERSEDES		BILL OF MATERIAL	SCALE NONE	RACT NO. O-KL-3	

EXHIBIT A PAGE 7 OF 9

444-1.dgn 01~AUG-1996

KLAMATH COUNTY, OREGON

T-39-S,

R-5-E,

THE PURPOSE OF THIS DOCUMENT IS TO DESCRIBE A PIPELINE EASEMENT AFFECTING THE LANDS HELD BY WEYERHAEUSER COMPANY, LOCATED IN T. 39 S., R. 5 E., W.M.,KLAMATH COUNTY, OREGON. 36,35,26,27,22,21,20,17,18

NARRATIVE

PARCEL 1444 BASIS OF BEARINGS IS OREGON STATE PLANE COORDINATE SYSTEM, SOUTH ZONE, ALL DISTANCES ARE GRID. DIVIDE DISTANCES SHOWN 0.99985 TO OBTAIN GROUND DISTANCES. (TAX LOT NO. K390500000-00300)

BEGINNING AT A POINT ON THE EAST LINE OF SAID SECTION 36, FROM WHENCE THE NORTHEAST CORNER OF SAID SECTION 36, SAID CORNER WHENCE THE NORTHEAST CAP MONUMENT, BEARS N. 1708'00'E., A DISTANCE OF 3936.55 FEET, THENCE FROM SAID POINT OF BEGINNING, LEAVING SAID EAST LINE. N.72'211'2'W. 160.10 FEET, THENCE N.59'31'54'W. 162.09 FEET, THENCE N.58'33'0'W. 475.90 FEET, THENCE N.58'19'22'W. 360.86 FEET, THENCE N.58'53'30'W. 462.40 FEET, THENCE N.58'19'22'W. 360.86 FEET, THENCE N.59'36'53'W. 462.40 FEET, THENCE N.58'19'22'W. 464.75 FEET, THENCE N.59'36'53'W. 293.94 FEET, THENCE N.59'36'53'W. 293.94 FEET, THENCE N.59'36'53'W. 293.94 FEET, THENCE N.59'34'S'W. 293.94 FEET, THENCE N.59'34'S'W. 293.89 FEET, THENCE N.58'34'S'W. 293.89 FEET, THENCE N.58'24'S'W. 293.89 30.68 ACRE PARCEL OF LAND FOR THE AS-BUILT LOCATION OF A NATURAL AS PIPELINE, BEING A PORTION OF SECTIONS 36, 35, 26, 27, 22, 21, 20, 7 & 18, T, 39 S., R. 5 E., W.M., KLAMATH COUNTY, OREGON, BEING A STR F LAND 35.0 FEET WIDE LYING 15.0 FEET TO THE LEFT OF AND 20.0 FEET OTHE RIGHT OF THE FOLLOWING DESCRIBED LINE:

11/20 DATE

AS-BUIL

RECORD

OF APPROVALS

AND ₩.0. 149444

CHANGES

뮵 S.

Z

SUPV

RIGHT-OF-WAY PLAT SHEET PIPELINE EASEMENT

. O.

949444

DSGN

듞

SH 뚞

APPROVALS

CHKO DWN

¥ 5

PACIFIC GAS TRANSMISSION COMPANY PORTLAND, OREGON

1700-DRAWING SHEET

ı

RW-187

0 8

NUMBER

ထ 읶

ဖ

KLAMATH COUNTY, OREGON I-39-S, R-5-E, W.M

DATE JUN

DESCRIPTION

THENCE N.28'49'41" W. 498.90 FEET, THENCE N.37'42" W. 221.84 FEET, THENCE N.58'13'19" W. 248.66 FEET, THENCE N.56'43'0" W. 97.49 FEET, THENCE N.56'43'0" W. 97.49 FEET, THENCE N.56'43'0" W. 97.49 FEET, THENCE N.57'12" W. 356.14 FEET, THENCE N.58'11'19 W. 998.25 FEET, THENCE N.59'05'14" W. 1012.41 FEET, THENCE N.58'11'19 W. 998.25 FEET, THENCE N.59'05'14" W. 157.39 FEET, THENCE N.7726'08" W. 713.90 FEET, THENCE N.7739'04" W. 716.37 FEET, THENCE N.42'11'0" W. 716.37 FEET, THENCE N.44'51'2'0" W. 716.37 FEET, THENCE N.59'2'14'0" W. 716.37 FEET, THENCE N.59'2'14'

COMPANY t TRACT NO. 0-KL-1444

SCALE BILL OF

MATERIAL

NONE

SUPERSEDES

WEYERHAEUSER

EXHIBIT A PAGE & OF 9

NO. DATE OCCOON OF ADDROVALS						SHEETS 12,13 & 14 OF 23, DRAWING	REFERENCE "PACIFIC GAS TRANSMISSION COMPANY R/W & LAND SURVEY"	THE SIDELINES OF SAID STRIP SHALL	-	18, SAID CORNER MARKED BY A JACKSINE ONLY SURVEY	150.17 FEET, THENCE N.5772411 W. 426.00 FEET, THENCE N.5712 160.17 FEET, THENCE N.5772411 W. 426.00 FEET, THENCE N.57712 170 A POINT ON THE WEST LINE OF SAID SECTION 18. THE POINT OF THE	1929.58 FEET, THENCE N.52'16'33" W. 296.43 FEET, THENCE N.48'59'39" W. 296.43 FEET, THENCE	N.63'22'26" W. 237.22 FEET, 247.22 FEET,	STAMPED 1976, BEARS S. 118'42 W., CONTINUING, N.71'44'58"W. 35.90 FEE N.37'42'37"W, 248.15 FEET, THENCE I	EAST LINE OF SAID SECTION 18, FROM SAID SECTION 18, SAID CORNER MARK	A DISTANCE OF 233.07 FEET, THENCE INTERPRETATION 157.62 FIEET, THENCE INTERPRETATION 345.99 FEFT THENCE INTERPRETATION 173°18'14" W 345.99 FEFT THENCE INTERPRETATION 157°18'14" W 345.99 FEFT THENCE INTERPRETATION 157°18' W 345°18' W	FROM WHENCE THE NORTH QUARTER OF A BLIM BRASS CAP MORE THE NORTH OF A BLIM BRASS CAP MORE THE NORTH OF THE NO	N.65'13'10'W. 150.78 FEET, THENCE N.65'13'10'W. 150.78 FEET, THENCE N.65'58'10'W. 490.03 FEET TO A POIN	DISTANCE OF 1235,08 FEET, THENCE	(PARCEL 1444, CONT.)		1444-2.dgn 01-AUG-1996 14:10:14
AND CHANGES	W.O. DR. CH. APPROVALS CHKD HW	ń	DSGN JF	SUPV	W.O. 949444	G NUMBER 1700-A-RW-Z, DAIED MAI, 1990.	ON COMPANY R/W & LAND SURVEY	BE SHORTENED OR EXTENDED SO AS TO SAID LANDS.	/29,04 FEE1.	THE NORTHWEST CONNEX OF MONUMENT,	26.00 FEET, THENCE N.5712 AD SECTION 18, THE POINT OF	93.18 FEET, THENCE N.49'21'28'W. HENCE N.50'47'05"W. 59.63 FEET, 62'40'35"W 99.44 FEET, THENCE	713.80 FEET, THENCE N.5330 23 W. 24100 THENCE N.633636W. 19664 FEET, THENCE N.4900'47'W. N.4438116'W. 212.50 FEET, THENCE N.49'00'47'W.	A DISJANCE OF 003.49 76.65 FEET THENCE N.4855.31 W. 76.65 FEET THENCE N.5258'04"W. N.47'37'35"W. 46.29 FEET THENCE N.5258'04"W.	WHENCE THE SOUTHEAST CORNER OF ACTION OF THE SOUTHEAST COPY MORNING IT.	THENCE N.7.301"52"W. 679.80 FEET THENCE N.7.301"52"W. 679.80 FEET TO A POINT ON THE	CORNER OF SAID SECTION 20, 200 CONNER OF SAID SECTION 20, 200 CONNER CONTINUING N 65'58'01'W, 1242'02 FEET	HENCE N.65 04-44 W. 7/4-04 FEEL, THENCE N.65'59'04'W. 1449.68 FEET, THENCE N.65'13'10"W. 150.78 FEET, THENCE N.65'58'01"W. 167'58'01"W. 490.03 FEET TO A POINT ON THE NORTH LINE OF SAID SECTION 20,	CONTINUING N.65'27'36"W. 121.98 FEET THENCE		1,20,17,18 T	KI AMATH COUNTY OREGON
FURTURNU, OREGUN 1/00-F-RW-10/	PANY	OREGON	T-39-S, R-5-E, W.M. SUPERSEDES	ASEMENT	RIGHT-OF-WAY PLAT SHEET SCALE NONE	WEYERHAEUSER COMPANY - TRACT N							RENEWAL DATE TATOLTER	JOSEPH A. FC	OREGON		PROFESSIONAL AND SURVEYOR				R-5-E, W.M.	OX
XW 10/	9	٥	S		NONE	TRACT NO. 0-KL-1444			хні	віт	A PA	AGE S	OF	9								

STATE OF OREGON: COUNTY OF KLAMATH: ss.

Filed for record at request of Pacific Gas Transmission the 19th day of November A.D., 19 96 at 1:11 o'clock P.M., and duly recorded in Vol. M96 on Page 36395 Bernetha G. Letsch/County Clerk By Harman Again By