This space reserved of County Filing Officer use only 98 MAR -2 All :45

Vol.<u>M98_</u>Page_ FINANCING STATEMENT 6725

STATE OF CREGON

UNIFORM COMMERCIAL CODE REAL PROPERTY - FORM UCC-1A

THIS FORM FOR COUNTY FILING OFFICER USE ONLY

	The this county lilang criscal pursuant to the 2A. Socured Party Name(s):	Uniform Commercial Code: 4A. Assignee of Secured Party (if any):
1A. Delect Name(e): WESTERN HOMES, INC.	TRANSAMERICA COMMERCIAL FINANCE CORPORATION FINANCE CORPORATION OF Advers of Secured Party from which security	4B. Address of Assignee:
18. Debter Mailing Address(es): 6707 S. 6th Street Klamath Falls, OR 97603	information is obtainable: 11121 Carmel Commons Blvd. Charlotte, NC 28226	
3. This financing statement covers the following type:	s (or items) of property (check if applicable): see attached The shove timber	is standing on:
The goods are to become natures on. The above minerals or the like (including ge real estate)	as and oil) or accounts will be financed at the wellhead	t or minehead of the well or mine located on: (describe
cumar is:		not have an interest of record) The name of a record
Check box if products of colleteral are also Debtor hereby authorizes the Secured Parry to recommand statement under ORS Chapter 79. Signature of the debtor required in most cases. Signature(s) of Secured Party in cases covered by ORS 79,4020	ord a carbon, photographic or other reproduction of the WESTERN HOMES,	is form, financing statement or security agreement as a
Ichook reso to be production	INSTRUCTIONS m is inadequate, the item(s) should be continued on a officer. DO NOT STAPLE OR TAPE ANYTHING TO the opening filing officers who record real estate moriga	ges. This torin country of the
After the recording process is completed the close used to terminate this document.	county filing officer will return the document to the part	y indicated. The present terminates.
6. Be sure that the financing statement has been	n properly signed. Us not sign the williams	TERMINATION STATEMENT
Recording Party contact name: P. Wy Recording Party wisphone number: 704/5 Return to: (name and address	This statem cursuant to	nent of termination of financing is presented for filing the Uniform Commercial code. The Secured Party claims a security interest in the the financing statement to recording number shown above.
TCFC P O Box 471609 Charlotte, NC 28247		
Prease do not type outside of bu	By:	Signature of Secured Party(ies) or Assignee(s)

(67773)

FORM No. UCC-1A July 1992 Stevens-Ness Low Publishing Co. Portland, Oregon 97204

Ravised 7/92

This space reserved for County Filing Officer use

attachment for -

Debtor: WESTERN HOMES, INC.

6707 S. 6th Street

Klamath Falls, OR 97603

TO BE FILED IN REAL ESTATE RECORDS

Description of Collateral as follows: All Mobile Homes also known as Manufactured Homes, Modular Homes, Travel Trailers, Camper Units, and Recreational Vehicles, whether new, used or repossessed located on the parcel of land described on the attached page. SEE ATTACHED PAGE.....

Record Owner: & Shasta Colen LLC

Name and Address of Park Shasta Glen Mobile Home Park

* 41047 Winter Aue * Klamath Folls, Or.97603

THE COLLATERAL IS AND IS TO BECOME A FIXTURE.

DESCRIPTION	
The following described real property situate in Alm	na Sila Fernand Ord - Floren marie 6
A trees of land elevated in the Sisting of Section	
Deginning at the Loutiness termer of sold Sistinvi; line of sold Sistinvi; a distance of 301.4 feet to the in Deed From Riemeth Theorres, Inc., to Element County, Deed records of Riemeth County, Oregon, sold positions avenus; themen M. 58°38' S. along sold South three Avenus; themen M. 58°38' S. along sold South three M. 0°38' W. a distance of 361.2 feet to the M. East close the North line of sold Sistinvi to the M. East close the North line of sold Sistinvi to the M. 20 Samuel R. Marron, or us by Deed recorded in Volum Klassifa County, Oregon; themes S. 0°06'20" M. a distance County, Oregon; themes S. 0°06'20" M. a distance	s Easth line of parcel described iy, recorded in Volume 323 page int being on the South line of Line, a distance of 197.1 feat; orth line of eaid 3[82]NVI; thence threat corner of Parcel conveyed a M59 page 7589, Deed records of man of 660.1 feat, more or less.
lime of soid Sistingly a distance of 101.4 feet to the in Deed From Klameth Theorems, Inc., to Klameth County oregon, said pointhist dwenty; Oregon, said pointhist dwents; themes N. 68°35° E. along said South there N. 68°35° E. a distance of 361.2 feet to the N. East clong the North lime of said Signified to the N. East clong the North lime of said Signified to the N. East clong the North lime of said Signified to the North Language R. Earren, of my Deed recorded in Volum Klamath County, Oregon; thence S. 0°05'10° E. a distance the Southwest corner of parcel described as Parcel Lace, to Image, and point being on the South lime of M. Eastly, Oregon, and point being on the South lime of M. Eastly, Oregon, and point being on the South 1103.23 feet	s South line of parcel described by, recorded in Volume 373 page int being on the South line of line, a distance of 1971 feat; being of exid 3 85 144 ; thence others teamer of Parcel conveyed by MAS page 7589, Deed records of lace of 660.3 feat, more or less, l. 1, in Deed from Element Theatres, age 5573, Deed records of Element by Asid Significant Element
lime of soid 3;52[MM] a distance of 301.4 feet to the in Deed From Klameth Theorem. Inc., to Klameth Count in Deed From Klameth Theorem. Inc., to Klameth Count 500, Deed records of Klameth County, Oregon, said point there are not 3;5 %. a distance of 361.2 feet to the Minters N. 0°36° %. a distance of 361.2 feet to the Minters along the North lime of said 3;5 % with to the Minters along the North lime of said 3;5 % with the Minters and Said Percedad in Volume 100 and 100 minters and 100 mi	s South line of parcel described by, recorded in Volume 373 page int being on the South line of line, a distance of 1971 feat; being of exid 3 85 144 ; thence others teamer of Parcel conveyed by MAS page 7589, Deed records of lace of 660.3 feat, more or less, l. 1, in Deed from Element Theatres, age 5573, Deed records of Element by Asid Significant Element
lime of said 3;52 Mil a distance of 101.4 feet to the is Deed from Klamath Theorem. Inc., to Klamath Count 500, Deed records of Klamath County, Oregon, said poi Minter Avenus; themes N. 56°35' S. along said South three N. 50°35' W. a distance of 361.2 feet to the N. East along the North lime of said 3 ER Mil to the N. East along the North lime of said 3 ER Mil to the N. East along the North lime of said 3 ER Mil to the N. East along the North lime of said 3 ER Mil to the North Edward County, Oregon; thence S. 0°05'30" W. a distance the Southwart corner of parcel described as Parcel 18c.; to James S. Collatly, recorded in Volume Mil p. (Recorty, Oregon, and point being on the South lime of Mil 18c; a distance of 1013.23 feet	s South line of parcel described by, recorded in Volume 373 page int being on the South line of line, a distance of 1971 feat; being of exid 3 85 144 ; thence others teamer of Parcel conveyed by MAS page 7589, Deed records of lace of 660.3 feat, more or less, l. 1, in Deed from Element Theatres, age 5573, Deed records of Element by Asid Significant Element
lime of said 3;52 Mil a distance of 101.4 feet to the is Deed from Klamath Theorem. Inc., to Klamath Count 500, Deed records of Klamath County, Oregon, said poi Minter Avenus; themes N. 56°35' S. along said South three N. 50°35' W. a distance of 361.2 feet to the N. East along the North lime of said 3 ER Mil to the N. East along the North lime of said 3 ER Mil to the N. East along the North lime of said 3 ER Mil to the N. East along the North lime of said 3 ER Mil to the North Edward County, Oregon; thence S. 0°05'30" W. a distance the Southwart corner of parcel described as Parcel 18c.; to James S. Collatly, recorded in Volume Mil p. (Recorty, Oregon, and point being on the South lime of Mil 18c; a distance of 1013.23 feet	s South line of parcel described by, recorded in Volume 373 page int being on the South line of line, a distance of 1971 feat; being of exid 3 85 144 ; thence others teamer of Parcel conveyed by MAS page 7589, Deed records of lace of 660.3 feat, more or less, l. 1, in Deed from Element Theatres, age 5573, Deed records of Element by Asid Significant Element
lime of said 3;52 MM; a distance of 101.4 feet to the in Deed from Klameth Theatres, Inc., to Klameth Count 500, Deed records of Klameth County, Oregon, said poi Minter Avenue; theman N. 65°JS %. along said South threa N. 0°JS %. a distance of 361.2 feet to the Netheron N. 0°JS %. a distance of 361.2 feet to the Netheron N. 0°JS %. a distance of 35RHM; to the lime to Samed R. Marren, at me by Deed recorded in Volume Klameth County, Oregon; themas S. 0°05'JO M. a distance the Southwest corner of percel described as Percel Let., to James S. Gollatly, recorded in Volume N/O percenty, Oregon, anid point being on the South Lime of Longituding.	s South line of parcel described by, recorded in Volume 373 page int being on the South line of line, a distance of 1971 feat; being of exid 3 85 144 ; thence others teamer of Parcel conveyed by MAS page 7589, Deed records of lace of 660.3 feat, more or less, l. 1, in Deed from Element Theatres, age 5573, Deed records of Element by Asid Significant Element
lime of said 3;52 HM; a distance of 101.4 feet to the is Deed from Klometh Thestree, Inc., to Klometh Count 500, Deed records of Klometh County, Oregon, said point threes 8.0°35° W. a distance of 361.2 feet to the Minter Avenus; theman H. 58°35° B. along said South Klomen B. 0°35° W. a distance of 361.2 feet to the Minter along the North lime of said 3 ER HW! to the Minter along the North lime of said 3 ER HW! to the Minter along the North, Oregon; themas S. 0°05'30° M. a distance the Southwest corner of parcel described as Parcel Rec., to James B. Colletly, recorded in Volume HTO parcely, Oregon, and point being on the South lime of Minter along said South Lime, a distance of 1013.23 feet of beginning.	s South line of parcel described by, recorded in Volume 323 page int being on the South line of line, a distance of 1971 feat; being of enid 3 85 MV ; thence others corner of Parcel conveyed a MSP page 7389, Deed records of mace of 560.3 feat, more or less, l., in Deed from Element Theorem, age 5373, Deed records of Element E asid 5 52 MV ; thence S. 69*43* b, mare or less, to the point
lime of said Sicking a distance of 101.4 feet to the is Deed from Klemeth Theatree. Inc., to Klemeth Count 500, Deed records of Klemeth County, Oregon, said point three Avenus; themen N. 58°35° S. along said South three N. 5°35° W. a distance of 361.2 feet to the N. East along the North lime of said 315Kingl to the Nr. 20 Sewel R. Marren, at me by Deed recorded in Volume Klemeth County, Oregon; thence S. 0°05'30° W. a distance the Southwest corner of perceit described as Percei Lec., to James B. Colletly, recorded in Volume N/O p. Lecaty, Oregon, and point being on the South lime of Longituding. **EXECTION OF COUNTY OF KLAMATH: S. ** **EXECUTE: The	s South line of parcel described Ty, recorded in Volume 323 page Lat being on the South line of Line, a distance of 1971 feet; Onth line of eaid 3 85 MV ; thence Thomat corner of Parcel conveyed Thomat corner of Lambara L, in Deed from Element Thomaten, L, in Deed from Element Thomaten, L, and SISELWEL; thence S. 59°43° L, mare or less, to the point
lime of said Sistinia a distance of 101.4 feet to the is Deed from Klassch Theatres. Inc., to Klassch Count 580, Deed records of Klassch County, Oregon, said political avenus; themes N. 68°35° E. along said South Theater Avenus; themes N. 68°35° E. along said South Theater B. 6°35° E. a distance of 361.2 feet to the N. East clong the North Line of said 315Kinvi to the N. East clong the North Line of said 315Kinvi to the N. East clong the North Line of said 315Kinvi to the N. 2 distance the Southwest corner of perceil described as Perceiled. 2 described as Perceiled. 2 distance of 1013.23 feet of the South Line of South Line	s South line of parcel described Ty, recorded in Volume 323 page Lat being on the South line of Line, a distance of 1971 feat; Onth line of eaid 3 SSINV ; thence Themset corner of Parcel conveyed a MSP page 7389, Deed records of Mace of 560.3 feat, more or less, Li, in Deed from Elemeth Theatres, age 5373, Dead records of Elemeth E asid SESSINV ; thence S. 89°43° L. mare or less, to the point R. mare or less, to the point
lime of said Sistinia a distance of 101.4 feet to the is Deed from Klassch Thestree, Inc., to Klassch Count 580, Deed records of Klassch County, Oregon, said politicate Avenus; themes N. 58°58° S. along said South Thester Avenus; themes N. 58°58° S. along said South Thester B. 50°38° W. a distance of 361.2 feet to the N. East along the North lime of said 315KiNVi to the N. East along the North lime of said 315KiNVi to the N. East along the North Lime of said 315KiNVi to the N. East along the Southwest corner of perceil described as Perceiled. to Southwest corner of perceil described as Perceiled. to Southwest corner of perceil described as Perceiled. The Southwest corner of perceil described in Volume NTO perceived. The South Lime of	s South line of parcel described Ty, recorded in Volume 323 page Lat being on the South line of Line, a distance of 1971 feet; Onth line of eaid 3 85 MV ; thence Thomat corner of Parcel conveyed Thomat corner of Lambara L, in Deed from Element Thomaten, L, in Deed from Element Thomaten, L, and SISELWEL; thence S. 59°43° L, mare or less, to the point
lime of said Sistinia a distance of 101.4 feet to the is Deed from Klassch Thestree, Inc., to Klassch Count 580, Deed records of Klassch County, Oregon, said politicate Avenus; themes N. 58°58° S. along said South Thester Avenus; themes N. 58°58° S. along said South Thester B. 50°38° W. a distance of 361.2 feet to the N. East along the North lime of said 315KiNVi to the N. East along the North lime of said 315KiNVi to the N. East along the North Lime of said 315KiNVi to the N. East along the Southwest corner of perceil described as Perceiled. to Southwest corner of perceil described as Perceiled. to Southwest corner of perceil described as Perceiled. The Southwest corner of perceil described in Volume NTO perceived. The South Lime of	s South line of parcel described Ty, recorded in Volume 323 page Lat being on the South line of Line, a distance of 1971 feat; Onth line of eaid 3 SSINV ; thence Themset corner of Parcel conveyed a MSP page 7589, beed records of mace of 560.3 feat, more or less, Li, in Deed from Klamath Theatren, age 5573, Dead records of Klamath Lasid SISSINV ; thence S. 59°43° L. more or less, to the point The Manday montain Vil. 1971 The Manday montain Vil. 1971
lime of soid Sisting a distance of 101.4 feet to the in Deed from Klameth Theatree. Inc., to Klameth Count 500, Deed records of Klameth County, Oregon, said point three Avenus; themes N. 55°5° L. along said South three N. 0°35° K. a distance of 361.2 feet to the N. Best along the North lime of said Signific to the N. Best along the North lime of said Signific to the N. 20 Sameth County, Oregon; theses S. 0°05'30° M. a distance the Southwest corner of parcel described as Parcel Inc., to James B. Colletly, recorded in Volume N/O p. 1825 of the South Lime of 1013.23 feet of the South Lime of 1013.23 feet of the South Lime of 1013.23 feet of the South South Lime, a distance of 1013.23 feet of 1825 of the South Lime	s South line of parcel described Ty, recorded in Volume 323 page Lat being on the South line of Line, a distance of 1971 feat; Onth line of eaid 3 SSINV ; thence Themset corner of Parcel conveyed a MSP page 7589, beed records of mace of 560.3 feat, more or less, Li, in Deed from Klamath Theatren, age 5573, Dead records of Klamath Lasid SISSINV ; thence S. 59°43° L. more or less, to the point The Manday montain Vil. 1971 The Manday montain Vil. 1971
lime of soid Sisting a distance of 101.4 feet to the in Deed from Klameth Theatree. Inc., to Klameth Count 500, Deed records of Klameth County, Oregon, said point three Avenus; themes N. 55°5° L. along said South three N. 0°35° K. a distance of 361.2 feet to the N. Best along the North lime of said Signific to the N. Best along the North lime of said Signific to the N. 20 Sameth County, Oregon; theses S. 0°05'30° M. a distance the Southwest corner of parcel described as Parcel Inc., to James B. Colletly, recorded in Volume N/O p. 1825 of the South Lime of 1013.23 feet of the South Lime of 1013.23 feet of the South Lime of 1013.23 feet of the South South Lime, a distance of 1013.23 feet of 1825 of the South Lime	s South line of parcel described Ty, recorded in Volume 323 page Lat being on the South line of Line, a distance of 1971 feat; Onth line of eaid 3 SSINV ; thence Themset corner of Parcel conveyed a MSP page 7589, beed records of mace of 560.3 feat, more or less, Li, in Deed from Klamath Theatren, age 5573, Dead records of Klamath Lasid SISSINV ; thence S. 59°43° L. more or less, to the point The Manday montain Vil. 1971 The Manday montain Vil. 1971
lime of said Siselffil a distance of 101.4 feet to the is Deed from Klemeth Theatree. Inc., to Klemeth Count 500, Deed records of Klemeth County, Oregon, said point three Avenus; themes N. 58°58° L. along said South three B. 0°38° L. a distance of 361.2 feet to the N. East along the North lime of said 315KHWH to the N. East along the North lime of said 315KHWH to the N. East along the North lime of said 315KHWH to the N. East along the North, Oregon; themes S. 0°06'30° M. a distance the Southwest corner of parcel described as Parcel Rec., to 18888 B. Callatly, recorded in Volume N/O p. Leastly, Oregon, said point being on the South lime of M., along said South lime, a distance of 1013.23 feet of Longitudes. Final Grand South County of Klamath: 8. Final South South Lime, a distance of 1013.23 feet of 1	s South line of parcel described Ty, recorded in Volume 323 page Lat being on the South line of Line, a distance of 1971 feat; Onth line of eaid 3 SSINV ; thence Themset corner of Parcel conveyed a MSP page 7589, beed records of mace of 560.3 feat, more or less, Li, in Deed from Klamath Theatren, age 5573, Dead records of Klamath Lasid SISSINV ; thence S. 59°43° L. more or less, to the point The Manday montain Vil. 1971 The Manday montain Vil. 1971
line of soid Siseinia a distance of 101.4 feet to the in Deed from Klameth Theatree, Inc., to Klameth Count 500, Deed records of Klameth County, Oregon, said poi Minter Avenus; theate N. 55°15° L. along said South three N. 0°35° W. a distance of 361.2 feet to the New East along the North line of said 315kiMil to the Knizo Samuel R. Marren, at me by Deed recorded in Volume 100 Samuel R. Marren, at me by Deed recorded in Volume 110 the Southwest corner of parcel described as Percel Ret., to James B. Gallatly, recorded in Volume 110 p. Caraty, Oregon, said point being on the South line of Aleng said South line, a distance of 1013.23 feet at Long and Eouth Line, a distance of 1013.23 feet at Long and Eouth Line, a distance of 1013.23 feet at Long and Eouth Line, and Edward County Title Santana measured A. J. 19 97 st 1102 o'cke of Deedle.	s South line of parcel described Ty, recorded in Volume 323 page Lat being on the South line of Line, a distance of 1971 feat; Onth line of eaid 3 SSINV ; thence Themset corner of Parcel conveyed a MSP page 7589, beed records of mace of 560.3 feat, more or less, Li, in Deed from Klamath Theatren, age 5573, Dead records of Klamath Lasid SISSINV ; thence S. 59°43° L. more or less, to the point The Manday montain Vil. 1971 The Manday montain Vil. 1971
line of soid Siseinia a distance of 101.4 feet to the in Deed from Klameth Theatree, Inc., to Klameth Count 500, Deed records of Klameth County, Oregon, said poi Minter Avenus; theate N. 55°15° L. along said South three N. 0°35° W. a distance of 361.2 feet to the New East along the North line of said 315kiMil to the Knizo Samuel R. Marren, at me by Deed recorded in Volume 100 Samuel R. Marren, at me by Deed recorded in Volume 110 the Southwest corner of parcel described as Percel Ret., to James B. Gallatly, recorded in Volume 110 p. Caraty, Oregon, said point being on the South line of Aleng said South line, a distance of 1013.23 feet at Long and Eouth Line, a distance of 1013.23 feet at Long and Eouth Line, a distance of 1013.23 feet at Long and Eouth Line, and Edward County Title Santana measured A. J. 19 97 st 1102 o'cke of Deedle.	s South line of parcel described Ty, recorded in Volume 323 page Lat being on the South line of Line, a distance of 1971 feat; Onth line of eaid 3 SSINV ; thence Themset corner of Parcel conveyed a MSP page 7589, beed records of mace of 560.3 feat, more or less, Li, in Deed from Klamath Theatren, age 5573, Dead records of Klamath Lasid SISSINV ; thence S. 59°43° L. more or less, to the point The Manday montain Vil. 1971 The Manday montain Vil. 1971
lime of said 3;52 MM; a distance of 101.4 feet to the is Beed from Klometh Theatree, Inc., to Klometh Count is Beed from Klometh Theatree, Inc., to Klometh Count is Bio. Deed records of Klometh County, Oregon, said point there are not seen at the said seeth there is 0°35° M. a distance of 361.2 feet to the M East along the North lime of said 3;58 MM; to the M East along the North lime of said 3;58 MM; to the M East along the North Lime of said 1;58 MM; to the M East along the North Lime of the Southwest corner of perceil described as Perceiler., to 1;58 MM; a distance of 1023.23 feet 1;58 MM; a lime of 1,58 MM; a lime of 1,	secth line of parcel described y, recorded in Volume 323 page int being on the Bouth line of line, a distance of 1971 feat; being on the Bouth line of line, a distance of 1971 feat; being of each of seid 3585 hW; thence otherst corner of Parcel conveyed a M69 page 7589, Deed records of mace of 660.3 feat, more or less. 1 , in Deed from Element Theaters, age 5573, Deed records of Element E asid Sisting; thence 8. 89 43° t, mare or less, to the point a Page 1883 Beyond G.Lach, Carry Clan By Line G.Lach, Carry Clan By Line G.Lach, Carry Clan By
line of soid Siseinii a distance of 301.4 feet to the in Deed from Klemeth Theatree. Inc., to Klemeth Count in Deed records of Klemeth County, Oregon, said point three descripts at along said South three B. 0°35° W. a distance of 361.2 feet to the Minter descript the Herth line of said Sighthil to the Minter along the Herth line of said Sighthil to the Minter along the Herth line of said Sighthil to the Minter along the Karren, of the by Deed recorded in Volume Klasath County, Oregon; theate 8. 0°05'30° M. a distance the Southwest corner of parcal described as Parcal Inc., to James B. Callatly, recorded in Volume Min Distance of 1013.23 feet along and South line, a distance of 1013.23 feet along and South line, a distance of 1013.23 feet along the South line, a distance of 1013.23 feet along the South line, a distance of 1013.23 feet along the South line of Distance of 1013.23 feet along the South line of Distance of 1023.23 feet along the South line of	secth line of parcel described Ty, recorded in Volume 323 page Lat being on the Bouth line of Line, a distance of 1971 feat; Onth line of eaid Sissimi; thence Themset corner of Parcel conveyed a MSP page 7389, Deed records of Maca of 860.3 feat, more or less, L, in Deed from Element Theorems, age 5373, Deed records of Element E asid Sissimi; thence S. 59°43° L, mare or less, to the point By M. modely more is William The Page 1983 By M. modely more is William The 2nd Th
line of soid Siseling a distance of 101.4 feet to the in Deed from Klometh Theatree. Inc., to Klometh Count in Deed from Klometh Theatree. Inc., to Klometh Count in Deed from Klometh County. Oregon, said point three B. 0°35° W. a distance of 361.2 feet to the Enternal B. 0°35° W. a distance of 361.2 feet to the Enternal B. 0°35° W. a distance of 361.2 feet to the Enternal B. Warren, et me by Deed recorded in Volume 10° January. Oregon; theate S. 0°05'30° W. a distance the Southwest corner of parcel described as Percellet., to January. Oregon; chilatly, recorded in Volume 10° p. 100.2 feet beginning. The first remain section of point being on the South Line of Marketh County Tie. Seet AD. 19 97 at 1.02 o'clear S. Beginning. Seet AD. 19 97 at 1.02 o'clear G. Beginning. The first remain section of Marketh County Tie. The first remain section of Marketh County Tie. Seet AD. 19 97 at 1.02 o'clear G. Beginning. The first remain section of Marketh County Tie. The first remain section of Marketh County	seeth line of parcel described Ty, recorded in Volume 323 page Lat being on the Bouth line of Line, a distance of 1971 feat; Denth line of eard 3585 hW; thence Themset corner of Parcel conveyed The Man Man Man Man Man Man Man The Man Man Man Man Man The Man Man Man Man Man The Man Man Man Man Man Man Man The Man Man Man Man Man Man Man The Man Man Man Man Man Man Man Man The Man Man Man Man Man Man Man Man The Man Man Man Man Man Man Man Man The Man Man Man Man Man Man Man The Man Man Man Man Man Man Man Man The Man
line of soid Siseinia a distance of 101.4 feet to the is Deed from Klamath Thestree. Inc., to Klamath Count in Deed records of Klamath County. Oregon, said point three Avenus; theman N. 68°38' S. along said South three N. 0°38' S. a distance of 361.2 feet to the N. East clong the North line of said Sisinwi to the No. 20 Sauch 2. Narren, at me by Deed recorded in Volume 120 Sauch 2. Narren, at me by Deed recorded in Volume 120 Sauch 2. Narren, at me by Deed recorded in Volume 120 State 2 Sauch 2. Narren, at me by Deed recorded as Percel 120.2 to James B. Gallatly, recorded in Volume 170 pt. County, Oregon, said point being on the South Inna a Marin along said South line, a distance of 1013.23 feet 2 Sauch 2. Narren and point being on the South Inna a Marin 180 Sept. AD. 19 97 St. 1:02 o'cke 180 Sauch 2. Narren and 180 Sauch 2. Narren 2	secth line of parcel described Ty, recorded in Volume 323 page Lat being on the Bouth line of Line, a distance of 1971 feat; Onth line of eaid Sissimi; thence Themset corner of Parcel conveyed a MSP page 7389, Deed records of Maca of 860.3 feat, more or less, L, in Deed from Element Theorems, age 5373, Deed records of Element E asid Sissimi; thence S. 59°43° L, mare or less, to the point By M. modely more is William The Page 1983 By M. modely more is William The 2nd Th