Vol. MOO Fage. 2958

AFTER RECORDING, RETURN TO: William M. Ganong Attorney at Law 514 Walnut Avenue Klamath Falls OR 97601

SEND TAX STATEMENTS TO: Wong Potatoes, Inc. 17600 Highway 39 Klamath Falls OR 97603

200 JAN 28 FN 12: 32

DEED

Sam Wong & Son, Inc., an Oregon corporation, Grantor, conveys to Wong Potatoes, Inc., an Oregon corporation, Grantee, that certain real property located in Klamath County, Oregon described on Exhibits "A", "B", and "C" attached hereto and incorporated herein by this reference. Said real property is also described in the Deeds recorded in Volume M86 at Page 7235; Volume M73 at Page 2755; and Volume M86 at Page 7233 of the Deed Records of Klamath County, Oregon.

Said land is included in the following Klamath County Tax lots:

4111-01000-00500

4111-01000-01400

4000-01000-01100

4111-01100-00900

4111-01400-00500

4111-01500-00200

4010-00800-01001

This Deed is made in furtherance of the reorganization of Grantor and no consideration stated in dollars has been paid herefore.

THIS INSTRUMENT WILL NOT ALLOW USE OF THE PROPERTY DESCRIBED IN THIS INSTRUMENT IN VIOLATION OF APPLICABLE LAND USE LAWS AND REGULATIONS. BEFORE SIGNING OR ACCEPTING THIS INSTRUMENT, THE PERSON ACQUIRING FEE TITLE TO THE PROPERTY SHOULD CHECK WITH THE APPROPRIATE CITY OR COUNTY PLANNING DEPARTMENT TO VERIFY APPROVED USES AND TO DETERMINE ANY LIMITS ON LAWSUITS AGAINST FARMING OR FOREST PRACTICES AS DEFINED IN ORS 30.930.

JANUARY 2000 Dated this _____ day of December, 1999.

SAM WONG & SON, INC.

George W. Chin, President

Janet J. Chin. Secretary

STATE OF OREGON, County of Klamath) ss.

This instrument was acknowledged before me on December _ Chin and Janet J. Chin, President and Secretary of Sam Wong & Son, Inc.



Notary Public for Oregon

My Commission Expires:

South, Rende 10 East, Willamette Meridian, which point is 50 22 30 507 feet room the morthwest corner of seid Section 7; thence 50 507 feet room the morthwest corner of seid Section 7; thence 50 507 feet room the morthwest corner of seid Section 7; thence 50 507 feet room the morthwest corner of seid Section 7; thence 50 507 feet room the section 7; the section 8; the section must21 E.T. elong. said section line, a distance of 1634.0 feet, to a point which is NO*12} W. ... 346.0 feet ... from the southwest corner of the NW of said Section 7 and which point is the northwest corner of a parcel of land shown as "PARCEL TWO" in a deed from J. Clyde Griffith, et.ux; to Buford N. Kaylor, et ux, recorded in Klamath Griffith, et.ux; to Buford N. Kaylor, et ux, recorded in Klamath County Deed Records, Volume 180; page 128; thence \$89°54'E., along the north boundary of said "PARCEL TWO", which line is parallel to the county boundary of said Section 7. A distance of 550. along the north boundary of said Section 7, a distance of 660.0 allel to the north boundary of said Section 7, a distance of 660.0 feet; thence 50°12½°E. 16.0 feet; thence S89°54½°E., 1452.0 feet; thence N0°12½°W., 1474.0 feet, more or less, to the low water mark on the west bank of Lost River; thence N47*39'W., along said low water line, 597.0 feet; thence, continuing along said low water. line, Mll*20'E., 440.0 feet, more or less, to the north boundary of said Section 7; thence N89*541'W., along said section boundary a distance of 943.0 feet, more or less, to the northeast corner of a parcel of land deeded by Karl F. Dehlinger, at ux, to Innis Roberts, et ux, and described in a deed in Klamath County Deed Records, Volume 260, page 25; thence \$17*29\{\frac{1}{2}}\frac{2}{2}... along the east boundary of said Innis Roberts property, a distance of 682.0 feet, thence 589*391 W., along the south boundary of said Innis Roberts property, and distance of 1019.5 feet more or less to the point of beginning, being a portion of the NW2 of Section 7, Township 40 : South Range 10 East of the Willamette Meridian.

EXCEPTING THEREFROM a tract of land situated in the Northwest quarter of Section 7, Township 40 South, Range 10 East of the Willamette Meridian, more particularly described as follows: Beginning at a point on the West line of said Section 7, said point being South 00°12'30" East 657.00 feet from the Northwest corner of said Section 7, said point also being 27.3 feet, more or less. Westerly from the Easterly right of way line of the Klamath Falls-Malin State Highway as constructed, thence South 00-12'30" East along the West line of said Section 1625.00 feet, more or less, to the Northwest corner of a parcel of land shown as "Parcel 2" and described in Deed Volume 180 at page 128, Klamath County Deed Records, thence South 89°54'30" East along the North boundary of said "Parcel 2" and parallel with the North line of said Section 660.00 feet, thence South 00°12'30" East 16.00 feet, thonce South 89°54'30" East paraliel with the North line of said Section 86.79 feet, more or less, to the with the morth line of said Section 80.78 lest, more of 1835, to the center-centedline of an existing irrigation ditch, thence along the center-line of said ditch the following courses; and distances: North 15° 40° 23" East 452.11 feet, North 15°07'41" East 425:04 feet, North 01°50'48" East 408.69 feet, North 01°56'16" East 402.78 feet, North 1700170" 17.08'30" West 9.00/feet to a 5/8 inch iron pin on the South boundary of that tract of land described in deed Volume 260 at page 25, Klamath County Deed Records, thence North 89°58'56" West (South April 100" West by Feed Record) 785 70 feet 89"39"30" West by said deed record) 795.70 feet, thence South 89° 39'30" West along the South boundary of that tract of land described in Deed Volume M67 at page 5054, Klamath County Deed Records, 221.50 feet to the point of beginning.

Parcel 3:

Balling swill point on the property of Section 7. Townsite, South, Renge 10 East, Willemette Meridian, which point is \$0°72 to \$0.77 feet from the morthweat corner of seid Section 7; thence \$0° in 12½ E. Talong, said section 11ne, a distance of 1634.0 feet, to a point which is NO°12½ M., 346.0 feet, from the southwest corner of the NWi of said Section 7 and which point is the northwest corner of a parcel of land shown as "PARCSL TWO" in a deed from J. Clyde Griffith, et.ux; to Buford M. Kaylor, et ux, recorded in Klamath County Deed Records, Volume 180, page 128; thence \$89°54½ E., along the north boundary of said "PARCEL TWO", which line is parallel to the north boundary of said Section 7, a distance of 660.0 feet; thence \$50°12½ E., 16.0 feet; thence \$89°54½ E., 1432.0 feet; thence NO°12½ M., 1474.0 feet, more or less, to the low water mark on the west bank of Lost River; thence N47°39 M., along said low water line, 597.0 feet; thence, continuing along said low water line, 197.0 feet; thence, continuing along said low water line, N11°20 E., 440.0 feet, more or less, to the north boundary of said Section 7; thence N89°54½ M., along said section boundary, a distance of 943.0 feet, more or less, to the northeast corner of a parcel of land deeded by Kerl F. Dehlinger, at ux, to Innis Roberts, at ux, and described in a deed in Klamath County Deed Records. Volume 260, page 25; thence \$17°29½ E., along the east boundary of said Innis Roberts property, a distance of 562.0 feet, thence \$89°39½ M., along the sputh boundary of said Innis Roberts property, a distance of 1019.5 feet more or less to the point of baginning, being a portion of the NW2 of Section 7, Township 40 south Range 10 East of the Willamette Meridian.

EXCEPTING THEREFROM a tract of land situated in the Northwest quarter of Section 7, Township 40 South, Range 10 East of the Willamette Meridian, more particularly described as follows: Beginning at a point on the West line of said Section 7, said point being South .00°12'30" East 657.00 feet from the Northwest corner of said Section 7, said point also being 27.3 feet, more or less, Westerly from the Easterly right of way line of the Klamath Falls-Malin State Highway as constructed, thence South 00.12'30" East along the West line of said Section 1645.00 feet, more or less, to the Northwest corner of a parcel of land shown as "Parcel 2" and described in Deed Volume 180 at page 128, Klamath County Deed Records, thence South 89°54'30" East along the North boundary of said "Parcel 2" and parallel with the North line of said Section 660.00 feat, thence South 00°12'30" East 16,00 feet, thouce South 89°54'30" East parallel with the North line of said Section 86.79 feet, more or less, to the centerline of an existing irrigation ditch, thence along the center-line of said ditch the following courses; and distances: North 15° line of said ditch the following courses; and distances: North 15° 40'23" East 452.11 feet, North 15°07'41" East 425.04 feet, North 01°50'48" East 402.78 feet, North 01°50'48" East 402.78 feet, North 17°08'30" West 9.00 feet to a 5/8 inch iron pin on the South boundary of that tract of land described in deed Volume 260 at page 25. Klamath County Deed Records, thence North 89°58'56" West (South 89°39'30" West by said deed record) 795.70 feet, thence South 89° 39'30" West along the South boundary of that tract of land described in Deed Volume M67 at page 5054, Klamath County Deed Records, 221.50 feet to the point of baginning.

(Klamath County Tax Lot 4010-00700-00400)

EXHIBIT "B"

A portion of Lot 5, Section 10, Township 41 South, Range 11 East of the Willamette Meridian, described as follows: Beginning at the one-quarter corner common to Section 9 and 10 of said Township and Range; thence South 89° 58' East 3.51 chains, more or less, to the projection of the center line of the 9-E-2-Drain; thence South 34° 26' East along the said center line 14.11 chains to its intersection with the North line of Siniswik of said Section 10; thence West along said North line to the West line of said Section 10; thence North along said West line to the point of beginning.

The SULSE, and that portion of Lot 7 (NWESE), Section 10, Township 41 South, Runge 11 East of the Willamette Meridian, lying Southerly of the Great Northern Railway Right of Way.

that portion of Government Lot 1 in Section 15, Township 41 South, Range 11 East of the Willamette Meridian, lying West of the East line of the SW of the SE of Section 10, Township 41 South, Range 11 East of the Willamette of the SE to f Section 10, Township 41 South, Range 11 East of the Willamette Meridian, extended South to the South line of said Lot 1.

A portion of Section 10, Township 41 South, Range 11 East of the Willamette Meridian, described as follows: Beginning at the One-quarter corner common to Sections 9 and 10 of said Township and Range; thence South 89° 58' East 3.51 chains, more or less, to the projection of the center line of the 9-E-2 drain; thence South 34° 26' East along said center line 14.11 chains to its intersection with the North line of the SINESWE of said Section 10; thence Easterly along said North line of ShnySwi, 30.80 chains, more or less, to the East line of the SW' of said Section 10; thence Northerly along the East line of the SW'z of said Section 10, 10 chains, more or less, to the northeast corner of the NELSW& of said Section 10; thence Westerly along the Northerly line of said NELSW& to the intersection of the said Northerly line with the Southwesterly right of way line of the Great Northern Railway Company railroad right of way; thence Northwesterly along said Southerly railroad right of way line to its intersection with the West line of said Section 10; thence Southerly along said West line of said Section 10 to the place of beginning. EXCEPTING THEREFROM that portion described as follows: A triangular parcel of land located in the Northeast corner of the Northeast corner of the SWZ of Section 10, Township 41 South, Range 11 East of the Willamette Meridian, described as follows: Commencing at the Northeast corner of the SW_{π}^{1} of Section 10, Township 41 South, Range 11 East of the Willamette Meridian, extending thence West along the Northerly line of said SW2 366 feet, more or less, to the intersection of said line with the Northeasterly right of way line of the Great Northern Railway; thence Southeasterly along the Northeasterly right of way line of said Railway a distance of 399 fect, more or less, to the North-South center line of said Section 10; thence North along said center line a distance of 162 feet. said center line a distance of 162 feet, more or less, to the point of beginning.

PARCEL 1:

All that portion of the SW4SW4 and of Government Lot 11, of Section 11, Township 41 South, Range 11 East, Willamette Meridian, which lies Southwesterly of a line drawn parallel to and distant 200 feet Southwesterly of the center line of the railway of the Great Northern Railway Company as now located and constructed; said center line being more particularly described as follows: Beginning at a point in the westerly boundary of said Section 11 distant 977.00 feet Northerly from the Southwest corner thereof; thence Southeasterly along a straight line making a southeasterly included angle of 61046½ with line making a southeasterly included angle of 61046½ with said Westerly boundary, 531.9 feet; thence Southeasterly along the arc of a 100 curve to the left, 2630.00 feet; thence Easterly on tangent 2141.00 feet, more or less, to an intersection with the Easterly boundary of said Section 11 at a point distant 36.8 feet Northerly from the Southeast corner thereof. The said strip of land containing 12.35 acres, more or less, in the SW4SW2 and 0.22 of an acre, more or less, in Government Lot 11 of said Section 11, Township 41 South, Range 11 East, Willamette Meridian, exclusive of right of way previously granted for highway and for a Government .rrigation and drainage canal, SAVING AND EXCEPTING a piece or parcel of land situated in the SW4SW4 of Sec. 11, T. 41 S., R. 11 E.W.M. in Klamath County, Oregon, being more particularly described as follows: Beginning at a 5/8 inch iron pin in the East right of way boundary of the Adams Point County Road, as the same is presently located and constructed from which the monument marking the Southwest corner of Sec. 11, which the monument marking the Southwest corner of Sec. 11, which the monument marking the Southwest corner of Sec. 11, which the monument marking the Southwest corner of Sec. 11, which the monument marking the Southwest shall be solved and solved the sector of Sec. 11, which the solved shall be solved to solve the sector of Sec. 11, which the solved shall be solved s feet to an iron pin at its intersection with the Southwesterly right of way boundary of the Burlington-Northern Railroad; right of way boundary of the Burlington-Northern Railroad; thence along said Railroad right of way S 61°34'10" E. 389.7 thence along said Railroad right of way S 61°34'10" E. 389.7 feet to a point; thence along a circular curve to the left (which has a central angle of 0°40'40", a radious of 5929.65 (which has a central angle of roular curve to the left (which has a central angle along a circular curve to the left (which has a central angle along a circular curve to the left (which has a central angle of 5055150", a radious of 5929.65 feet, and a long chord which bears S 65013100" E. 613.75 feet) a distance of 613.80 feet to a-5/8 inch iron pin; thence, leaving said Railroad right of way, N. 89°57'10" W. 962.4 feet, more or less, to the point of beginning, containing 4.96 acres, more or less.

PARCEL 3: ·

Lots 3, 4, and Nana of Lot 5, and the Nana of Lot 6 of Section 14, Township 41 S., Range 11 East Willamette Meridian, excepting the right of way heretofore reserved by the United States for the "J" Canal.

Also, an easement 20 feet in width which has its northeasterly boundry parallel to and contigous with the southwesterly right of way boundry of the Burlington-Northern Railroad from the most northwesterly corner to the most southeasterly corner of the above described parcel of land; for the purpose of construction, reconstruction, operation and maintenance of the irrigation ditch.

> State of Oregon, County of Klamath Recorded 1/28/00, at 12:32.0m. In Vol. M00 Page Linda Smith, Fee\$41 County Clerk

EXHIBIT PAGE