Vol MOD

After Recording Return to: Bell A Land & Cattle Company P. O. Box 97 La Pine, OR 97739

All Tax Statements should be sent to: Bell A Land & Cattle Company P. O. Box 97 La Pine, OR 97739

Consideration: \$0.00

MC 45252 BARGAIN AND SALE DEED

IN CONSIDERATION of the exchange of land and other valuable consideration, Crown Pacific Limited Partnership, a Delaware Limited Partnership, Grantor, does hereby grant, bargain, sell and convey unto Bell A Land & Cattle Company, Inc., Grantee that certain real property in Klamath County, State of Oregon described in the attached Schedule 1 with all tenements, hereditaments and appurtenances thereunto belonging or in any way appertaining.

See attached Schedule 1

TO HAVE AND TO HOLD, the same unto Grantee and Grantee's heirs, successors and assigns forever.

GRANTOR HEREBY COVENANTS to and with Grantee and Grantee's heirs, successors and assigns, that Grantor is lawfully seized in fee simple the above premises, free from all encumbrances except those of record and those apparent upon the land, if any, as of the date of this deed.

IN WITNESS WHEREOF, the Grantor executed this instrument on the 14 day of January , 2000.

THIS INSTRUMENT WILL NOT ALLOW USE OF THE PROPERTY DESCRIBED IN THIS INSTRUMENT IN VIOLATION OF APPLICABLE LAND USE LAWS AND REGULATIONS. BEFORE SIGNING OR ACCEPTING THIS INSTRUMENT, THE PERSON ACQUIRING FEE TITLE TO THE PROPERTY SHOULD CHECK WITH THE APPROPRIATE CITY OR COUNTY PLANNING DEPARTMENT TO VERIFY APPROVED USES AND TO DETERMINE ANY LIMITS ON LAWSUITS AGAINST FARMING OR FOREST PRACTICES AS DEFINED IN ORS 30.930.

> CROWN PACIFIC LIMITED PARTNERSHIP By: Crown Pacific Management Limited Partnership

Executive Vice President of Resources

STATE OF OREGON, County of Deschutes

This instrument was acknowledged before me this 14 day of January, 2000, by W. Ray Jones, Executive Vice President of Resources for Crown Pacific Management Limited Partnership.



Notary Public for Oregon

Commission expires: 3/19/02

IN TOWNSHIP 23 SOUTH, RANGE 9 EAST, W. M.

SECTION 26 Those portions of the SW1/4NE1/4 and NW1/4SE1/4 lying northwesterly of a line that is defined as follows:

Beginning at a point in the North line of the SW1/4NE1/4 of Section 26 which is in, or in the extension of, a line marked by a 5/8" iron rod projecting 12" above the ground near that North 1/16 line and approximately 850 feet east of the North-South centerline of that Section and another similar iron rod S 24 degrees W 215 feet distant:

Thence (from the point of beginning) to the second (southernmost) of the two iron rod markers mentioned above Thence S57 degrees W approximately 248 feet to a 5/8" iron rod projecting 12" above the ground

Thence S19 degrees W approximately 316 feet to a 5/8" iron rod projecting 12" above the ground

Thence S 20 degrees W approximately 410 feet to a point in the East-West centerline of Section 26

Thence continuing S 20 degrees W approximately 72 feet to a 5/8" iron rod projecting 12" above the ground
Thence S30 degrees W approximately 382 feet to a 5

Thence S30 degrees W approximately 382 feet to a 5/8" iron rod projecting 12" above the ground

Thence S20 degrees W approximately 206 feet to a 5/8" iron rod projecting 12" above the ground

Terminating at a point in the North-South centerline of Section 26 which is in, or in the extension of, the final course described above, approximately 240 feet south of the center of the Section

as shown on the attached Exhibit A

AND

IN TOWNSHIP 23 SOUTH, RANGE 9 EAST, W. M.

SECTION 26 That portion of the SE1/4SW1/4 lying to the west of a line that is defined as follows:

Beginning at a point in the West line of Section 35, Township 23 South, Range 9 East which is in, or in the the extension of, a line marked by a 5/8" iron rod projecting 12" above the ground approximately 66 feet north of the West quarter corner of Section 35 and another similar iron rod N 45 degrees E 326 feet distant:

Thence (from the point of beginning) to the second (northernmost) of the two iron rod markers mentioned above Thence N 16 degrees E approximately 405 feet to a 5/8" iron rod projecting 12" above the ground

Thence N 48 degrees E approximately 388 feet to a 5/8" iron rod projecting 12" above the ground

Thence N 57 degrees E approximately 423 feet to a point in the south line of the NW1/4NW1/4 of Section 35

Thence continuing N 57 degrees E approximately 16 feet to a 5/8" iron rod projecting 12" above the ground

Thence N 53 degrees E approximately 412 feet to a 5/8" iron rod projecting 12" above the ground

Thence N 36 degrees E approximately 350 feet to a point in the east line of the NW1/4NW1/4 of Section 35 Thence continuing N 36 degrees E approximately 44

feet to a 5/8" iron rod projecting 12" above the ground
Thence N 18 degrees E approximately 398 feet to a

Thence N 18 degrees E approximately 398 feet to a 5/8" iron rod projecting 12" above the ground

Thence N 31 degrees E approximately 366 feet to a 5/8" iron rod projecting 12" above the ground near the South line of Section 26

Thence N 7 degrees W approximately 432 feet to a 5/8" iron rod projecting 12" above the ground

Thence N 25 degrees E approximately 401 feet to a 5/8" iron rod projecting 12" above the ground

Thence N 30 degrees E approximately 623 feet to a 5/8" iron rod projecting 12" above the ground

Terminating at a point in the north line of the SE1/4SW1/4 of Section 26 which is in, or in the extension of, the final course described above, approximately 512 feet west of the North-South centerline of the Section

as shown on the attached Exhibit A

IN TOWNSHIP 23 SOUTH, RANGE 9 EAST, W. M.

SECTION 35 Those portions of the NE1/4NW1/4 and SW1/4NW1/4 lying northwesterly of a line that is defined as follows:

Beginning at a point in the West line of Section 35, Township 23 South, Range 9 East which is in, or in the the extension of, a line marked by a 5/8" iron rod projecting 12" above the ground approximately 66 feet north of the West quarter corner of Section 35 and another similar iron rod N 45 degrees E 326 feet distant:

Thence (from the point of beginning) to the second (northernmost) of the two iron rod markers mentioned above

Thence N 16 degrees E approximately 405 feet to a 5/8" iron rod projecting 12" above the ground

Thence N 48 degrees E approximately 388 feet to a 5/8" iron rod projecting 12" above the ground

Thence N 57 degrees E approximately 423 feet to a point in the south line of the NW1/4NW1/4 of Section 35 Thence continuing N 57 degrees E approximately 16

feet to a 5/8" iron rod projecting 12" above the ground

Thence N 53 degrees E approximately 412 feet to a 5/8" iron rod projecting 12" above the ground

Thence N 36 degrees E approximately 350 feet to a point in the east line of the NW1/4NW1/4 of Section 35

Thence continuing N 36 degrees E approximately 44 feet to a 5/8" iron rod projecting 12" above the ground

Thence N 18 degrees E approximately 398 feet to a 5/8" iron rod projecting 12" above the ground

Thence N 31 degrees E approximately 366 feet to a 5/8" iron rod projecting 12" above the ground near the North line of Section 35

Thence N 7 degrees W approximately 432 feet to a 5/8" iron rod projecting 12" above the ground

Thence N 25 degrees E approximately 401 feet to a 5/8" iron rod projecting 12" above the ground

Thence N 30 degrees E approximately 623 feet to a 5/8" iron rod projecting 12" above the ground


Terminating at a point in the north line of the SE1/4SW1/4 of Section 26 which is in, or in the extension of, the final course described above, approximately 512 feet west of the North-South centerline of the Section

as shown on the attached Exhibit A

Crown Pacific to Bell A Ranches Exhibit A

Twp. 235 Rge. 9E

Section 26 \$ 35



SCALE: 4 inches = 1 mile

SCHEDULE 1 (cont'd)

CROWN PACIFIC to BELL A LAND & CATTLE COMPANY

IN TOWNSHIP 23 SOUTH, RANGE 9 EAST, W. M.

SECTION 33 Those portions of the N1/2NW1/4NE1/4SE1/4, the SW1/4SE1/4NE1/4, W1/2SE1/4SE1/4NE1/4 and the NE1/4SE1/4NE1/4 lying southeasterly of a line running from the southwest corner of the N1/2NW1/4NE1/4SE1/4 to the northeast corner of the SE1/4NE1/4

AND

That portion of the SE1/4NW1/4SE1/4 lying southeasterly of a line running from the southwest corner to the north-east corner of that subdivision of Section 33

as shown on the attached Exhibit B

SECTION 34 That portion of the NE1/4NW1/4 lying southeasterly of a line running from the southwest corner of the SE1/4SW1/4NE1/4NW1/4 to the North quarter corner of Section 34


AND

Those portions of the NE1/4SE1/4 and SW1/4SE1/4 lying northwesterly of a line running from a point in the East line of Section 34, Township 23 South, Range 9 East which is in, or in the extension of, a line marked by a 5/8" iron rod projecting 12" above the ground driven approximately 1.5 feet east from the north post of a board gate in a wood rail fence approximately 66 feet north of the East quarter corner of Section 34 and a similar iron rod S 35 degrees W 770 feet distant, and another line to a point in the West line of Section 3, Township 24 South, Range 9 East which is in, or in the extension of, a line from the second (southernmost) iron rod mentioned above to a 5/8" iron rod projecting 12" above the ground in a fence line approximately 5,530 feet S 60 degrees W distant and approximately 688 feet south from the Northwest corner of Section 3

as shown on the attached Exhibit C

Crown Pacific to Bell A Ranches Exhibit B

Twp	23	5		Rge	9 <i>E</i>	
		Section_	33			




SCALE: 4 inches = 1 mile

Crown Pacific to Bell A Ranches Exhibit C

Twp. 23 \$ 245 Rge. 9E

Section 34 \$ 3



SCALE: 4 inches = 1 mile

IN TOWNSHIP 24 SOUTH, RANGE 9 EAST, W. M.

That portion Government Lot 4 lying northwesterly of a SECTION 3 line running from a point in the East line of Section 34. Township 23 South, Range 9 East which is in, or in the the extension of, a line marked by a 5/8" iron rod projecting 12" above the ground driven approximately 1.5 feet east from the north post of a board gate in a wood rail fence approximately 66 feet north of the East quarter corner of Section 34 and a similar iron rod S 35 degrees W 770 feet distant, and another line to a point in the West line of Section 3, Township 24 South, Range 9 East which is in, or in the extension of, a line from the second (southernmost) iron rod mentioned above to a 5/8" iron rod projecting 12" above the ground in a fence line approximately 5,530 feet S 60 degrees W distant and approximately 688 feet south from the Northwest corner of Section 3

as shown on the attached Exhibit C

IN TOWNSHIP 24 SOUTH, RANGE 8 EAST, W. M.

- SECTION 11 The South Half of the South Half of the Southeast Quarter of the Southeast Quarter
- SECTION 14 The North Half of the North Half of the Northeast Quarter of the Northeast Quarter
- SECTION 12 The South Half of the Southwest Quarter of the Southwest west Quarter of the Southwest Quarter and the Southwest Quarter of the Southwest Quarter of theSouthwest Quarter

AND

Those portions of S1/2SE1/4NE1/4SW1/4, N1/2NE1/4SE1/4SW1/4, NW1/4SE1/4SW1/4, NW1/4SE1/4SW1/4, NW1/4SE1/4SW1/4, NE1/4SE1/4SW1/4 lying southeasterly of a line running from the southwest corner of the NE1/4SE1/4SW1/4SW1/4 to the northeast corner of the SE1/4SE1/4NE1/4SW1/4 of Section 12

AND

IN TOWNSHIP 24 SOUTH, RANGE 8 EAST, W. M.

SECTION 12 Those portions of the NE1/4NE1/4 and SW1/4NE1/4 lying southeasterly of a line that is defined as follows:

Beginning at a point in the East line of Section 12 which is in, or in the extension of, a line marked by a 5/8" iron rod projecting 12" above the ground approximately 615 feet south of the northeast corner of that Section 12 and another similar iron rod S 45 degrees W approximately 495 feet distant

Thence (from the point of beginning) to the second (southernmost) of the two iron rod markers mentioned above Thence S 64 degrees W approximately 377 feet to a 5/8" iron rod projecting 12" above the ground

Thence S 59 degrees W approximately 78 feet to a point in the south line of the NE1/4NE1/4 of Section 12
Thence continuing S 59 degrees W approximately 241

feet to a 5/8" iron rod projecting 12" above the ground Thence S 60 degrees W approximately 370 feet to a point in the west line of the SE1/4NE1/4 of Section 12

Thence continuing S 60 degrees W approximately 89 feet to a 5/8" iron rod projecting 12" above the ground Thence S 42 degrees W approximately 290 feet to a

5/8" iron rod projecting 12" above the ground

Thence S 29 degrees W approximately 263 feet to a

5/8" iron rod projecting 12" above the ground

Thence S 21 degrees W approximately 742 feet to a

5/8" iron rod projecting 12" above the ground

Thence S 26 degrees W approximately 123 feet to a point in the south line of the SW1/4NE1/4 of Section 12 Thence continuing S 26 degrees W approximately 88 feet to a 5/8" iron rod projecting 12" above the ground

Thence S 37 degrees W approximately 150 feet to a

5/8" iron rod projecting 12" above the ground

Thence S 53 degrees W approximately 282 feet to a

5/8" iron rod projecting 12" above the ground

Thence S 60 degrees W approximately 446 feet to a

5/8" iron rod projecting 12" above the ground


Terminating at a point in the North-South centerline of Section 12 which is in, or in the extension of, the final course described above, approximately 690 feet south of the center of the Section

as shown on the attached Exhibit D

Crown Pacific to Bell A Ranches Exhibit D

Twp. 24 5 Rge. 8E

Sections 11 to 14



SCALE: 4 inches = 1 mile

State of Oregon, County of Klamath Recorded 3/07/00, at //:46a m. In Vol. M00 Page 7265 Linda Smith, County Clerk Fee\$ 7100