

State of Oregon, County of Klamath

Recorded 02/24/2003 3:33 P m.

Vol M03 Pg 11053-21

Linda Smith, County Clerk

Fee \$ 132<sup>00</sup> # of Pgs 19

# UCC FINANCING STATEMENT AMENDMENT

FOLLOW INSTRUCTIONS (front and back) CAREFULLY

A. NAME & PHONE OF CONTACT AT FILER (optional)	
B. SEND ACKNOWLEDGEMENT TO: (Name and Address)	
<p>Gayla Wicks Germain  Sidley Austin Brown &amp; Wood  Bank One Plaza  10 South Dearborn Street  Chicago, Illinois 60603</p>	

MTC 53208

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

1a. INITIAL FINANCING STATEMENT FILE #  
**Volume M01, Page 46966, recorded September 14, 2001, records of Klamath County**

1b. ☒ This FINANCING STATEMENT AMENDMENT is to be filed (for record) (or recorded) in the REAL ESTATE RECORDS.

2. ☐ TERMINATION: Effectiveness of the Financing Statement identified above is terminated with respect to security interest(s) of the Secured Party authorizing this Termination Statement.
3. ☐ CONTINUATION: Effectiveness of the Financing Statement identified above with respect to security interest(s) of the Secured Party authorizing this Continuation Statement is continued for the additional period provided by applicable law.
4. ☐ ASSIGNMENT: (full or partial): Give name of assignee in item 7a or 7b and address of assignee in item 7c; and also give name of assignor in item 9.
5. AMENDMENT (PARTY INFORMATION): This Amendment affects ☐ Debtor or ☐ Secured Party of record. Check only one of these two boxes.  
Also check one of the following three boxes and provide appropriate information in items 6 and/or 7.  
☐ CHANGE name and/or address: Give current record name in item 6a or 6b; also give new name (if name change) in item 7a or 7b and/or new address (if address change) in item 7c. ☐ DELETE name: Give record name to be deleted in item 6a or 6b. ☐ ADD name: Complete item 7a or 7b, and also item 7c; also complete items 7d-7g (if applicable).

6. CURRENT RECORD INFORMATION:			
6a. ORGANIZATION'S NAME <b>U. S. Timberlands Yakima, LLC, a Delaware limited liability company</b>			
OR	6b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME SUFFIX

7. CHANGED (NEW) OR ADDED INFORMATION:			
7a. ORGANIZATION'S NAME			
OR	7b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME SUFFIX

7c. MAILING ADDRESS		CITY	STATE	POSTAL CODE	COUNTRY
7d. TAX ID#: SSN OR EIN	ADD'L INFO RE ORGANIZATION DEBTOR	7e. TYPE OF ORGANIZATION	7f. JURISDICTION OF ORGANIZATION		7g. ORGANIZATIONAL ID #, if any  <input type="checkbox"/> NONE

8. AMENDMENT (COLLATERAL CHANGE): check only one box.  
Describe collateral ☐ deleted or ☒ added, or give entire ☐ restated collateral description, or describe collateral ☐ assigned.

Add to Exhibit B of the Initial Financing Statement the new property described on Schedules A-1, A-2 and A-3, attached hereto and incorporated herein by this reference.

9. NAME OF SECURED PARTY OF RECORD AUTHORIZING THIS AMENDMENT (name of assignor, if this is an Assignment). If this is an Amendment authorized by a Debtor which adds collateral or adds the authorizing Debtor, or if this is a Termination authorized by a Debtor, check here <input checked="" type="checkbox"/> and enter name of DEBTOR authorizing this Amendment.			
9a. ORGANIZATION'S NAME <b>U. S. Timberlands Yakima, LLC, a Delaware limited liability company</b>			
OR	9b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME SUFFIX

10. OPTIONAL FILER REFERENCE DATA

11054

**UCC FINANCING STATEMENT AMENDMENT ADDENDUM**

FOLLOW INSTRUCTIONS (front and back) CAREFULLY

11. INITIAL FINANCING STATEMENT FILE # (same as item 1a on Amendment form)  
**Volume M01, Page 46966, recorded September 14, 2001, records of  
Klamath County**

12. NAME OF PARTY AUTHORIZING THIS AMENDMENT (same as item 9 on Amendment form)

OR	12a. ORGANIZATION'S NAME <b>U. S. Timberlands Yakima, LLC</b>		
	12b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME, SUFFIX

13. Use this space for additional information

THE ABOVE SPACE FOR FILING OFFICE USE ONLY

NAME OF SECURED PARTY OF RECORD:

**BNY Midwest Trust Company, an Illinois corporation acting as trustee under the Indenture.**

**SCHEDULE A-1**  
**(Horse Glade and Rodeo Butte)**  
**Legal Description**

All timber now standing, growing, lying or being on the real property described on the following pages "A-1-2" through "A-1-4," as set out in those certain Timber Deeds (Horse Glade and Rodeo Butte), both dated September 17, 2001 and recorded November 6, 2001 in Volume M01, pages 57057 and 56987, respectively, in the records of Klamath County, Oregon.

**PARCEL 1**

Section 24 - SW1/4 SE1/4  
 Section 25 - All  
 Section 26 - NE1/4 SW1/4, S1/2 SW1/4, SE1/4  
 Section 27 - SE1/4 SE1/4  
 Section 34 - Government Lots 1, 2, 3 and 4, N1/2 S1/2, N1/2  
 Section 35 - Government Lots 1, 2, 3 and 4, N1/2 SE1/4; N1/2 SW1/4; N1/2  
 Section 36 - Government Lots 1, 2, 3 and 4, N1/2 S1/2, N1/2

All being in Township 33 South, Range 14 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 2**

Section 1 - Government Lots 1, 2, 3 and 4, S1/2 N1/2, S1/2  
 Section 2 - Government Lots 1, 2, 3 and 4, S1/2 N1/2, S1/2  
 Section 3 - Government Lots 1, 2, 3 and 4, S1/2 N1/2, S1/2  
 Section 4 - Government Lots 1 and 2, S1/2 NE1/4, SE1/4  
 Section 9 - E1/2  
 Section 10 - All  
 Section 11 - All  
 Section 12 - All  
 Section 13 - All  
 Section 14 - All  
 Section 15 - All  
 Section 16 - NE1/4, N1/2 NW1/4, SE1/4 NW1/4, NE1/4 SW1/4, SE1/4  
 Section 20 - SE1/4 SE1/4  
 Section 22 - All  
 Section 23 - All  
 Section 24 - All  
 Section 25 - All  
 Section 26 - All  
 Section 27 - All  
 Section 28 - All  
 Section 29 - E1/2, S1/2 SW1/4, NW1/4 SW1/4  
 Section 30 - Government Lots 1, 2, 3, E1/2 SW1/4, less a 60 foot strip, Government Lot 4, SE1/4 NW1/4, SE1/4 SE1/4  
 Section 31 - Government Lots 1, 2, 3 and 4, E1/2 W1/2, E1/2, less a 60 foot strip in NW1/4 NE1/4, NE1/4 NW1/4, Government Lot 2, SE1/4 NW1/4, Government Lots 3 and 4  
 Section 32 - All  
 Section 33 - All  
 Section 34 - All  
 Section 35 - All  
 Section 36 - All

All being in Township 34 South, Range 14 East of the Willamette Meridian, Klamath County, Oregon.

(continued)

**EXHIBIT "A"**  
**LEGAL DESCRIPTION (continued)**

**PARCEL 3**

Section 1 - Government Lots 1, 2, 3 and 4, S1/2 N1/2, S1/2  
 Section 2 - Government Lots 1, 2, 3 and 4, S1/2 N1/2, S1/2  
 Section 3 - Government Lots 1, 2, 3 and 4, S1/2 N1/2, S1/2  
 Section 4 - Government Lots 1, 2, 3 and 4, S1/2 N1/2, N1/2 SE1/4, SW1/4 SE1/4,  
                     SW1/4  
 Section 5 - N1/2, SW1/4, N1/2 SE1/4  
 Section 6 - Government Lots 1, 2 and 3, N1/2 N1/2, SE1/4 NW1/4, S1/2 NE1/4, SE1/4,  
                     E1/2 SW1/4  
 Section 7 - Government Lots 2 and 3, E1/2 NW1/4  
 Section 8 - S1/2 NE1/4, SE1/4 SW1/4, SE1/4  
 Section 9 - All  
 Section 10 - All  
 Section 11 - All  
 Section 12 - All  
 Section 13 - All  
 Section 14 - NE1/4, NW1/4 NW1/4, S1/2 NW1/4, S1/2  
 Section 15 - N1/2, E1/2 SW1/4, SE1/4  
 Section 16 - N1/2, SW1/4, NW1/4 SE1/4  
 Section 17 - NE1/4, SE1/4, E1/2 W1/2  
 Section 19 - Government Lots 2 and 3, E1/2 SW1/4  
 Section 20 - E1/2 E1/2  
 Section 23 - N1/2, E1/2 SW1/4, SE1/4  
 Section 24 - All  
 Section 26 - NW1/4 NE1/4

All being in Township 35 South, Range 14 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 4**

Section 19 - Government Lots 3 and 4, SE1/4  
 Section 27 - SW1/4 NE1/4, W1/2, NW1/4 SE1/4  
 Section 28 - All  
 Section 29 - All  
 Section 30 - Government Lots 1, 2, 3 and 4, E1/2  
 Section 31 - Government Lots 1, 2, 3 and 4, E1/2  
 Section 32 - All  
 Section 33 - All  
 Section 34 - W1/2

All being in Township 33 South, Range 15 East of the Willamette Meridian, Klamath County, Oregon.

(continued)

**EXHIBIT "A"**  
**LEGAL DESCRIPTION (continued)**

**PARCEL 5**

Section 5 - Government Lots 3 and 4, S1/2 NW1/4, SW1/4, SW1/4 SE1/4  
 Section 6 - Government Lots 1, 2, 3, 4, 5 and 6, S1/2 NE1/4, SE1/4  
 Section 7 - Government Lots 1, 2, 3 and 4, E1/2  
 Section 8 - W1/2, W1/2 SE1/4  
 Section 17 - N1/2 NW1/4  
 Section 18 - Government Lots 1, 2, 3 and 4, E1/2  
 Section 19 - All Fractional  
 Section 29 - S1/2 S1/2  
 Section 30 - All Fractional  
 Section 31 - All Fractional  
 Section 32 - All  
 Section 33 - W1/2, S1/2 SE1/4

All being in Township 34 South, Range 15 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 6**

Section 3 - Government Lots 1, 2, 3 and 4, S1/2 N1/2, S1/2  
 Section 4 - Government Lots 1, 2, 3 and 4, S1/2 N1/2, S1/2  
 Section 5 - Government Lots 1, 2, 3 and 4, S1/2 N1/2, S1/2  
 Section 6 - Government Lots 1, 2, 3, 4, 5, 6 and 7, SE1/4 NW1/4, S1/2 NE1/4, SE1/4, E1/2 SW1/4  
 Section 7 - Government Lots 1, 2, 3 and 4, E1/2 W1/2, E1/2  
 Section 8 - All  
 Section 9 - All  
 Section 10 - N1/2, SW1/4, N1/2 SE1/4, SW1/4 SE1/4  
 Section 11 - NW1/4, NW1/4 SW1/4  
 Section 15 - NW1/4; N1/2 SW1/4, W1/2 NE1/4, NW1/4 SE1/4  
 Section 16 - All  
 Section 17 - All  
 Section 18 - Government Lots 1, 2, 3 and 4, E1/2 W1/2, E1/2  
 Section 19 - Government Lots 1, 2, 3 and 4, E1/2 W1/2, E1/2  
 Section 20 - All  
 Section 21 - N1/2, W1/2 SW1/4  
 Section 29 - N1/2 NE1/4, SE1/4 NE1/4, N1/2 NW1/4, N1/2 S1/2 NW1/4

All being in Township 35 South, Range 15 East of the Willamette Meridian, Klamath County, Oregon.

**SCHEDULE A-2**  
**(4<sup>th</sup> Quarter 2001 Timber Harvest)**  
**Legal Description**

All timber now standing, growing, lying or being on the real property described on the following pages "A-2-2" through "A-2-7," as set out in that certain Timber Deed (4<sup>th</sup> Quarter 2001 Timber Harvest) dated November 8, 2001, and recorded November 14, 2001 in Volume M01, page 58452 in the records of Klamath County, Oregon.

**SCHEDULE A-2****(4<sup>th</sup> Quarter 2001 Timber Harvest)****LEGAL DESCRIPTION**

All timber now standing, growing, lying or being on the real property described on the following pages "A-2-2" – "A-2-7", as set out in that certain Timber Deed (4<sup>th</sup> Quarter 2001 Timber Harvest) dated November 8, 2001, and recorded November 14, 2001 in Volume M01, page 58452 in the records of Klamath County, Oregon.



**PARCEL 1**

Section 27: SW1/4  
 Section 28: SE1/4  
 Section 33: NE1/4  
 Section 34: NW1/4

All being in Township 39 South, Range 5 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 2**

Section 1: S1/2  
 Section 2: S1/2  
 Section 11: NE1/4  
 Section 12: NW1/4  
 Section 27: NW1/4  
 Section 28: E1/2

All being in Township 40 South, Range 5 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 3**

Section 2: Government Lots 1, 2, 3 and 4; S1/2 N1/2; S1/2.  
 Section 4: S1/2 S1/2  
 Section 9: ALL  
 Section 10: N1/2; NE1/4 SW1/4; N1/2 NW1/4 SW1/4; SE1/4 SW1/4; SE1/4  
 Section 11: N1/2 NW1/4

All being in Township 41 South, Range 5 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 4**

Section 16: SE1/4 SE1/4  
 Section 21: NE1/4  
 Section 22: NW1/4 NW1/4

All being in Township 38 South, Range 6 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 5**

Section 33: W1/2 SE1/4; E1/2 SW1/4

Being in Township 40 South, Range 6 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 6**

Section 4: S1/2 NW1/4; SW1/4  
 Section 7: S1/2 SE1/4  
 Section 8: S1/2 NE1/4; N1/2 SE1/4; SW1/4 SW1/4  
 Section 9: W1/2  
 Section 17: W1/2  
 Section 18: Government Lots 1, 2, 3 and 4; E1/2 W1/2; E1/2  
 Section 19: Government Lot 1; N1/2 NE1/4; NE1/4 NW1/4  
 Section 20: ALL.  
 Section 21: W1/2  
 Section 28: N1/2 NW1/4  
 Section 29: N1/2 NE1/4

All being in Township 28 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 7**

Section 1: S1/2, Except the SE1/4 SE1/4 and that portion described in Deed to Klamath County for Diamond Lake Highway recorded May 5, 1931 in Deed Book 95, page 202, Deed Records of Klamath County, Oregon.  
 Section 4: Government Lots 3 and 4; S1/2 NW1/4  
 Section 5: Government Lots 1 and 2; S1/2 NE1/4

All being in Township 29 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 8**

Section 32: SW1/4 SE1/4, lying southerly of the State Highway 140.

All being in Township 36 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 9**

Section 5: ALL  
 Section 6: E1/2; E1/2 SW1/4  
 Section 7: Government Lots 1, 2, 3 and 4  
 Section 8: E1/2 NE1/4  
 Section 15: S1/2, Except that part in highway.  
 Section 17: S1/2  
 Section 19: Government Lots 1, 8, 9 and 16  
 Section 20: ALL.  
 Section 21: SE1/4  
 Section 22: ALL.  
 Section 23: SW1/4, Except that part in highway.  
 Section 26: NW1/4  
 Section 27: N1/2; SE1/4  
 Section 29: ALL.  
 Section 30: Government Lots 1 and 2; SE1/4; S1/2 NE1/4.  
 Section 31: NE1/4  
 Section 32: Government Lot 2; N1/2 NW1/4; SW1/4 NW1/4

All being in Township 37 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 10**

Section 3: SW1/4  
 Section 10: NW1/4  
 Section 11: SE1/4  
 Section 13: N1/2  
 Section 14: NE1/4

All being in Township 38 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 11**

Sections 1, 2 and 12: EXCEPTING THEREFROM parts of Government Lot 1 and 2 of Section 1, a part of the Fractional E1/2 of the E1/2 of Section 2, and parts of Government Lots 3 and 1, a part of the NW1/4 of the NW1/4 and a part of Government Lot 2, Section 12, Township 39 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon, described as Parcel 5 of Volume M88, page 11854 Microfilm Records of Klamath County, Oregon, more particularly described as follows:

Beginning at the point of Intersection of the East line of Government Lot 3 of said Section 12, with the meander line of Round Lake, from which point the meander corner on the East line of said Section 12 bears South 49 degrees 56' 30" East, 1713.2 feet distant; thence Northerly along said meander line as follows:

- (1) North 59 degrees 35' 30" West, 774.1 feet to a point;
- (2) North 47 degrees 48' 00" West, 1313.8 feet to a point;
- (3) North 55 degrees 04' 30" West, 986.6 feet to a point; said point being hereinafter referred to as "Point X";
- (4) North 17 degrees 35' 00" West, 838.1 feet to the meander corner on the North line of said Section 12;
- (5) North 57 degrees 35' 00" West, 987.1 feet to a point; said point being hereinafter referred to as Point "Y";
- (6) North 10 degrees 16' 30" West, 2157.3 feet to a point;
- (7) North 5 degrees 13' 00" West, 980.3 feet to a point;
- (8) North 20 degrees 56' 00" West, 87.0 feet to the meander corner on the West line of said Section 1; and
- (9) North 23 degrees 22' 30" West, 1701.9 feet to the meander corner on the North line of said Section 2; thence North 89 degrees 56' 00" West, leaving said meander line, along said North section line, 32.7 feet, more or less, to the point of intersection of said North line with a parallel to and 30 feet distant Westerly from, when measured at right angles to, the last herein described course of said meander line, said point of intersection being marked by an iron pipe 1 1/4" in outside diameter, 30 inches long and driven into the ground as are all angle points on, and the Southerly terminus of, the Westerly line of the real property hereby described so marked; thence Southerly parallel to and 30 feet distant Westerly from said meander line, as follows:

- (1) South 23 degrees 22' 30" East, 1714.0 feet, more or less, to a point on the bisector of the re-entrant angle first on said meander line;
- (2) South 20 degrees 56' 00" East, 82.4 feet, more or less, to a point on the bisector of the re-entrant angle next on said meander line; and
- (3) South 5 degrees 13' 00" East, 977.4 feet, more or less, to a point on the bisector of the salient angle next on said meander line;
- (4) South 10 degrees 16' 30" East, 429.0 feet to a point; thence South 50 degrees 47' 00" West, leaving said parallel line, 1553.4 feet to a point; thence South 63 degrees 53' 00" East, 1710.6 feet, more or less, to a point which is South 8 degrees 16' 30" West, 38.9 feet from Point Y; thence South 45 degrees 52' 30" East, 921.3 feet to a point; thence

- Continued -

**Legal Description (continued)**

South 31 degrees 19' 30" East, 780.5 feet, more or less, to the point of intersection of the bisector of the salient angle at Point X and a line which is parallel and 30 feet distant Westerly from when measured at right angles to, said meander line; thence Southerly parallel to and 30 feet distant Westerly from said meander line, as follows:

- (1) South 55 degrees 04' 30" East, 994.8 feet, more or less, to a point on the bisector of the re-entrant angle next on said meander line; and
- (2) South 47 degrees 48' 00" East, 1315.0 feet, more or less, to a point on the bisector of the salient angle next on said meander line; thence South 49 degrees 35' 00" East, leaving said parallel line, 899.8 feet, more or less, to a point of the East line of Government Lot 3 of said Section 12; said point being the Southerly terminus of said Westerly line and being the Northwest corner of a tract of land in Government Lot 4 of said Section 12, conveyed by Louis W. Soukup and wife, to Weyerhaeuser Timber Company by a deed dated October 7, 1953, recorded in Deed Volume 264 at page 617, Records of Klamath County, Oregon; thence North 00 degrees 07' 00" East, along said East lot line, 216.00 feet, more or less, to the point of beginning.

Section 12: A part of Government Lot 4, more particularly described as follows: Beginning at a point on the South line of said Government Lot 4, said point being 246.2 feet West of the Southeast corner of said government lot, and is marked by a 1 1/4" iron pipe 30 inches long; thence North 38 degrees 30' West a distance of 395.5 feet to a 1 1/4" iron pipe 30 inches long; thence North 13 degrees West a distance of 243.8 feet to a 1 1/4" iron pipe 30 inches long; thence North 39 degrees West a distance of 509.0 feet to a 1 1/4" iron pipe 30 inches long; thence North 77 degrees West a distance of 458.0 feet, more or less, to a point on the West line of said government lot; thence South along the West line of said government lot 1,042.0 feet, more or less, to the Southwest corner of said government lot; thence East along the South line of said government lot 1,074.0 feet, more or less, to the point of beginning, containing 16.70 acres, more or less.

Section 5: S1/2, Less a strip in N1/2 SW1/4, SE1/4 SW1/4 and S1/2 SE1/4 for existing public road.

Section 6: SE1/4, Less a strip in N1/2 SE1/4 for existing public road

Section 7: NE1/4

Section 8: All. Less a strip in NE1/4 NE1/4 for existing public road

Section 9: W1/2, Less a strip in NW1/4 NW1/4, S1/2 NW1/4, N1/2 SW1/4 and SE1/4 SW1/4 for existing public road.

Section 11: N1/2

Section 13: All

Section 16: NW1/4

Section 17: N1/2

Section 24: NE1/4

All being in Township 39 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 12**

Section 32: NE1/4; S1/2.

All being in Township 27 South, Range 8 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 13**

Section 18: SW1/4 SE1/4, E1/2 SW1/4, W1/2 W1/2.

Section 19: Government Lots 1, 2, 3, 4 and 5, NE1/4, NE1/4 SE1/4.

Section 20: Government Lots 1, 2, 3, 4 and 5, SW1/4 SW1/4.

Section 29: NW1/4

Section 30: Government Lots 1 and 6

All being in Township 38 South, Range 8 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 14**

Section 7: Part of Government Lot 3 and the SE1/4 of SW1/4, Township 39 South, Range East of the Willamette Meridian, Klamath County, Oregon, more particularly described as follows:

Beginning at the Southwest section corner of said Section 7; thence North along the West line of said section a distance of 1091.7 feet to a 1 1/4" iron pipe 30 inches long; thence South 46 degrees 30' East a distance of 425.0 feet to a 1 1/4" iron pipe 30 inches long; thence South 73 degrees 30' East a distance of 831.0 feet to a 1 1/4" iron pipe 30 inches long; thence North 88 degrees East a distance of 691.7 feet to a 1 1/4" iron pipe 30 inches long; thence South 83 degrees 30' East a distance of 367.2 feet to a 1 1/4" iron pipe 30 inches long; thence South 8 degrees 30' East a distance of 90.8 feet to a 1 1/4" iron pipe 30 inches long; thence South 30 degrees 30' East a distance of 67.7 feet to a 3/4" iron pipe 36 inches long; thence South 54 degrees 30' East a distance of 140.0 feet to a 1 1/4" iron pipe 30 inches long; thence North 81 degrees East a distance of 80.8 feet to a 3/4" iron pipe 40 inches long; thence South 72 degrees 30' East a distance of 101.40 feet to a 1 1/4" iron pipe 30 inches long; thence North 77 degrees 30' East a distance of 147.8 feet, more or less, to a 1 1/4" iron pipe 30 inches long, located on the East line of the SE1/4 of SW1/4 of said section; thence South along the East line of the SE1/4 of SW1/4 of said section a distance of 365.0 feet, more or less, to the quarter corner on the South line of said Section 7; thence West along the South line of said section a distance of 2640.0 feet, more or less, to the point of beginning.

Section 18: NW1/4 NW1/4.

All being in Township 39 South, Range 8 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 15**

Section 4: Government Lots 1 and 2; S1/2 NE1/4  
Section 11: SE1/4  
Section 12: SW1/4  
Section 13: NW1/4  
Section 14: NE1/4  
Section 21: ALL  
Section 22: NW1/4  
Section 33: ALL

All being in Township 31 South, Range 11 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 16**

Section 4: Government Lots 1, 2, 3 and 4  
Section 12: ALL.

All being in Township 32 South, Range 11 East of the Willamette Meridian, Klamath County, Oregon.

AMENDMENT  
Vol. M01, Page 46966

11067

**SCHEDULE A-3  
(Yainax Butte Tract)**

**See Legal Description Attached**

**EXHIBIT "A"**  
**LEGAL DESCRIPTION**

11068

**PARCEL 1:**

Section 1 - Government Lots 1, 2, 6 and 8, S1/2 NE1/4, SE1/4, SE1/4 SW1/4  
Section 2 - Government Lot 9  
Section 11 - Government Lots 1, 2, 3, 4, 5 and 6, SE1/4 NE1/4, E1/2 SE1/4, SW1/4 SE1/4  
Section 12 - All  
Section 13 - NE1/4, NE1/4 NW1/4, S1/2 NW1/4, S1/2  
Section 14 - N1/2 NE1/4, SW1/4 NE1/4, NW1/4, N1/2 SW1/4, SE1/4 SW1/4, SE1/4  
Section 23 - E1/2 NW1/4, N1/2 NE1/4  
Section 24 - NW1/4, E1/2 NE1/4, N1/2 SE1/4, E1/2 SW1/4

All being in Township 37 South, Range 13 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 2:**

Lot 4, SW1/4 NW1/4, W1/2 SW1/4  
Section 6 - Government Lots 3, 4, 5, 6 and 7, SE1/4 NW1/4, SW1/4 NE1/4, SE1/4, E1/2 SW1/4  
Section 7 - Government Lots 1, 2, 3 and 4, E1/2 W1/2, E1/2  
Section 8 - NW1/4 NE1/4, N1/2 NW1/4, SW1/4, W1/2 SE1/4, SE1/4 SE1/4  
Section 9 - W1/2 SW1/4, SE1/4 SW1/4  
Section 14 - A strip of land 100 feet in width, being 50 feet on each side of the following described center line, to wit:

Beginning at a point on the Section line between Sections 14 and 23, Township 37 South, Range 14 East of the Willamette Meridian, Klamath County, Oregon, which is 1,006 feet East of the corner common to Sections 14, 15, 22 and 23, aforesaid Township and Range; thence Northerly along a 7 degree curve to the right 300 feet; thence North 23 degrees 30' East 700 feet; thence along a 5 degree curve to the right 400 feet; thence North 43 degrees 30' East 500 feet; thence along a 5 degree curve to the left 850 feet; thence North 1 degree East 750 feet; thence along a 5 degree curve to the right 200 feet; thence North 11 degrees East 667 feet to a point on the South line of the NE1/4 of the NW1/4 of said Section 14, aforesaid Township and Range.

That portion of the SE1/4 of the NW1/4 and the NE1/4 of the SW1/4 of Section 14, Township 37 South, Range 14 East of the Willamette Meridian, Klamath County, Oregon, more particularly described as follows: Beginning at a point on the Easterly line of the right of way of the Pelican Bay Lumber Company's logging railroad North of the road across the Pole Creek field and opposite Engineer's Station 0.00 in the NE1/4 of the SW1/4 of Section 14, Township 37 South, Range 14 East of the Willamette Meridian, Klamath County, Oregon; thence Northerly along the Easterly line of the right of way of the said logging railroad, 625.8 feet; thence Easterly at right angles to the center line of the said logging railroad 208.6 feet; thence Southerly parallel with the right of way of said logging railroad 625.8 feet; thence Westerly at right angles to the center line of said logging railroad 208.6 feet to the point of beginning.

(continued)

0058978



11069

**Parcel No. 2 (continued)**

Section 17 - All

Section 18 - Government Lots 1, 2, 3 and 4, E1/2 W1/2, W1/2 E1/2, SE1/4 NE1/4, E1/2 SE1/4

Section 19 - Government Lots 1, 2, 3 and 4, E1/2 W1/2, E1/2

Section 20 - N1/2, SW1/4, W1/2 SE1/4

Section 21 - W1/2 NW1/4

Section 29 - NW1/4, W1/2 NE1/4

Section 30 - Government Lot 1, E1/2 NW1/4, N1/2 NE1/4, SE1/4 NE1/4

All being in Township 37 South, Range 14 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 3:**

A strip of land 66 feet in width upon, over, and across the SW1/4 of NW1/4 and the W1/2 of SW1/4 of Section 2, the SE1/4 of SE1/4 of Section 3, and the NE1/4 of NE1/4 of Section 10, Township 37 South, Range 14 East of the Willamette Meridian, Klamath County, Oregon, extending from a line bearing North 56 degrees 20' East and passing through a point which is 2,871.74 feet distant North 19 degrees 47' East from the Southwest corner of said Section 2 to the West line of said NE1/4 of NE1/4, and being 33 feet on each side of the following described center line;

Beginning at said point which is 2,871.74 feet distant North 19 degrees 47' East from the Southwest corner of said Section 2, said point being designated as Engineer's Station B.C. 26+68.60; thence from a back tangent bearing South 33 degrees 40' East along the arc of a 5 degree curve to the right through a central angle of 31 degrees 18' for a distance of 626.00 feet; thence South 2 degrees 22' East for a distance of 134.95 feet; thence along the arc of a 16 degree curve to the right through a central angle of 5 degrees 53' 05" for a distance of 36.78 feet to Engineer's Station P.O.C. 34+66.33 Back 0+00.00 Ahead; thence continuing along the arc of said 16 degree curve to the right through a central angle of 64 degrees 53' 55" for a distance of 405.62 feet; thence South 68 degrees 25' West for a distance of 881.49 feet; thence along the arc of a 6 degree curve to the left through a central angle of 25 degrees 41' (crossing the West line of said Section 2 at Engineer's Station P.O.C. 13+86.70 from which the Southwest corner of said Section 2 bears South 0 degrees 02' East a distance of 1,243.54 feet) for a distance of 428.06 feet; thence South 42 degrees 44' West (crossing the South line of said Section 3 at Engineer's Station P.O.T. 31+73.62 from which the Southeast corner of said Section 3 bears South 89 degrees 54' East a distance of 1,251.22 feet) for a distance of 1,634.83 feet to Engineer's Station P.O.T. 33+50 which is a point 1,385.74 feet distant South 85 degrees 09' West from the Northeast corner of said Section 10.

**PARCEL 4:**

A strip of land 100 feet in width and extending from the Southerly line of the right of way of the Klamath Falls-Lakeview Highway in the NE1/4 NE1/4 (Government Lot 1), Section 3, Township 37 South, Range 14 East of the Willamette Meridian, Klamath County, Oregon, in a Southeasterly direction through said NE1/4 NE1/4 (Government Lot 1) of Section 3, said Township and Range above mentioned, and in a Southeasterly and Southerly direction through the Government Lot 4 and the NW1/4 SW1/4 of Section 2, said Township and Range above mentioned, being a portion of the

(continued)

0058978

11070

Parcel No. 4 (continued)

strip of land described in Warranty Deed dated November 12, 1948, recorded in Volume 227, page 60, Deed Records of Klamath County, Oregon, LESS AND EXCEPT that portion in said NW1/4 SW1/4, Section 2, said Township and Range above mentioned, described in Quitclaim Deed dated May 25, 1960, recorded in Volume M71, page 9647, Microfilm Records of Klamath County, Oregon.

PARCEL 5:

A strip of land 100 feet in width in the N1/2 of Government Lots 2 and 3 of Section 1, Township 37 South, Range 14 East of the Willamette Meridian, Klamath County, Oregon, extending from the West line of said Government Lot 3 to the South line of said N1/2 of Government Lot 2 and being 50 feet on each side of a center line as now staked on the ground and more particularly last herein described, and a strip of land 66 feet in width in Government Lot 1 and the S1/2 Government Lot 2 and in the SE1/4 of the NE1/4 of said Section 1 and being 33 feet on each side of a center line as now staked on the ground and more particularly described as follows:

Beginning at Engineer's Station 0+00, being a point on the West line of said Section 1 which is 112.0 feet distant South of the Northwest corner of said Section; thence South 88 degrees 07' East (crossing the West line of Government Lot 3 of said Section 1 at Engineer's Station 13+27.51 P.O.T.) being a point which is 149.5 feet distant South of the Northwest corner of said Government Lot 3, for a distance of 1,397.54 feet; thence along a 5 degree curve to the right through a central angle of 13 degrees 14' for an arc distance of 264.67 feet; thence South 74 degrees 53' East for a distance of 1,190.88 feet; thence along a 4 degree curve to the right through a central angle of 11 degrees 27' for an arc distance of 286.25 feet; thence South 63 degrees 26' East (crossing the South line of the N1/2 of Government Lot 2 of said Section 1 at Engineer's Station 33+28.0 P.O.T., being a point 590.0 feet distant East of the Southwest corner of said N1/2 of Government Lot 2) for a distance of 984.31 feet; thence along a 2 degree curve to the left through a central angle of 8 degrees 16' for an arc distance of 413.33 feet; thence South 71 degrees 42' East for a distance of 552.27 feet to Engineer's Station 50+89.25 Back = Engineer's Station 0+00 B.C. Ahead; thence along a 10 degree curve to the left through a central angle of 65 degrees 37' (crossing the East line of said Section 1 at Engineer's Station 4+20.0 P.O.C., being a point which is 1,333.0 feet distant South 0 degrees 41' West from the Northeast corner of said Section 1) for an arc distance of 656.17 feet to Engineer's Station 6+56.17 E.C.; thence North 42 degrees 41' East (crossing the North line of said Section 6 at Engineer's Station 22+85.96 P.O.T., which is 1,376.34 feet distant North 89 degrees 47' West of the North quarter corner of said Section 6) for a distance of 2,227.48 feet; thence along a 10 degree curve to the right through a central angle of 31 degrees 15' for an arc distance of 312.40 feet; thence North 73 degrees 56' East (crossing the North line of the SE1/4 of SE1/4 of said Section 31 at Engineer's Station 57+45.0 P.O.T.) for a distance of 3,484.95 feet to Engineer's Station 66+81.0 P.O.T., being a point on the East line of said Section 31 which is 1,587.0 feet distant North from the Southeast corner of said Section 31.

0058978

11071

**PARCEL 6:**

**Standing timber on the following described property located in Klamath County, Oregon:**

**Township 37 South, Range 13 East, Willamette Meridian:**

**Section 12 - NE1/4; SE1/4; SW1/4; SE1/4 of NW1/4**

**Section 13 - N1/2 of the NE1/4; SW1/4 of the NE1/4; NE1/4 of the NW1/4**

**Township 37 South, Range 14 East, Willamette Meridian:**

**Section 7 - Government Lots 1, 2, 3 and 4; E1/2 of the W1/2; E1/2 of the NE1/4; SW1/4 of the NE1/4; N1/2 of the SE1/4**

**Section 8 - W1/2 of the SE1/4; E1/2 of the SW1/4; NW1/4 of the SW1/4**

**Section 17 - N1/2 of the NE1/4; SE 1/4; E1/2 of the SW1/4; SW1/4 of the SW1/4**

**Section 19 - Government Lots 3 and 4; E1/2 of the NE1/4; SW1/4 of the NE1/4; SE1/4; E1/2 of the SW1/4; SE1/4 of the NW1/4**

**Section 20 - The N1/2; W1/2 of the SE1/4; SW1/4**

**Section 21 - W1/2 of the NW1/4**

**Section 29 - W1/2 of the NE1/4; NW1/4**

**Section 30 - Government Lot 1; N1/2 of the NE1/4; SE1/4 of the NE1/4; NE1/4 of the NW1/4**

0058978