

# UCC FINANCING STATEMENT AMENDMENT

FOLLOW INSTRUCTIONS (front and back) CAREFULLY

A. NAME & PHONE OF CONTACT AT FILER (Intentional) (530) 458-2163	
B. SEND ACKNOWLEDGMENT TO: (Name and Address)  Rt: FARM CREDIT SERVICES OF COLUSA-GLENN, FLCA P.O. BOX 449 COLUSA, CA 95932	

State of Oregon, County of Klamath  
 Recorded 05/13/2003 8:10 a.m.  
 Vol M03 Pg 31820-28  
 Linda Smith, County Clerk  
 Fee \$ 61.00 # of Pgs 9

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

1a. INITIAL FINANCING STATEMENT FILE # Vol. M98, Page 22107	1b. This FINANCING STATEMENT AMENDMENT is to be filed (for record) (or recorded) in the REAL ESTATE RECORDS. <input checked="" type="checkbox"/>
--	---

2. ☐ TERMINATION: Effectiveness of the Financing Statement identified above is terminated with respect to security interest(s) of the Secured Party authorizing this Termination Statement.

3. ☒ CONTINUATION: Effectiveness of the Financing Statement identified above with respect to security interest(s) of the Secured Party authorizing this Continuation Statement is continued for the additional period provided by applicable law.

4. ☐ ASSIGNMENT (full or partial): Give name of assignee in item 7a or 7b and address of assignee in item 7c; and also give name of assignor in item 9.

5. AMENDMENT (PARTY INFORMATION): This Amendment affects ☐ Debtor or ☐ Secured Party of record. Check only one of these two boxes.

Also check one of the following three boxes and provide appropriate information in items 6 and/or 7.

☐ CHANGE name and/or address: Give current record name in item 6a or 6b; also give new name (if name change) in item 7a or 7b and/or new address (if address change) in item 7c. ☐ DELETE name: Give record name to be deleted in item 6a or 6b. ☐ ADD name: Complete item 7a or 7b, and also item 7c; also complete items 7d-7g (if applicable).

6. CURRENT RECORD INFORMATION:

6a. ORGANIZATION'S NAME GRIFFITH & PARKER			
OR	6b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME SUFFIX

7. CHANGED (NEW) OR ADDED INFORMATION:

7a. ORGANIZATION'S NAME			
OR	7b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME SUFFIX

7c. MAILING ADDRESS	CITY	STATE	POSTAL CODE	COUNTRY
---------------------	------	-------	-------------	---------

7d. TAX ID #: SSN OR EIN	ADD'L INFO RE ORGANIZATION DEBTOR	7e. TYPE OF ORGANIZATION	7f. JURISDICTION OF ORGANIZATION	7g. ORGANIZATIONAL ID #, if any <input type="checkbox"/> NONE
--------------------------	-----------------------------------	--------------------------	----------------------------------	--

8. AMENDMENT (COLLATERAL CHANGE): check only one box.

Describe collateral ☐ deleted or ☐ added, or give entire ☐ restated collateral description, or describe collateral ☐ assigned.

ALL FIXTURES, EQUIPMENT, MACHINERY, PARTS, ATTACHMENTS, ACCESSIONS, AND REPLACEMENTS INCLUDING BUT NOT LIMITED TO: SEE EXHIBIT "B" ATTACHED HERETO. THE ABOVE GOODS ARE OR ARE TO BECOME FIXTURES ON THE REAL PROPERTY MORE PARTICULARLY DESCRIBED IN EXHIBIT "B" ATTACHED HERETO.

SEE EXHIBIT "A" ATTACHED HERETO FOR ADDITIONAL DEBTORS.

9. NAME OF SECURED PARTY OF RECORD AUTHORIZING THIS AMENDMENT (name of assignor, if this is an Assignment). If this is an Amendment authorized by a Debtor which adds collateral or adds the authorizing Debtor, or if this is a Termination authorized by a Debtor, check here ☐ and enter name of DEBTOR authorizing this Amendment.

9a. ORGANIZATION'S NAME FARM CREDIT SERVICES OF COLUSA-GLENN, FLCA formerly FEDERAL LAND BANK ASSOCIATION OF COLUSA-GLENN, FLCA			
OR	9b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME SUFFIX

10. OPTIONAL FILER REFERENCE DATA

31821

Additional Debtors:

WEST VALLEY RANCH, Inc.

P.O. Box 1197, Williams, CA 95987

GRIFFITH, Thomas W.

4583 King Road, Williams, CA 95987

GRIFFITH, Lisa

4583 King Road, Williams, CA 95987

PARKER, Douglas E.

4582 Freshwater Road, Williams, CA 95987

PARKER, Judy

4582 Freshwater Road, Williams, CA 95987

EXHIBIT "A"

## EXHIBIT "B"

## SCHEDULE OF COLLATERAL:

A 20 H.P. General Electric motor, 1755 RPM, Furnas panel, with a Vertiline Layne Bowler turbine pump.

A 100 H.P. Newman electric motor, 1800 RPM, Square D and A-B Panel, with a Berkley turbine pump.

A 100 H.P. General Electric motor, 1770 RPM, Delta panel, and Johnston turbine pump.

A 50 H.P. Weaver electric motor, 1200 RPM, unknown panel and Johnston Vertical pump.

40 pieces of 30' x 12" PVC surface line from the 20 H.P. pump to the lake for drainage.

Inclusive of the various lengths of steel buried mainline for a complete working system  
Approximately 1,400' of 18" PVC buried mainline with risers for flood irrigation.

A 1974 Mobile Home, Serial #70B2013274S5927, X #121422

A 75 H.P. General Electric motor, 1770 RPM, Westinghouse panel, with a Cornell centrifugal pump.

A 25 H.P. U.S. Electrical motor, 1760 RPM, Cutler Hammer panel, with a Fairbanks Morse turbine pump.

A 15 H.P. General Electric motor, 1755 RPM, Cutler Hammer panel, and unknown turbine pump.

One 5" x 1,000' x 54" Western wheelline with mover.

One 5" x 1,280' x 54" Western wheelline with mover.

One 11 tower, Valley Pivot, water drive, 1320 feet long.

Approximately 1,500' of 8" PVC buried mainline to the pivot from the pumping station.

Approximately 2,800' of 12" PVC buried mainline from the Highway to the pen ditch that feeds the pumping station.

Approximately 600' of 12' steel buried mainline from the pumping station to the highway.

92 pieces of 6" x 50' Aluminum mainline, ringlock.

1 piece of 6" x 30' Aluminum mainline, ringlock.

8 pieces of 6" x 15' Aluminum mainline, ringlock.

14 pieces of 4" x 30' Aluminum mainline, hook/latch.

40 pieces of 4" x 30' Aluminum mainline, hook/latch.

98 pieces of 3" x 30' handline.

(Continued)

**EXHIBIT "B"**  
**LEGAL DESCRIPTION**

**31823**

**PARCEL 1:**

The N1/2 SE1/4 of Section 36, Township 35 South, Range 10 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 2:**

NE1/4, W1/2 of Section 36, Township 35 South, Range 10 East of the Willamette Meridian, Klamath County, Oregon.

SE1/4 NW1/4, W1/2 SE1/4, E1/2 SW1/4 of Section 30 Township 35 South, Range 11 East of the Willamette Meridian, Klamath County, Oregon.

NW1/4 NE1/4, E1/2 NW1/4, Government Lots 1 and 2 of Section 31, Township 35 South, Range 11, East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 3:**

Government Lots 3 and 4 in Section 1, Township 36 South, Range 10 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 4:**

A tract of land situated in Sections 2 and 3, Township 36 South, Range 10 East of the Willamette Meridian, Klamath County, Oregon, described as follows:

Section 2: The SW1/4 NE1/4; S1/2 NW1/4; N1/2 SW1/4 and SW1/4 SW1/4

Section 3: The S1/2 SE1/4 lying Easterly of the Sprague River Highway

And Government Lots 1, 2, 3, and 4, Section 2, Township 36 South, Range 10 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 5:**

Lot 4, Section 12, Township 39 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon, EXCEPTING THE FOLLOWING:

Beginning at a point on the South line of Government Lot 4 of said Section 12, said point being 246.2 feet West of the Southeast corner of said Lot and is marked by a 1 1/4" iron pipe 30 inches long; thence North 38 degrees 30' West, a distance of 395.5 feet to a 1 1/4" iron pipe 30 inches long; thence North 13 degrees West, a distance of 243.8 feet to a 1 1/4" iron pipe 30 inches long; thence North 39 degrees West, a distance of 509.0 feet, to a 1 1/4" iron pipe 30 inches long; thence North 77 degrees West, a distance of 458.00 feet, more or less, to a point on the West line of said Lot; thence South, a distance of 1042.0 feet, more or less, to the Southwest corner of said Lot; thence East a distance of 1074.0 feet, more or less, to the point of beginning, being a part of Government Lot 4, Section 12, Township 39 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 6:**

Parts of Government Lot 1 and 2 of Section 1, a part of the Fractional E1/2 of the E1/2 of Section 2, and parts of Government Lots 3 and 1, a part of the NW1/4 of the NW1/4 and a part of Government Lot 2, Section 12, Township 39 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon, more particularly described as follows:

Beginning at the point of Intersection of the East line of Government Lot 3 of said Section 12, with the meander line of Round Lake, from which point the meander corner on the East line of said Section 12 bears South 49 degrees 56' 30" East, 1713.2 feet distant; thence Northerly along said meander line as follows:

- (1) North 59 degrees 35' 30" West, 774.1 feet to a point;
- (2) North 47 degrees 48' 00" West, 1313.8 feet to a point;

**EXHIBIT "B "**  
**LEGAL DESCRIPTION (continued)**

- (3) North 55 degrees 04' 30" West, 986.6 feet to a point; said point being hereinafter referred to a "Point X";
- (4) North 17 degrees 35' 00" West, 838.1 feet to the meander corner on the North line of said Section 12;
- (5) North 57 degrees 35' 00" West, 987.1 feet to a point; said point being hereinafter referred to as Point "Y";
- (6) North 10 degrees 16' 30" West, 2157.3 feet to a point;
- (7) North 5 degrees 13' 00" West, 980.3 feet to a point;
- (8) North 20 degrees 56' 00" West, 87.0 feet to the meander corner on the West line of said Section 1; and
- (9) North 23 degrees 22' 30" West, 1701.9 feet to the meander corner on the North line of said Section 2; thence North 89 degrees 56' 00" West, leaving said meander line, along said North section line, 32.7 feet, more or less, to the point of intersection of said North line with a parallel to and 30 feet distant Westerly from, when measured at right angles to, the last herein described course of said meander line, said point of intersection being marked by an iron pipe 1 1/4" in outside diameter, 30 inches long and driven into the ground as are all angle points on, and the Southerly terminus of, the Westerly line of the real property hereby described so marked; thence Southerly parallel to and 30 feet distant Westerly from said meander line, as follows:
- (1) South 23 degrees 22' 30" East, 1714.0 feet, more or less, to a point on the bisector of the re-entrant angle first on said meander line;
- (2) South 20 degrees 56' 00" East, 82.4 feet, more or less, to a point on the bisector of the re-entrant angle next on said meander line; and
- (3) South 5 degrees 13' 00" East, 977.4 feet, more or less, to a point on the bisector of the salient angle next on said meander line;
- (4) South 10 degrees 16' 30" East, 429.0 feet to a point; thence South 50 degrees 47' 00" West, leaving said parallel line, 1553.4 feet to a point; thence South 63 degrees 53' 00" East, 1710.6 feet, more or less, to a point which is South 8 degrees 16' 30" West, 38.9 feet from Point Y; thence South 45 degrees 52' 30" East, 921.3 feet to a point; thence South 31 degrees 19' 30" East, 780.5 feet, more or less, to the point of intersection of the bisector of the salient angle at Point X and a line which is parallel and 30 feet distant Westerly from when measured at right angles to, said meander line; thence Southerly parallel to and 30 feet distant Westerly from said meander line, as follows:
- (1) South 55 degrees 04' 30" East, 994.8 feet, more or less, to a point on the bisector of the re-entrant angle next on said meander line; and
- (2) South 47 degrees 48' 00" East, 1315.0 feet, more or less, to a point on the bisector of the salient angle next on said meander line; thence South 49 degrees 35' 00" East, leaving said parallel line, 899.8 feet, more or less, to a point of the East line of Government Lot 3 of said Section 12; said point being the Southerly terminus of said Westerly line and being the Northwest corner of a tract of land in Government Lot 4 of said Section 12, conveyed by Louis W. Soukup and wife, to Weyerhaeuser Timber Company by a deed dated October 7, 1953, recorded in Deed Volume 264 at page 617, Records of Klamath County, Oregon; thence North 00 degrees 07' 00" East, along said East lot line, 216.00 feet, more or less, to the point of beginning. EXCEPTING AND RESERVING from the above described property, the following portions thereof:

**EXHIBIT " B "**  
**LEGAL DESCRIPTION (continued)**

**31825**

A portion of Government Lots 1 and 2 of Section 1 and the E1/2 of the SE1/4 of Section 2, Township 39 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon, described as follows:

Beginning at the meander corner on the South line of Section 1, Township 39 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon; thence North 55 degrees 51' West along the meander line through said Section 1, a distance of 953.02 feet to a 1 1/4" iron pipe 30" long which is the true point of beginning; thence North 9 degrees 35' West continuing along said meander line a distance of 1715.03 feet to a 1 1/4" iron pipe 30" long which is 1486.71 feet South 7 degrees 04' East of the meander corner between said Sections 1 and 2; thence south 47 degrees 38' West 1505.82 feet to a 1 1/4" iron pipe 30"; thence South 64 degrees 11' East a distance of 1553.10 feet, more or less, to the true point of beginning.

**PARCEL 7:**

Beginning at a point on the East line of Section 7, Township 39 South, Range 8 East of the Willamette Meridian, Klamath County, Oregon, which bears South 0 degrees 35' 57" East a distance of 1154.42 feet from the Northeast corner of said Section 7; thence South 89 degrees 28' 55" West 1279.11 feet to the Northwest corner of parcel described in Volume M79, page 15948, Deed Records of Klamath County, Oregon, and the true point of beginning of this description; thence South 0 degrees 11' 38" East 330.01 feet to the Southwest corner of said parcel; thence South 89 degrees 28' 55" West 38.56 feet to the West line of the E1/2 of the NE1/4 of said Section 7; thence North along said West line 330.01 feet to a point; thence North 89 degrees 28' 55" East 40.89 feet to the point of beginning.

The West 50 feet of the N1/2 of the S1/2 of the NE1/4 of the NE1/4 of Section 7, Township 39 South, Range 8 East of the Willamette Meridian, Klamath County, Oregon.

That portion of the North 157.15 feet of the S1/2 of the S1/2 of the NE1/4 of the NE1/4 of Section 7, Township 39 South, Range 8 East of the Willamette Meridian, Klamath County, Oregon, lying West of the property conveyed by deed recorded July 5, 1979 in Volume M79, page 15956, Microfilm Records of Klamath County, Oregon.

**PARCEL 8:**

Government Lots 3 and 4 of Section 35; S 1/2 SW 1/4, SW 1/4 SE 1/4, Government Lots 7 and 8 in Section 36; all in Township 38 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon.

EXCEPTING THEREFROM, a portion of Government Lots 3 and 4, Section 35, Township 38 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon, more particularly described as follows:

Beginning at the Round Lake Meander Line angle point number one, which is North 22 degrees 49' 23" West, 1593.30 feet from the Meander Corner common to Section 35, Township 38 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon, and Section 2, Township 39 South, Range 7 East of the Willamette Meridian; thence South 22 degrees 49' 23" East along said Meander Line, 248.86 feet; thence North 17 degrees 40' 31" West, 64.62 feet; thence North 04 degrees 33' 21" West, 199.74 feet to a point on said Meander Line; thence South 62 degrees 51' 25" West along said Meander Line, 68.60 feet to the point of beginning.

**PARCEL 9:**

The NE 1/4 SW 1/4, Government Lots 2, 3, and 5, in Section 31, Township 38, South, Range 8 East of the Willamette Meridian, Klamath County, Oregon, EXCEPTING AND RESERVING THEREFROM part of the NE 1/4 SW 1/4 and of Government Lots 2 and 3 of said Township, Range and Section, more particularly described as follows:

Beginning at the quarter corner of the West line of said Section 31; thence South along  
(continued)

**EXHIBIT "B "**  
**LEGAL DESCRIPTION (continued)**

**31826**

said West line a distance of 676.0 feet to a 1 1/4 inch iron pipe 30 inches long; thence South 67 degrees East, a distance of 1169.0 feet to a 1 1/4 inch iron pipe 30 inches long; thence South 50 degrees East, a distance of 969.0 feet to a 1 1/4 inch iron pipe 30 inches long; thence South 27 degrees East, a distance of 927.0 feet, more or less, to a point on the South line of said Section, which point is marked by a 1 1/4 inch iron pipe 30 inches long; thence East along said South line, a distance of 379.0 feet, more or less, to the South quarter corner of said Section 31; thence North along the North and South center line of said Section 31, a distance of 2640.0 feet, more or less, to the center line of said Section; thence West along the East and West center of said Section, a distance of 2640.0 feet, more or less to the point of beginning.

PARCEL 10:

SW 1/4 SE 1/4 NE 1/4, W 1/2 NW 1/4, NW 1/4 SW 1/4, W 1/2 NE 1/4 SE 1/4, W 1/2 SE 1/4 NE 1/4 SE 1/4, W 1/2 E 1/2 SE 1/4 NE 1/4 SE 1/4, N 1/2 N 1/2 N 1/2 SE 1/4 SE 1/4, Government Lots 1, 2, 3, 6 and 7 of Section 6; all in Township 39 South, Range 8 East of the Willamette Meridian, Klamath County, Oregon.

EXCEPTING THEREFROM, the Eastern 850 feet of fractional Government Lot 1, Section 6, Township 39 South, Range 8 East of the Willamette Meridian, Klamath County, Oregon, more particularly described as follows:

Beginning at the East 1/16 corner of Section 6, Township 39 South, Range 8 East of the Willamette Meridian as located on Klamath County Survey No. 3141; thence South 89 degrees 09' 39" West, 850.0 feet; thence South 00 degrees 03' 47" East of the Willamette Meridian, 1247.657 feet; thence North 89 degrees 22' 55" East, 850.0 feet; thence North 00 degrees 03' 53" West, 1250.937 feet to the point of beginning.

PARCEL 11:

A portion of Government Lots 3 and 4 of Section 36, Township 38 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon, and more particularly described as follows:

Commencing at the East quarter corner of said Section 36; thence South along the East line of said Section, 676.0 feet to a 1 1/4 inch iron pipe 30 inches long, which is the true point of beginning; thence South 75 degrees 32' West, a distance of 820.13 feet to a 1 1/4 inch iron pipe 30 inches long; thence North 79 degrees 54' West, a distance of 647.74 feet to a 1 1/4 inch iron pipe 30 inches long; thence North 64 degrees 25' West, a distance of 692.67 feet to a 1 1/4 inch iron pipe 30 inches long; thence North 57 degrees 56' West, a distance of 530.90 feet to a 1 1/4 inch iron pipe 30 inches long; thence North 77 degrees 24' West, a distance of 169.01 feet more or less to a point on the West line of Lot 3, said point being marked by a 1 1/4 inch iron pipe 30 inches long; thence South along said West line, a distance of 284.04 feet, more or less to an intersection with the meander line, said point being marked by a 1 1/4 inch iron pipe 30 inches long; thence South 73 degrees 21' East, along said meander line, a distance of 2786.44 feet, more or less, to the meander corner on the East line of said Section 36; thence North along said East line, a distance of 555.66 feet, more or less, to the true point of beginning.

PARCEL 12:

Government Lots 5 and 6 in Section 36, Township 38 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon.

PARCEL 13:

(A) That portion of Section 31, Township 38 South, Range 8 East of the Willamette Meridian, Klamath County, Oregon, more particularly described as follows:

That portion of said Section 31, lying South and Westerly of the Southwesterly line of Government Lot 3, East of the East line of Government Lot 5, and North of the South line of said Section 31.

**EXHIBIT "B"**  
**LEGAL DESCRIPTION (continued)**

(B) That portion of Section 6, Township 39 South, Range 8 East of the Willamette Meridian, more particularly described as follows:

That portion of said Section 6, lying South of the North line of said Section 6, West of the Westerly line of Government Lot 1, North of the North line of Government Lot 7 and East of the East line of the NW 1/4 NW 1/4 of said Section 6.

**PARCEL 14:**

A portion of Government Lot 2, Section 35, Township 38 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon, more particularly described as follows:

Beginning at the Round Lake Meander Corner common to Section 35, Township 38 South, Range 7 East of the Willamette Meridian and Section 2, Township 39 South, Range 7 East of the Willamette Meridian; thence North 22 degrees 49' 23" West along Round Lake Meander Line, 1344.44 feet; thence South 17 degrees 40' 31" East, 120.73 feet; thence South 19 degrees 37' 20" East, 185.878 feet; thence South 21 degrees 59' 03" East, 125.58 feet; thence South 28 degrees 01' 55" East, 261.442 feet; thence South 20 degrees 46' 05" East, 82.846 feet; thence South 11 degrees 09' 11" East, 346.271 feet; thence South 15 degrees 06' 27" East, 102.59 feet; thence South 56 degrees 31' 37" East, 155.20 feet to the point of beginning.

**PARCEL 15:**

A portion of Government Lots 1 and 2, Section 36, Township 38 South, Range 7 East and Lot 1, Section 35, Township 38 South, Range 7 East of the Willamette Meridian, Klamath County, Oregon, more particularly described as follows:

Beginning at a point on the Round Lake Meander Line, which is North 73 degrees 07' 15" West, 2803.186 feet from the Meander Corner common to Section 36, Township 38 South, Range 7 East of the Willamette Meridian, and Section 31, Township 38 South, Range 8 East of the Willamette Meridian; thence North 73 degrees 07' 15" West along said Meander Line, 1826.137 feet; thence South 62 degrees 50' 27" West along said Meander Line, 1060.662 feet to the West line of said Section 36; thence South 62 degrees 51' 25" West along said Meander Line, 1389.60 feet; thence North 04 degrees 33' 21" West, 109.76 feet; thence North 14 degrees 34' 05" East, 112.153 feet; thence North 35 degrees 56' 03" East, 325.695 feet; thence North 50 degrees 21' 21" East, 508.430 feet; thence North 59 degrees 54' 31" East, 413.479 feet; thence North 70 degrees 29' 37" East, 294.126 feet to a point on the East line of said Section 35; thence North 70 degrees 29' 37" East, 42.96 feet; thence North 80 degrees 19' 58" East, 765.797 feet; thence South 81 degrees 49' 58" East, 203.082 feet; thence South 81 degrees 43' 02" East, 280.351 feet; thence South 60 degrees 18' 51" East, 194.825 feet; thence South 71 degrees 42' 17" East, 141.931 feet; thence South 78 degrees 42' 11" East, 758.094 feet; thence South 88 degrees 08' 42" East, 227.595 feet; thence South 82 degrees 32' 02" East, 57.118 feet; thence South 69 degrees 20' 53" East, 87.05 feet; thence South 00 degrees 00' 00", 263.71 feet to the point of beginning.

TOGETHER WITH a perpetual non-exclusive easement 30 feet in width for access over an existing road located in Section 6, Township 39 South, Range 8 East of the Willamette Meridian, as described in easement recorded July 7, 1980 in Volume M80, page 12439, Microfilm Records of Klamath County, Oregon.

TOGETHER WITH an easement 50 feet in width for right of way for pumping plant and ditch, and for ingress and egress for repair and maintenance of same, along the Northerly line of Lots 4 and 5 and the SW 1/4 SW 1/4 of Section 6, Township 39 South, Range 8 East of the Willamette Meridian, Klamath County, Oregon.

**PARCEL 16:**

The SW 1/4 SW 1/4 and Government Lots 4 and 5, Section 6, Township 39 South, Range 8 East of the Willamette Meridian, Klamath County, Oregon.



EXHIBIT "B "  
LEGAL DESCRIPTION (continued)

31828

PARCEL 17:

Government Lot 1 of Section 7, EXCEPTING THE FOLLOWING:

Beginning at the Southeast corner of said parcel from which the Southeast corner of the North half of said Section 7, bears South 43 degrees 53' 53" East, 1866.65 feet; thence South 89 degrees 48' 22" West 820.00 feet; thence North 00 degrees 11' 38" West, 810.00 feet; thence North 89 degrees 48' 22" East 820.00 feet; thence South 00 degrees 11' 38" East, 810.00 feet to the point of beginning.

Government Lot 6 and the NW1/4 of the NW1/4 of Section 7; all in Township 39 South, Range 8 East of the Willamette Meridian, Klamath County, Oregon.