

1st 401816

04 OCT 21 AM 11:29

Return to: American



APPLICATION TO EXEMPT A MANUFACTURED STRUCTURE FROM TITLE AND REGISTRATION

EM 52739

Owner's Certificate of Legal Interest

X PLATE NUMBER
181547

INSTRUCTIONS: The following must be submitted to DMV:

- 1) Certificate of title with all necessary releases.
- 2) This form, completed and signed by all parties with an interest in the manufactured structure. All areas of the form must be completed.
- 3) A Title Report or Lot Book Report. (The title report or lot book report cannot be over 7 days old when submitted to DMV.)
- 4) Proof all taxes for the current tax year have been paid on the manufactured structure. Proof may be a Certificate of Taxes Paid, Department of Revenue Form 113, issued by the county where the manufactured structure was located.
- 5) Once recorded, DMV must receive proof of recording.

Vol M04 Page 71648

PART I LAND

If there is a mortgage, deed of trust or lien on this land, list all mortgagors, beneficiaries of deeds of trust below. Space is provided for two names and addresses. If there are none, write "none."

NAME AND ADDRESS NONE	LOAN NUMBER
NAME AND ADDRESS	LOAN NUMBER

Legal description and location of real property: (as recorded by county recorder or a certified copy of your deed may be substituted)
SEE ATTACHED LEGAL DESCRIPTION

Property Address
29623 E. RAINBOW RD, KLAMATH FALLS, OR 97601

TAX LOT NUMBER (from assessor) 3606-3CA-2200	MAP NUMBER	ACCOUNT NUMBER
---	------------	----------------

PART II MANUFACTURED STRUCTURE

Legal description of manufactured structure:

YEAR 1981	MAKE SILWD	WIDTH 28	LENGTH 48	VEHICLE IDENTIFICATION NUMBER (VIN) 1215U
--------------	---------------	-------------	--------------	--

If there is a mortgage, deed of trust or lien on the manufactured structure, list all security interest holders, mortgagees, beneficiaries of deeds of trust, and lien holders whose interest is secured. Space is provided for two names and addresses. Approval signatures are required. If there are none, write "none."

NAME AND ADDRESS NONE	APPROVAL SIGNATURE X
NAME AND ADDRESS	APPROVAL SIGNATURE X

☐ I/We do not know the whereabouts of the permanent plate assigned to this vehicle.

PART III OWNER SIGNATURES AND CERTIFICATIONS

I/We certify that the statements made above are accurate to the best of my/our knowledge. All liens, deeds of trust, mortgages and security interests have been listed. If there are none, I/We have certified this by writing "none" in the space provided.

PRINTED NAME OF OWNER(S) TED & EILEEN OSWALD, TRUSTEES OF THE TED & Eileen	ODL / ID / CUSTOMER #	DATE OF BIRTH	TELEPHONE # ()
PRINTED NAME OF OWNER(S) OSWALD FAMILY TRUST	ODL / ID / CUSTOMER #	DATE OF BIRTH	TELEPHONE # ()
RESIDENCE ADDRESS 12 ANGELLO TERRACE, GROVER BEACH, CA 93433	MAILING ADDRESS SAME		
SIGNATURE OF OWNER X [Signature]	SIGNATURE OF OWNER X Eileen S. Oswald Trustee		

OFFICE USE ONLY

PART IV

OFFICE USE ONLY

Application for exemption for a manufactured structure is hereby approved.

SIGNATURE DATE 10/15/04 ck	SIGNATURE OF DMV OFFICER X [Signature]
-------------------------------	---

This application is VOID if not recorded with the county by this date:

Ex iration Date
10/30/04 ck

735-6722 (1-01)

SEE REVERSE FOR COUNTY RECORDING AREA

STK # 300366

3/1 P

X181547

71649

EXHIBIT A

LEGAL DESCRIPTION:

PARCEL 1:

Parcel #14 PINE CONE ADDITION, described as:

Starting from the Northwest corner of the NE 1/4 SW 1/4, Section 3, Township 36 South, Range 6 E.W.M.; thence S 89°50' E., a distance of 60.05 feet; thence South 2°36'12" W. a distance of 485.33 feet; thence East a distance of 151.99 feet to an iron pin, the point of beginning; thence South, a distance of 125 feet to an iron pin; thence East, a distance of 75 feet to an iron pin; thence North, a distance of 125 feet to an iron pin; thence West, a distance of 75 feet more or less to the point of beginning.

PARCEL 2:

Parcel # 15 PINE CONE ADDITION, described as:

Starting from the Northwest corner of the NE 1/4 SW 1/4, Section 3, Township 36 South, Range 6 E.W.M.; thence S 89°50' E., a distance of 60.05 feet; thence South 2°36'12" W. a distance of 485.33 feet; thence East a distance of 76.99 feet to an iron pin, the point of beginning; thence South, a distance of 125 feet to an iron pin; thence East, a distance of 75 feet to an iron pin; thence North, a distance of 125 feet to an iron pin; thence West, a distance of 75 feet more or less to the point of beginning.

PARCEL 3:

Parcel #5 PINE CONE ACRES, described as:

Starting from the NW corner NE 1/4 SW 1/4, Section 3, Township 36 South, Range 6 E.W.M.; thence S 89°50' E, a distance of 60.05 feet; thence S 2°36'12" W, a distance of 175.01 feet; thence East, a distance of 251.01 feet to an iron pin, the point of beginning; thence South, a distance of 125 feet to an iron pin; thence East, a distance of 85 feet to an iron pin; thence North, a distance of 125 feet to an iron pin; thence West, a distance of 85 feet more or less to the true point of beginning.

PARCEL 4:

Parcel #6, PINE CONE ADDITION, described as:

Starting from the NW corner NE 1/4 SW 1/4, Section 3, Township 36 South, Range 6 E.W.M.; thence S 89°50' E., a distance of 60.05 feet; thence S 2°36'12" W, a distance of 175.01 feet; thence East, a distance of 166.01 feet to an iron pin, the point of beginning; thence South, a distance of 125 feet to an iron pin; thence East, a distance of 85 feet to an iron pin; thence North, a distance of 125 feet to an iron pin; thence West, a distance of 85 feet more or less to the point of beginning.

PARCEL 5:



X 181547

71650

Parcel 10 PINE CONE ADDITION, being a portion of the NE 1/4 SW 1/4 of Section 3, Township 36 South, Range 6 East of the Willamette Meridian, in the County of Klamath, State of Oregon, described as follows:

Starting from the NW corner NE 1/4 SW 1/4, Sec. 3, Twp. 36 S., R. 6 EWM; thence South 89°50' East, a distance of 60.05 feet; thence South 2°36'12" West, a distance of 300.14 feet; thence East, a distance of 86.69 feet to an iron pin, the point of beginning; thence South, a distance of 125 feet to an iron pin; thence East, a distance of 85 feet to an iron pin; thence North, a distance of 125 feet to an iron pin; thence West, a distance of 85 feet, more or less to the point of beginning.

AND

Parcel 11 PINE CONE ADDITION, being a portion of the NE 1/4 SW 1/4 of Section 3, Township 36 South, Range 6 East of the Willamette Meridian, in the County of Klamath, State of Oregon, described as follows:

Starting from the NW corner NE 1/4 SW 1/4, Sec. 3, Twp. 36 S., R. 6 EWM; thence South 89°50' East, a distance of 60.05 feet; thence South 2°36'12" West, a distance of 300.14 feet; thence East, a distance of 171.69 feet to an iron pin, the point of beginning; thence South, a distance of 125 feet to an iron pin; thence East, a distance of 85 feet to an iron pin; thence North, a distance of 125 feet to an iron pin; thence West, a distance of 85 feet, more or less, to the point of beginning.

AND

Parcel #12 - PINE CONE ADDITION, described as:

Starting from the NW corner NE 1/4 SW 1/4, Section 3, T. 36 S., R. 6 E.W.M.; thence S 89°50' E., a distance of 60.05 feet; thence S 2°36'12" W. a distance of 300.14 feet; thence East 256.60 feet to an iron pin, the point of beginning; thence South, a distance of 125 feet to an iron pin; thence East, a distance of 55 feet to an iron pin; thence along a curve left having a 30 foot radius, a distance of 47.12 feet to an iron pin; thence North, a distance of 95 feet to an iron pin; thence West, a distance of 85 feet more or less to the point of beginning.

State of Oregon, County of Klamath

Recorded 10/21/04 11:29 a m

Vol M04 Pg 71648-50

Linda Smith, County Clerk

Fee \$ 31.00 # of Pgs 3