CC FINANCING STATEMENT AMENDMENT OLLOW INSTRUCTIONS (front and back) CAREFULLY A NAME & PHONE OF CONTACT AT FILER (optional) Shirley Dobbs 314/434-2297 S. SEND ACKNOWLEDGMENT TO: (Name and Address)		R-TFS Cnt=1 S \$20.00 \$	stn=4 SH 55.00 \$11	Official Records AWBJ 04/18/2 .00 01188474200 , County Clerk for Jackment Identified herein willeen S. Beckett	Total:\$36 Total:\$36 60020368004004 (son County, Oregon, was recorded in the Cl
Lend Lease Agri-Business, Inc. 12747 Olive St. Rd., Suite 350 St. Louis, MO 63141 #981358		M06-07 Klamath Co 04/21/2006 (Pages 4	ounty, O	P M	
1. INITIAL FINANCING STATEMENT FILE #		THE ABOVE SPA	1b. This	R FILING UPFICE US FINANCING STATEMEN filed (for record) (or rec	IT AMENDMENT is
ASSIGNMENT (full or partial): Give name of assignee in item 7a or 7b and ac AMENDMENT (PARTY INFORMATION): This Amendment affects Debt Also check one of the following three boxes and provide appropriate information in its CHANGE name and/or address: Give current record name in item 6a or 6b; also name (if name change) in item 7a or 7b and/or new address (if address change)	tor or Secur ems 6 and/or 7.	ed Party of record. Check only on DELETE name: Give record name to be deleted in item 6a or 6b.	g of these to		7a or 7b, and also s 7d-7g (if applicable
CURRENT RECORD INFORMATION: 6a ORGANIZATION'S NAME					
R 6b. INDIVIDUAL'S LAST NAME	FIRST NAME		MIDDLE NAME SUFFIX		SUFFIX
Purtzer	Thomas	as J			
CHANGED (NEW) OR ADDED INFORMATION: 7a. ORGANIZATION'S NAME			IMIDDLE	NAME	SUFFIX
7b. INDIVIDUAL'S LAST NAME	FIRST NAME		MIDDEE	NAME	00// 12/
MAILING ADDRESS	Сіту		STATE	POSTAL CODE	COUNTRY
TAX ID #: SSN OR EIN ADD'L INFO RE 76. TYPE OF ORGANIZATION ORGANIZATION DEBTOR	7f. JURISDICT	ION OF ORGANIZATION	7g. ORG	ANIZATIONAL ID #, if an	NONE
. AMENDMENT (COLLATERAL CHANGE): check only one box. Describe collateral deleted or added, or give entire restated collatera	al description, or	describe collateral assigned.	has reco	rded this	

AMERITITLE, has recorded this instrument by request as an accomodation only, and has not examined it for regularity and sufficiency or as to its effect upon the title to any real property that may be described therein.

9a. ORGANIZATION'S NAME	fermination authorized by a Debtor, check here and enla		
US Bank National Assn, successor by m	nerger to US Bank Trust National Assn.,	as Custodian/Trustee	
96. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME	SUFFIX
96. INDIVIDUALS LAST NAME	THO WAVE		

FILING OFFICE COPY -- NATIONAL UCC FINANCING STATEMENT AMENDMENT (FORM UCC3) (REV. 07/29/98)



EXHIBIT "A" LEGAL DESCRIPTION

PARCEL 1

A parcel of land located in portions of Sections 31 and 32, Township 38 South, Range 11 1/2 East of the Willamette Meridian, and Section 5, Township 39 South, Range 11 1/2 East of the Willamette Meridian, Klamath County, Oregon, being more particularly described as follows:

Beginning at a point on the West line of Section 32, Township 38 South, Range 11 1/2 East of the Willamette Meridian, Klamath County, Oregon from which point the Southwest corner of said Section 32 bears South 0 degrees 39' 08" West 173.01 feet distant; thence North 0 degrees 30' 08" East 1130.97 feet to the South 1/16 corner common to Sections 31 and 32; thence North 89 degrees 23' 45" West 1324.66 feet to the Southeast 1/16 corner of Section 31; thence along the 1/16 Section line North 0 degrees 31' 29" East 1821.16 feet to the Southerly right of way line of the O.C.& E. Railroad; thence along said right of way line South 89 degrees 51' 30" East 1323.97 feet to its intersection with the West line of Section 32; thence North 0 degrees 30' 08" East 100.00 feet to the Northerly right of way line of the O.C.&E. Railroad; thence along said right of way line South 89 degrees 51' 30" East 238.48 feet; thence, leaving said right of way line, North 0 degrees 58' 27" West 663.55 feet to a point on the Southerly right of way line, North 0 degrees 58' 27" West 663.55 feet to a point on the Southerly right of way line of State Highway 140; thence along said right of way line North 87 degrees 48' 03" East 74.28 feet; thence 233.07 feet along the arc of a 5699.58 foot radius curve to the right, the long chord of which bears North 88 degrees 58' 20' East 233.04 feet; thence South 89 degrees 51' 22" East 793.02 feet; thence North 89 degrees 57' 40" East 3972.46 feet to a point on the East line of Section 32; thence, leaving said highway right of way line, South 0 degrees 38' 57" West along the East line of Section 32; thence, along an existing fence line, South 79 degrees 47' 33" West 451.44 feet; thence South 69 degrees 53' 43" West 797.73 feet; thence South 40 degrees 15' 25" West 236.92 feet; thence South 5 degrees 34' 24" West 238.49 feet to a point in an existing fence line, thence, along said fence line, North 52 degrees 34' 24" West 384.64 feet; thence South 51 degrees 10' 34" West 253.59 feet; thence North 75 degrees

PARCEL 2:

A portion of Section 32, Township 38 South, Range 11 1/2 East of the Willamette Meridian, Klamath County, Oregon, more particularly described as follows:

Beginning at a point on the West line of Section 32 at its intersection with the Northerly right of way line of the O.C. & E. Railroad, from which point the 1/4 corner common to Sections 31 and 32 bears South 0 degrees 30' 08" West, 627.87 feet distant; thence along the section line North 0 degrees 30' 08" East 654.38 feet to a point on the Southerly right of way line of Highway 140; thence along said right of way line North 87 degrees 48' 03" East 221.63 feet; thence leaving said right of way line South 0 degrees 58' 27" East 663.55 feet to a point on the Northerly right of way line of the O.C.&E. Railroad; thence along said right of way line North 89 degrees 51' 30" West 238.48 feet to the point of beginning.

EXHIBIT "A" LEGAL DESCRIPTION (continued)

PARCEL 3:

That portion of the SE1/4 NE1/4 of Section 32, Township 38 South, Range 11 1/2 East of the Willamette Meridian, Klamath County, Oregon, described as follows:

Commencing at the intersection of the East line of said Section 32 with the Northerly line of Grantor's 100 foot railroad right of way ("Northerly right of way line"); thence run Northerly along the East line of said Section 32 a distance of 25 feet to the True Point of Beginning; thence run Westerly along a line that is 25 feet Northerly of, and parallel with, said Northerly right of way line a distance of 526 feet; thence run Northerly, at right angles to said Northerly right of way line, a distance of 150 feet; thence run Easterly, parallel with said Northerly right of way line, a distance of 466 feet, more or less, to a point 60 feet Westerly of said East line of said Section 32; thence run Northerly, parallel with the East line of said section 32, a distance of 500 feet, more or less, to the Southerly right of way line of the Klamath Falls-Lakeview Highway; thence run Easterly along said Southerly highway right of way line to the East line of said Section 32; thence run Southerly along said East line of said Section 32 to the True Point of Beginning and the end of this description.

Including all water rights included in Abstract of Permit No.: U-243, Application No.: U-271, Certificate No.: 28200.

EXHIBIT "B"

IRRIGATION EQUIPMENT THOMAS J. PURTZER AND REGINA M. PURTZER DBA PINE FLAT ACRES

PUMPING STATION #1 (i.e., WELL #1):

DELTA (2) ELECTRICAL SERVICE PANELS
U.S. ELECTRIC MOTORS TURBINE (LIFT PUMP), 10 HP MODEL #
R-1755-01-169, SERIAL #R1012008
VERTI-LINE PUMP, (NO SERIAL NUMBER)
JOHNSTON TURE INE, (NO SERIAL OR MODEL NUMBER)
JOHNSTON PUMI, SERIAL #15100

PUMPING STATION #2 (i.e., WELL #3):

CUTLER-HAMMER (2) ELECTRICAL SERVICE PANELS (ONE NOT IN USE)

DELTA ELECTRICAL SERVICE PANEL

FAIRBANKS-MORSE UNIDRIVE TURBINE, 75 HP, #F143662 FAIRBANKS-MORSE PUMP MODEL #HGN100, SERIAL #PN949 CENTURY ELECTRIC MOTOR (BOOSTER PUMP), 50 HP, 1765 RPM, SPEC #54900

JACUZZI PUMP, SERIAL #SVC-20170, MODEL #50EMG T/G U.S. ELECTRIC MOTORS BOOSTER, 60 HP, ID #BO 2678584, #BO210772-001R-77

CORNELL PUMP (Pump listed below with pivot)
GENERAL ELECTRIC LIFT PUMP, 15 HP, SERIAL #GJJ704347
JOHNSTON PUMP (NO SERIAL OR MODEL NUMBER)

OTHER:

2,640 LF, 10" BURIED MAINLINE, WITH RISERS (60' SPACING) 1,320 LF, 12" BURIED MAINLINE, WITH RISERS (60' SPACING)

- 1 MODEL 8000 VALLEY IRRIGATION CENTER PIVOT 1296' WITH VALLEY SUPPLIED ACC., FREIGHT & INSTALLATION (NON-TOWABLE) 1280' 10" PVC; 2860' #2 WIRE; VALVES; CORNELL 5 RB 60 HP PUMP, SERIAL #106267 12.75" TC00076, PANEL & OTHER MISC.
- 3 1/4 MILE WHEELINES WITH WADE RAIN MODEL 70 MOVERS.

200 - 20 FT. SECTIONS OF HANDLINES.

ABOVE GROUND MAINLINE: FROM PUMP #2 AND WELL #3, ½ MILE 8-INCH ALUMINUM MAINLINE.

BURIED PVC: ½ MILE 8-INCH.