·	

UCC FINANCING STATEMENT

FOLLOW INSTRUCTIONS

A. NAME & PHONE OF CONTACT AT FILER (optional) Phone: (800) 331-3282 Fax: (818) 662-4141		
B. E-MAIL CONTACT AT FILER (optional) CLS-CTLS_Glendale_Customer_Service@wolte	erskluwer.com	
C. SEND ACKNOWLEDGMENT TO: (Name and Address)	15602 - US BANK	
Lien Solutions P.O. Box 29071	70981070	\neg
Glendale, CA 91209-9071	OROR	
1	FIXTURE	1
File with: Klamath, OR	<u>-</u>	<u> </u>

2019-008609 Klamath County, Oregon

00244529201900086090220226

07/30/2019 01:33:51 PM

Fee: \$187.00

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

	EBTOR'S NAME: Provide only <u>one</u> Debtor name (1a or 1b) (use e ame will not fit in line 1b, leave all of item 1 blank, check here				
	1a. ORGANIZATION'S NAME CACTUS ENTERPRISE, LLC				
OR	1b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	АДОПІО	NAL NAME(S)/INITIAL(S)	SUFFIX
1c. I	MAILING ADDRESS	CITY	STATE	POSTAL CODE	COUNTRY
29	21 FREDRICK DR	MEDFORD	OR	97504	USA
	me will not fit in line 2b, leave all of item 2 blank, check here and 2a. ORGANIZATION'S NAME	provide the Individual Debtor information in item	TO OF the Financing St	atement Addendum (Form	UCCIAG)
OR	2b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIO	NAL NAME(S)/INITIAL(S)	SUFFIX
2c. 1	MAILING ADDRESS	СТҮ	STATE	POSTAL CODE	COUNTRY
3. S	ECURED PARTY'S NAME (or NAME of ASSIGNEE of ASSIGNO 34, ORGANIZATION'S NAME	OR SECURED PARTY): Provide only one Secure	ed Party name (3a or 3	b)	
	U.S. Bank Equipment Finance, a division of U.S.	. Bank National Association			
OR	3b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIO	NAL NAME(SYNITIAL(S)	SUFFIX
3c. l	MAILING ADDRESS	CITY	STATE	POSTAL CODE	COUNTRY
1310 Madrid Street		Marshall	MN	56258	USA

COLLATERAL: This financing statement covers the following collateral:
 Equipment as more fully described on the attached Schedule A

TOGETHER WITH ALL REPLACEMENTS, PARTS, REPAIRS, ADDITIONS, ACCESSIONS AND ACCESSORIES INCORPORATED THEREIN OR AFFIXED OR ATTACHED THERETO AND ANY AND ALL PROCEEDS OF THE FOREGOING, INCLUDING, WITHOUT LIMITATION, INSURANCE RECOVERIES.

5. Check only if applicable and check of	only one box: Collateral is held	in a Trust (see UCC1Ad, item 17 an	d Instructions)	being administered by a De	cedent's Personal Representative
6a. Check only if applicable and check	only one box:			6b. Check only if applicable	and check only one box:
Public-Finance Transaction	Manufactured-Home Trans	action A Debtor is a Transi	mitting Utility	Agricultural Lien	Non-UCC Filing
7. ALTERNATIVE DESIGNATION (if a	pplicable): Lessee/Lessor	Consignee/Consignor	Seller/Buye	er Bailee/Bailor	Licensee/Licensor
8. OPTIONAL FILER REFERENCE DA	iTA:				
70981070	3000009057			2520125	

UCC FINANCING STATEMENT ADDENDUM **FOLLOW INSTRUCTIONS** 9. NAME OF FIRST DEBTOR: Same as line 1a or 1b on Financing Statement; if line 1b was left blank because Individual Debtor name did not fit, check here 9a. ORGANIZATION'S NAME CACTUS ENTERPRISE, LLC 9b. INDIVIDUAL'S SURNAME FIRST PERSONAL NAME ADDITIONAL NAME(S)/INITIAL(S) SUFFIX THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY 10. DEBTOR'S NAME: Provide (10a or 10b) only one additional Debtor name or Debtor name that did not fit in line 1b or 2b of the Financing Statement (Form UCC1) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name) and enter the mailing address in line 10c 10a. ORGANIZATION'S NAME OR 10b. INDIVIDUAL'S SURNAME INDIVIDUAL'S FIRST PERSONAL NAME INDIVIDUAL'S ADDITIONAL NAME(S)INITIAL(S) SUFFIX 10c. MAILING ADDRESS CITY COUNTRY 11. ADDITIONAL SECURED PARTY'S NAME ASSIGNOR SECURED PARTY'S NAME: Provide only one name (11a or 11b) 11a. ORGANIZATION'S NAME OR 11b. INDIVIDUAL'S SURNAME FIRST PERSONAL NAME ADDITIONAL NAME(S)/INITIAL(S) SUFFIX 11c. MAILING ADDRESS POSTAL CODE COUNTRY 12. ADDITIONAL SPACE FOR ITEM 4 (Collateral): 13. This FINANCING STATEMENT is to be filed [for record] (or recorded) in the 14. This FINANCING STATEMENT: REAL ESTATE RECORDS (if applicable) covers timber to be cut covers as-extracted collateral is filed as a fixture filing 15. Name and address of a RECORD OWNER of real estate described in item 16 16. Description of real estate: (if Debtor does not have a record interest): **OZ INVESTMENT LLC** 3370 WASHBURN WAY, KLAMATH FALL OR 2499 N CROOKED CREEK WAY 97603-4530 MERIDIAN, ID 83646 see attached Legal Land Description 17. MISCELLANEOUS: 70981070-OR-35 15602 - US BANK BUSINESS EQU U.S. Bank Equipment Finance, a division File with: Klamath, OR 3000009057 2520125

1	Permit Fee
1	Estimated Permit Procurement
1	Structural Engineering
1	Pylon @ 30' OAH w/8' X10' cabinet
2	24" Channel Letter Wall Sign
2	Directional Sign DT
1	Directional Sign TY/DNE
2	Standing Seam Awning 54x78x20
1	Standing Seam Awning-54x76x20
1	Standing Seam Awning-54x84x20
4	Standing Seam Awning-54x108x20
1	Preview Menu-ftg by others
1	Drive Thru Menu with Speaker Post-
1	Drive Thru Canopy-ftng by others
1	Height Detector w/ bumpbar-ftg by ot
1	20' Canopy with tie backs and DTOL

¹⁻ CLEARANCE BAR, DEL TACO

- 1- CANOPY
- 1-MS, ST SPEAKER POST, 2008 WGI
- 1- DEL TACO ID PANEL MENU SYS 2016

1ea SAFE

Bluedot Model No. BFL273121SBSDK2DIC1

- 1 ea WORK TABLE, 132", STAINLESS STEEL TOP
 - John Boos Model No. ST6R1.5-30132SBK
- Work Table, 132"W x 30"D, 16/300 stainless steel top with 1-1/2"H rear up-turn, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs, side & rear adjustable bracing, adjustable bullet feet, NSF, CSA-Sanitation, KD
- 1 ea X-0002L Size modification to reduce size, price next largest size
- 1 ea X-0204H (2) Additional stainless steel legs (modification)
- 3 ft X-2203H Additional galvanized channels (per linear ft.)
- 1 ea X-0208A Cutout per sketch (used for special cutouts for drop-in) (modification)
- 1 ea CUT04 Sink Cutout
- 1 ea SSK8-3060 Work Table Undershelf, 60°W x 30°D, 18/300 stainless steel, NSF
- 1 ea PB-DISINK101410-P-SSLR-X Drop-In Sink, 1-compartment, 12-1/2"W x 18-3/4"D x 15"H overall size, (1) 10"W x 14" front-to-back x 10"deep bowl, deck mount faucet holes with 4" centers, 3-1/2" drain opening with basket drain, stainless steel construction construction, with left & right side splashes, includes economy gooseneck faucet, 3-1/2" spout, NSF, CSA (FLYER NET PRICING FOR EFFINGHAM AND NEVADA)
- 2 ea Z-CUPBRKT-21 Cup Mounting Bracket, under counter mount 16 gauge s/s, size and shape per plan

ITEN

1 ea WORK TABLE, 48", STAINLESS STEEL TOP

John Boos Model No. ST6R1.5-3048SBK

- 1 ea WSUG-4 Welded Setup, (4) legs with gussets, (base is removable from top) (freight class change required when choosing this option)
- 1ea X-22011 30" left end splash, stainless steel (up to 6" in height)

1 ea COFFEE TEA BREWER

2 ea SODA ICE & BEVERAGE DISPENSER



Lancer Model No. 85-21812-0-2-31S

Ice Beverage Dispenser, Above Counter, 30"W x 31"D, cubed Ice, 250 lb. ice capacity, Coca-Cola illuminated merchandiser display, Coca-Cola wrapper decals sides and back, (12) flavors, (2) MVU 3-flavor valves and (6) LEV® self serve lever valves, (2) LEV positions & (2) MVU positions have carb/non-carb flexibility, (2) brand ambient capability, removable drip tray and cup rest, stainless steel interior and exterior, 3/8" barb inlets, 50 psi per minute, 120v/60/1-ph, 2.25 amps, ETL, NSF

- 2 ea DISPENSER ADAPTER
- 1 e2 ADA KIT ADA KIT FOR SELF-SERVE (82-4460/01 KIT, ADA PENDANT, BEV ACIB, M/MVU BD)
- 12 ea 82-3888 KIT, CONV, PC, LEV, EASYTOUCH
- 6 ea 30-12240-SP SPACER, ICE MAKER ADAPTER, 3 INCH, ACIB
- 2 ea 30-12247-SP PLATE, ICE MAKER ADAPTER, 30X5, ACIB
- 2 ea 30-12280-SP COVER PLATE, ICE MAKER ADAPTER, 30X5, ACIB
- 2 ea 82-4932 KIT, ICE MAKER ADPATER, 30 INCH, ACIB

1 ea CUP MOUNTING BRACKET

John Boos Model No. Z-CUPBRKT-21 Cup Mounting Bracket, under counter mount, 16 gauge s/s, size and shape per plan

ITEL

2 ea DISPOSABLE CUP DISPENSER

Diversified Metal Model No. ADJ-NS-31 Packed 12 ea Cup Dispenser, surface/stand mounted, adjustable, spring-loaded, rim dia. 2-7/8" - 3-1/2", tube dia. 3-11/16", 25-1/2" long, stainless steel construction, NSF, includes mounting brackets & hardware

- 1 ea ADJ-NS-101 Cup Dispenser, surface/stand mounted, adjustable, spring-loaded, rim dia. 3-3/4" 4-5/16", tube dia. 4-5/8", 25-1/2" long, stainless steel construction, NSF, includes mounting brackets & hardware
- 1 ea ADJ-NS-151 Cup Dispenser, surface/stand mounted, adjustable, spring-loaded, rim dia. 4-1/8" 4-3/4", tube dia. 4-7/8", 25-1/2" long, stainless steel construction, NSF, includes mounting brackets hardware

4 ea DISPOSABLE CUP DISPENSER

Diversified Metal Model No. ADJ-NS-31 Packed 12 ea Cup Dispenser, surface/stand mounted, adjustable, spring-loaded, rim dia. 2-7/8" - 3-1/2", tube dia. 3-11/16", 25-1/2" long, stainless steel construction, NSF, includes mounting brackets & hardware

- 3 ea ADJ-NS-101 Cup Dispenser, surface/stand mounted, adjustable, spring-loaded, rim dia. 3-3/4" 4-5/16", tube dia. 4-5/8", 25-1/2" long, stainless steel construction, NSF, includes mounting brackets & hardware
- 1 ea ADJ-NS-151 Cup Dispenser, surface/stand mounted, adjustable, spring-loaded, rim dia. 4-1/8" 4-3/4", tube dia. 4-7/8", 25-1/2" long, stainless steel construction, NSF, includes mounting brackets & hardware

ITEN

1 ea CUP MOUNTING BRACKET

John Boos Model No. Z-CUPBRKT-23

1 ea REACH-IN UNDERCOUNTER FREEZER

Beverage Air Model No. UCFD27AHC-2-23

1 ea GAS CONNECTOR HOSE KIT

Krowne Metal Model No. M7548K3



Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stainless steel corrugated tubing & radial wrap with green antimicrobial PVC coating, (1) quick disconnect, & (2) 90° elbows, restraining cable with mounting hardware, 180K BTU/hr minimum flow capacity

ITE

1 ea FRYER PARTS & ACCESSORIES

John Boos Model No. Z-DELTACO-29B Deep Fryer Splash, 20-1/2"W x 12"H, 18 gauge stainless steel, shape per plan

TE

1 ea FRYER CAP

John Boos Model No. 2-DELTACO-29C Fryer Cap, 16 gauge s/s, size and shape per plan

ITI

1 ea SANDWICH / SALAD PREPARATION REFRIGERATOR

Beverage Air Model No. SPE27HC-B

1 ea WORK TABLE, 36", STAINLESS STEEL TOP

John Boos Model No. ST6-3636SBK Work Table, 36"W x 36"D x 35-3/4"H overall size, 16/300 stainless s flat top, with Stallion Safety Edge front & back, 90° turndown on sistainless steel legs, side & rear adjustable bracing, adjustable built feet, NSF, CSA-Sanitation, KD

1 ea WSUG-4 Welded Setup, (4) legs with gussets, (base is removable fitop) (freight class change required when choosing this option)

1 ea COUNTERTOP GRIDDLE

Imperial Model No. ITG-48-DEL-03

1 ea GAS CONNECTOR HOSE KIT

Krowne Metal Model No. M7548K3



Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stainles steel corrugated tubing & radial wrap with green antimicrobial PVC coating, (1) quick disconnect, & (2) 90° elbows, restraining cable with mounting hardware, 180K BTU/hr minimum flow capacity

IT

1ea RANGE

Imperial Model No. ISP-18M-2-DEL-II
Double Stock Pot

- 180,000 BTU's, Stainless steel front and both sides
- Short legs with reinforced brackets to give overall height of 25-1/8"
- Includes set of 3 locking & 3 non-locking casters
- Rear gas line turn down

П

1 ea GAS CONNECTOR HOSE KIT

Krowne Wetal Model No. M7548K3

1 ft BUMPER BAR

John Boos Model No. Z-DELTACO-BUMPER Packed 1 ft 1" x 3" x 4" x 3" x 1" x 24" long Per Sketch

1 ea RETHERMALIZER WATER TANK

Pitco Frialator Model No. SRTG14

1 ea GAS CONNECTOR HOSE KIT

Krowne Metal Model No. M7548K3



Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stainless steel corrugated tubing & radial wrap with green antimicrobial PVC coating, (1) quick disconnect, & (2) 90° elbows, restraining cable with mounting hardware, 180K BTU/hr minimum flow capacity

ITEN

1 ea WORK TABLE, 36", STAINLESS STEEL TOP John Boos Model No. ST6-2436SSK-X

2 ca GLAMSHELEGRILL

Proluxe Model No. St.1266DTA
Split Lid Grill with 72"L power cord - 120v/50/60hz
1900 w/15.8amps - NEMA 5-20P

2 ea RELEZE Grill and Platen Saver Coating, 24 oz., aluminum cooking surfaces only (No discount allowed on this product) (NET)

ITEM T

1 ear TACO COUNTER

Omniteam, Inc. Model No. DOUBLE TACO ASSEMBLY COUNTER

ea THERMOGLO

Marshall Air Systems Model No. 167670

1 ea CONVEYOR TOASTER



Antunes Model No. GST-1H DEL TACO UNIT PC-14016 DEL TACO Flat Bread Toaster, front load/front return, motorized conveyor, adjustable digital controls, top & bottom high-temperature platens, accommodates products up to 16" wide, stainless steel construction, 208v/60/1-ph, 4600 watts, NEMA L6-30P (twist lock), cETLus, ETL-Sanitation

- 1 ea 1 year parts & labor warranty, standard
- 1 ea 70001659 MAIN BELT, (2) PACK

 Π

1 ea MOBILE HEATED CABINET

FWE / Food Warming Equipment Co., Inc. Model No. TST-19SL-DT

1 ea DRY STORAGE

Cambro Model No. CAMSHELVING
Lot to Consist of:

1 ea ESU184884V5580 Camshelving® Elements Starter Unit, 18"W x 48"L x

1 ea ESU183684V5580 Camshelving® Elements Starter Unit, 18"W x 36"L x

2 ea ESU183084V5580 Camshelving® Elements Stationary Starter Unit,

1 ea FRONT UNDERCOUNTER

Cambro Model No. SHELVING
To Consist of:

3 ea ESU184830V2580 Camshelving® Elements Stationary Starter Unit, :

1 ea SOLID SHELVING



Metro Model No. 2442FS

Super Erecta[®] Shelf, solid, 42"W x 24"D, stainless, flat, raised "ship's edge" on all (4) sides, aluminum castings lock corners to posts

- 1 ea 25CP Super Erecta® Post, special cut length, 25-3/8"H, for stationary use, includes: post cap & leveling bolt, chrome plated finish
- 1 ea 9991P Glide, smooth polymer cover fits over leveling bolt to protect floors

1 ea BAG HOLDER

John Boos Model No. Z-DELTACO-BAGHOLDER
Drive Thru Bag Holder, 16 gauge s/s, size per plan

1 ea BAG IN BOX SYRUP TANK SYSTEM

1120 COOL 30 Hadalalala OF 1000 0010

2 ea BEVERAGE DISPENSER, PARTS

Lancer Model No. 82-4200/01
LANCER PUMP, PUMP ASSY, 100FT, LOW LEAD BRASS, 82-4200/01

BULK CO2 TANK

BULK CO2 TANK

BY OWNER

1 ea SHAKE MACHINE

Taylor Company Model No. 490

1 ea Spinner panel mount assy

1 ea WALL SHELF

John Boos Model No. Z-DELTACO-48
Shelf, wall-mounted, 32" x 17" with concealed brackets, printer slot, and 4 paper tray slots

17

2 ea TACO TIMER

FAST Inc. Model No. TT-500-DT
Taco Timer, Generic touchscreen
**PROGRAMMED WITH DEL TACO SOFTWARE

П

1 ea FOOD PROCESSOR

Sammic Model No. CA-411VV DT

1 ea FREEZER SHELVING

Cambro Model No. CAMSHELVING FREEZER Lot to Consist of:

- 1 ea ESU183072V5580 Camshelving® Elements Stationary Starter Unit,
- 2 ea ESU183672V5580 Camshelving® Elements Stationary Starter Unit,
- 3 ea ESU184872V5580 Camshelving® Elements Stationary Starter Unit,
- 1 ea ESU186072V5580 Camshelving® Elements Stationary Starter Unit,

1 ER COVERED IN EVING

Cambro Model No.: CAMSHELVING WALK-IN

Lot to Consist of:

- 1.ea ESU 214872V4580 Camshelving Elements Starter Unit
- 1 ea ESU213072V4580 Camshelving® Elements Stationary Starter Unit,
- 1 ea EA214872V4580 Camshelving® Elements Add-On Unit,

		 _
ar	7	

- 1 ea EA216072V4580 Camshelving® Elements Stationary Add-On Unit,
- 1 ea ESU212472V4580 Camshelving® Elements Stationary Starter Unit,
 - 2 ea ECC10580 Camshelving® Elements Corner Connector Set, I
 - 1 ea ANGLE RUNNER RACK, DOUBLE

Lockwood Manufacturing Model No. RA76-ER11E-DW Double Wide Aluminum Rack, double wide.

1 ea ANGLE RUNNER RACK, SINGLE

Lockwood Manufacturing Model No. RA76-ER11E Single Wide Aluminum Rack

9 ea CORNER GUARD

John Boos Model No. CORNER482-OUT-X

Post Release

Winhole Equipment Viode No. W. 66

1 ea WALL TRAX SYSTEM

SPG International Model No. WST1772E

1 ea REACH-IN UNDERCOUNTER REFRIGERATOR

Beverage Air Model No. UCR20Y

18 soft. WALL GLADDING, FOR MOP SINK

John Boos Model No. WE-SQE120 - Packed 1 sqft

1 ea CORNER602-OUT Corner Guards, outside comer,

Lea WATER FILTRATION SYSTEM, PARTS & ACCESSORIES Ecolab Model No. ECOL-92213705-00

1 ea ECOL-92213690-00 TO20S (ICE MACHINE, BREWERS) Del Taco Spec filter for Single head unit

ITEN

1 ea WATER FILTRATION SYSTEM, PARTS & ACCESSORIES Ecolab Model No. ECOL-92213708-00

- 1 ea ECOL-92223627 BY-PASS PLUG KIT
- 2 ea ECOL-92213684-00 TO10 FILTER (POST MIX)Del Taco Spec, Coffee/Tea Filter for Dual Head System

141₅₀ WALL CLADDING, FOR HOOD

ft.

John Boos Model No. WF-SQFT20 Packed 1 sq.ft.
Wall Flashing, 20 gauge stabiless steel, #4 brushed finish, priced per
square foot (maximum size per section 48" x 120")

- 7 ea WE-CS7 Wall Flashing Edge Cap, 84" long, stainless steel capping stri bright finish (for Wall Flashing)
- 3 ea WE-D87 Wall Flashing Divider Bar, 84" long, stainless steel, bright finish (for Wall Flashing)

 Buyout Flashing, Quoted at 195" x 48" x 80"

ZEG FE WALL CLADDING OVERSINKS

John Boos Model No. WE-SQFT20. Packed 1 sq ft

CUSTON WALK IN BUX DNLY Custom Model No. KOtPAK WALK-IN BOX 0-10" x 5-3" x 8-6-1/4"

ea WORK TABLE, STAINLESS STEEL TOP



John Boos Model No. ST6-3018SSK Work Table, 18"W x 30"D, 16/300 stainless steel flat top with Stallion safety edge front & back, 90" turndown on sides, stainless steel legs & adjustable undershelf, bullet feet, NSF, KD

1 ea X-02090-4 Modification to leg height, (4) leg table, 32"H overall

1st CAS01-R-X Casters, 5", beavy duty, locking, for 1-5/8" diameter legs (Set of 4) (FLYER NET PRICING)

30 sq ft. WALL CLADDING, FOR SOFFIT

Packed 1 sq ft John Boos Model No. WT-SQFT18

3 sq ft -wat cladding, mopsink cap

WORKTOP COOK STAND REFRIGERATOR 1 ea

Beverage Air Model No. WTRCS48-1

ABSENDATE REPORT OF THE PROPERTY OF THE PROPER

Marshall Air Systems Model No. RR5-48-5PTDT

QTY DESCRIPTION

- 1 HME EOS/HD 5 Headsets Package
- 4 HME Vehicle Detector VDB102
- 1 HME P202 Promo Credit \$695,00
- HME P202 Promo Credit \$695 00
- 1 Quam Cook Celling Speaker
- 1 Quam Speaker Bridge Model SSB2
- 1 Zoom 3.0 Timer 22" LCD & VDB
- 1 HME Basic Cloud Service (Free)
- 1 HOMI 75' Cable Zoom 3:0
- 1 HDMI Flex Cable 1ft

6-EXTERIOR ICONS-TOMATO, CHICKEN, CHEESE, BURGER, KETTLE, PEPPERS

3-BOLD FRESH FLAVOR MOUNT TO CLEAR ACRYLIC

3-LETTERS; CHEDDAR, CHICKEN, BEANS- MOUNTED TO BLACK PVC

54-STANDOFFS

1-SAWBLADE MURAL

7- BACKER BOARDS WITH STANDOFFS

4FT HOOD W/BUILT IN 3" BACK STANDOFF

ANSUL 6 GAL MANIFOLDED FIRE SYSTEM IN UTILITY CABINET

2-HIGH SPEED DIRECT DRIVE CENTRIFUGAL EXHAUST FAN

D76 LOW CFM DIRECT FIRED HEATER, DIRECT DIRVE

DVC2111 DEMAND CONTROL VENTILATION W/CONTROL FOR 2 EXHAUST FANS

ULTRABOS/ALOHA FRANCHISE LEVEL 1 SUPPORT SERVICES

DEL TACO BACK OFFICE ULTRA BOS SOFTWARE

LENOVO TOWER WIDELL MONITOR AND SOUND BAR

- 4- KDS ARTICULATING ARM MOUNTING BRACKETS
- 9-19" KDS FLAT SCREEN MONITORS

42" LEVITON TEMELCOM BOX W 2" EXTENTION BRACKET

3 BAR CODE SCANNER PACKAGE

LINE BUSTER PACKAGE

QSR KITCHEN SOFTWARE

TYPE A2: ACCESS LIGHTING SYDNEY 1 LIGHT GLASS PENDANT IN BRUSHED STEEL WITH RED GLASS	8
TYPE A3 - ACCESS LIGHTING SYDNEY 1 LIGHT GLASS PENDANT IN BRUSHED STEEL WITH GREEN GLASS	3
TYPE A2 & A3:	9
TYPE B1: NHIC-6LMRAT - 6" LED IC AT DED DIAMOND HSG Q	33
TYPE B1:12W 5/6" Round Dimmable LED Reflector, 120V, 750 Lumens, 90+ CRI, 3000K, White Finish, White Flange	33
TYPE B1X: NHIC-6LMRAT - 6" LED IC AT DED DIAMOND HSG Q	11
TYPE B1X: 12W 5/6" Round Dimmable LED Reflector, 120V, 750 Lumens, 90+ CRI, 3000K, White Finish, White Flange	11
TYPE EM1: LED EMERGENCY WITH 3.6V NI-CAD.BATTERY- 3.6V, 1.5WX2 HEADS WITH 9 LEDS, 1.5 HOUR DISCHARGE, 24 HOUR CHARGE-REMOTE CAPABLE 3.6V 3W-120/277V	4
TYPE H1 & H1X: 38W, 2x4 HIGH PERFORMANCE LED PANEL, 4000K	17
TYPE J & JZ: LPACK WALLPACK 18W WARM LED W/ BACKPLATE & JUNCTION BOX BRONZE	4
TYPE I & J2: SWIVEL ARM 24" WITH ROUND WALL PLATE & LPACK ADAPTER	4
TYPE K1: Size: 227.7x172x105mm Voltage: AC 120-277V PF>0.90 CRI>70CCT: 40K - LUMLLEDS COB - 30W - DARK BRONZE- 30W WALL PACK - TYPE	10
TYPE J3: OSL48LS32W3200LDMV40KBK- OUTDOOR SIGN LIGHTER - 54.5"LX5.25"WX3.06"H AL EXT. CLEAR LENS 48W 4800L	13
TYPE K: LPACK WALLPACK 18W WARM LED W/ BACKPLATE & JUNCTION BOX BRONZE	2

TYPE K1; Size: 227.7x172x105mm Voltage: AC 120-277V	
PF>0.90 CRb70CCT: 40X= LUMLLEDS COB+ 30W-DARK	
BRONZE-30W WALL PACK-TYPE	
TYPE M1: C232MV-4'STRIP, 24AMPT8	. 2
TYPE M1: T81ED GLASS TUBE, 1.2M, 15W, FROSTED, 4000K	2
1600LM, DC COMPATIBLE (WORKING WITH BALLAST)	
TYPE X1: 120/277V LED EXIT SIGN (RED LETTER) MANUAL	3.4
TEST/ULLISTED BATTERY BACK UP	
TYPE YE EXTERIOR WALL SCONCE, BRUSHED COPPER, WALL	13
MOUNTED	
TYPE YE. TOP ELITE SERIES A19 A-LAMP- GOES TO Y1	26

33W, 2800 LUMEN TRACK HEAD - 60 DEGREE FLOOD, 3500K, WHITE FINISH WITH H-STYLE TRACK ADAPTOR	11
NT-303W - 6FT TRACK/WHITE	2
NT-310W - STRAIGHT CONNECTOR / WHITE	2
NT-316W - LIVE END/WHITE	2
TIMECLOCK ASTRONOMICAL 2 CHANNEL, PHOTOCELL AND OCC SENSORS WITH 8 POLE CONTACTOR	2
DUAL RELAY OCCUPANCY SENSING WALL SWITCH, WHITE	3

2-P1535 60 GB RAM WEPR7 64BIT MST NO BIOS

2-P1535 60 GB RAM WEPR7 64BIT MST NO BASE NO BIOS

USB MINI KEYBOARD

4- TRIPPLITE 550VA UPS BATTERY BACKUP

3-16" MS CASH DRAWER

3-16"CASH TILL

3-16"CASH DRAWER MOUNTING BRACKETS

3-MS CASH DRAWER ADAPTER

3-EPSON TM88V THERMAL RECEIPT PRINTER

3-EPSON TM88V PRINTER CABLE

	POWERVAR 400VA POWER CONDITIONER
	NETGEAR 24 PORT SWITCH
	5-4"RADIAL ARM WALL MOUNT BRACKET
	3-LONG REDIAL ARM WALL MOUNT
	2-WALLMOUNT ASSEMBLY KIT
	CASHDRAWER LOOPBACK CABLE
	SMALL BUSINESS INTALL KIT
	4-ALOHA QUICKSERVICE POS TERMINAL
	4-CREDIT CARD PAYMENT TERMINAL LICENSE
	ALOHA THIRD PARTY GIFT CARD INTERFACE
	COMMAND CENTER SITE LICENSE
	CONFIGURATION CENTER SITE LICENSE
	NORTON ANTIVIRUS
	CUSTOMER SATISFACTION SURVEY
Ada Larinia e e e e e e e e e e e e e e e e e e e	ALOHA CONNECT
	ALOHA VIDEO SOFTWARE LICENSE
	2-EXTERNAL INTERFACE TERMINAL
	4-27X20 TABLE TOP, NATURAL MAPLE
	2-27X30 TABLE TOP, NATURAL MAPLE
	7-27X42 TABLE TOP, NATURAL MAPLE
	32X42 TABLE TOP, NATURAL MAPLE
	3-EMBEDDED HANDICAP EMBLEMS
	4-TABLE BASES
	4-HANDICAP TABLE BASES
	8-STANDARD TABLE BASES
	30" DOUBLE BOOTH
	3-42"DOUBLE BOOTH
	2-30"SINGLE BOOTH
	6-42" SINGLE ROOTH

160 SETTEE

- 8-FLOATING PANEL DIVIDER WALLS
- 2-PLEXIGLASS ARTWORK POSTS
- 4-GRAPHIC SIGN POST
- PLEXIGLASS ARTWORK STANCHION POST
- 2-DEL DOUBLE TRASH UNIT W ROLL OUT LINER
- 9-DEL TACO CHAIRS
- 74X36 BEVERAGE CABINET
- **CHAIR RAIL**
- **30X196 SOLID SURFACE COUNTER TOP**
- WINDOW SILL
- LAMINATED FASCIA PANEL
- LAMINATED WAINSCOT PANEL

EXHIBIT A

PROPERTY DESCRIPTION

Approximately 30,000 square feet of the Southernmost portion (approximately 90 feet) of the Northwest corner of Washburn Way and Onyx Avenue with the address of 3370 Washburn Way, Klamath Falls, Oregon 97603, which includes a building of approximately 2,121 square feet (the "Building"), parking and landscaping (collectively, the "Premises").

The legal description of the parcel on which the Premises is located is:

THE SOUTHERN ONE HUNDRED TWENTY (120) FEET OF LOT 4, BLOCK 1, TRACT 1249, KLAMATH COUNTRY, OREGON.