2024-001563 Klamath County, Oregon 02/29/2024 10:20:01 AM Fee: \$187.00

UCC FINANCING STATEMENT AMENDMENT

U	C FINANCING STATEMENT AMENDMENT				•		
FOI	LLOW INSTRUCTIONS						
	NAME & PHONE OF CONTACT AT FILER (optional) ame: Wolters Kluwer Lien Solutions Phone: 800-331-3282 Fax: 81	18-662-4141					
В.	E-MAIL CONTACT AT FILER (optional) uccfilingreturn@wolterskluwer.com		1				
C.	SEND ACKNOWLEDGMENT TO: (Name and Address) 15602 - US BA	NK	1				
ſ	Lien Solutions 976220 P.O. Box 29071	_					
l .	Glendale, CA 91209-9071 OROR FIXTU						
ll	<u></u>	'`					
12	File with: Klamath, OR INITIAL FINANCING STATEMENT FILE NUMBER	11	THE ABOVE SPACE				
	19-008609 7/30/2019 CC OR Klamath		b. This FINANCING STATEM (or recorded) in the REAL Filer: attach Amendment Adde	ESTATE	RECORDS		
2.	TERMINATION: Effectiveness of the Financing Statement identified above is Statement	terminated with r					
3.	ASSIGNMENT (full or partial): Provide name of Assignee in item 7a or 7b, and For partial assignment, complete items 7 and 9 and also indicate affected col		ignee in item 7c <u>and</u> name of As	signor in it	em 9		
4.	CONTINUATION: Effectiveness of the Financing Statement identified above we continued for the additional period provided by applicable law	with respect to the	e security interest(s) of Secured F	Party auth	orizing this Continua	tion Stat	ement is
5.	PARTY INFORMATION CHANGE:						
_	Check <u>one</u> of these two boxes: AND Check <u>one</u> of						
	his Change affects Debtor or Secured Party of record CHANG item 6a or	E name and/or ad or 6b; <u>and</u> item 7a	or 7b <u>and</u> item 7c ADD name or 7b <u>and</u> item 7c	e: Complet and item 7d	to be dele	name: Gr ted in iter	ve record name n 6a or 6b
6. C	URRENT RECORD INFORMATION: Complete for Party Information Change - p	rovide only <u>one</u> r	name (6a or 6b)				
	© CACTUS ENTERPRISE, LLC						
OR	66. INDIVIDUAL'S SURNAME	FIRST PERSONAL	NAME	ADDITION	AL NAME(S)/INITIAL(S	,	SUFFIX
	OU. INDIVIDUALS SURIVAIVIE	FIRST PERSONAL	INAIVIE	ADDITION	AL NAME(S)/INTTAL(S	, I	SUFFIX
7 (CHANGED OR ADDED INFORMATION: Complete for Assignment or Party Information Chan	nge - provide only on	e name (7a or 7h) (use exact full name: d	o not omit m	odify or abbreviate any na	art of the De	ehtor's name)
	7a. ORGANIZATION'S NAME	igo provide em <u>em</u>	2 Hallio (72 61 72) (430 0x464; Tall Hallio, 4	o not onne, m	ouny, or approvided any pa		, biol o Hamo,
OR	7b. INDIVIDUAL'S SURNAME						
	INDIVIDUAL'S FIRST PERSONAL NAME						
							0115507
	INDIVIDUAL'S ADDITIONAL NAME(S)/INITIAL(S)						SUFFIX
70	MAILING ADDRESS	CITY		STATE	POSTAL CODE		COUNTRY
70.	WILLING ADDICESC	Citt		OITTL	TOOTAL CODE		COOMIN
8.	COLLATERAL CHANCE: Also should and of those four house.	a allataral			overed colletoral		CICN colleteral
O. L	☐ COLLATERAL CHANGE: Also check one of these four boxes: ☐ ADD of the collateral:	collateral L	☑ DELETE collateral □ Rt	ESTATEC	overed collateral	L AS	SIGN collateral
Del	btor Name and Address:						
CA	CTUS ENTERPRISE, LLC - 2921 FREDRICK DR , MEDFORD, C	DR 97504					
Sec	cured Party Name and Address:						
	S. Bank Equipment Finance, a division of U.S. Bank National Asso	ociation - 1310) Madrid Street , Marshall, I	MN 5625	58		
9. N	IAME OF SECURED PARTY OF RECORD AUTHORIZING THIS AMEN	NDMENT: Prov	ride only <u>one</u> name (9a or 9b) (na	me of Assi	gnor, if this is an Ass	ignment))
	this is an Amendment authorized by a DEBTOR, check here and provide na	me of authorizing					
	9a. ORGANIZATION'S NAME U.S. Bank Equipment Finance, a division of U.S. Bank N	lational Asso	ociation				
OR	96. INDIVIDUAL'S SURNAME	FIRST PERSONAL		ADDITION	AL NAME(S)/INITIAL(S	, I	SUFFIX
	SU. INDIVIDUAL O SULTANIEL	TINGT FERSONAL	INCAMIL	YPPITION	TE NAME (S)/INTIAL(S	,	JULIA
10. (┃ OPTIONAL FILER REFERENCE DATA:	RPRISE LLC					
	DEDIDI NAME, CACTUS ENTER						




3000009057

97622024

UCC FINANCING STATEMENT AMENDMENT ADDENDUM

FOLLOW INSTRUCTIONS			
11. INITIAL FINANCING STATEMENT FILE NUMBER: Same as item 1a on 2019-008609 7/30/2019 CC OR Klamath	Amendment form		
12. NAME OF PARTY AUTHORIZING THIS AMENDMENT: Same as item 9	9 on Amendment form		
12a. ORGANIZATION'S NAME U.S. Bank Equipment Finance, a division of U.S. E	Bank National Association		
OR 12b. INDIVIDUAL'S SURNAME			
FIRST PERSONAL NAME			
ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX	THE ABOVE SPACE IS FOR FILING OFFICE USE	E ONLY
13. Name of DEBTOR on related financing statement (Name of a current Done Debtor name (13a or 13b) (use exact, full name; do not omit, modified to the content of the conte		purposes only in some filing offices - see Instruction item	
13a. ORGANIZATION'S NAME CACTUS ENTERPRISE, LLC			
OR 13b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX
14. ADDITIONAL SPACE FOR ITEM 8 (Collateral):			



OZ INVESTMENT LLC 2499 N CROOKED CREEK WAY MERIDIAN, ID 83646 17. Description of real estate:

3370 WASHBURN WAY, KLAMATH FALL OR 97603-4530

see attached Legal Land Description

18. MISCELLANEOUS: 97622024-OR-35 15602 - US BANK BUSINESS EQU

U.S. Bank Equipment Finance, a division File with: Klamath, OR

3000009057 2520125

UCC SCHED A -			
1167 CT UF (1 A		WALLE OF FRIT	
1/1 X OF134	' / 7 /	AL ILIN FINE	FRFRINE
~~~~~~~~	~~~~~~	W (0 1 0 3 5 11 1	

1	Реп	nit	Fee
Ł	1 (	84 E L	1 66

- 1 Estimated Permit Procurement
- 1 Structural Engineering
- 1 Pylon @ 30' OAH w/8' X10' cabinet
- 2 24" Channel Letter Wall Sign
- 2 Directional Sign DT</DT>
- 1 Directional Sign TY/DNE
- 2 Standing Seam Awning 54x78x20
- 1 Standing Seam Awning-54x76x20
- 1 Standing Seam Awning-54x84x20
- 4 Standing Seam Awning-54x108x20
- 1 Preview Menu-ftg by others
- 1 Drive Thru Menu with Speaker Post-
- 1 Drive Thru Canopy-fing by others
- 1 Height Detector w/ bumpbar-ftg by ot
- 1 20' Canopy with tie backs and DTOL
  - 1- CLEARANCE BAR, DEL TACO

#### 1ea SAFE

## Bluedot Model No. BFL273121SBSDK2DIC1

- 1 ea WORK TABLE, 132", STAINLESS STEEL TOP
  - John Boos Model No. ST6R1.5-30132SBK
- Work Table, 132"W x 30"D, 16/300 stainless steel top with 1-1/2"H rear up-turn, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs, side & rear adjustable bracing, adjustable bullet feet, NSF, CSA-Sanitation, KD
- 1 ea X-0002L Size modification to reduce size, price next largest size
- 1 ea X-0204H (2) Additional stainless steel legs (modification)
- 3 ft X-2203H Additional galvanized channels (per linear ft.)
- 1 ea X-0208A Cutout per sketch (used for special cutouts for drop-in)
  (modification)
- 1 ea CUT04 Sink Cutout
- 1 ea SSK8-3060 Work Table Undershelf, 60°W x 30°D, 18/300 stainless steel, NSF
- 1 ea PB-DISINK101410-P-SSLR-X Drop-In Sink, 1-compartment, 12-1/2"W x 18-3/4"D x 15"H overall size, (1) 10"W x 14" front-to-back x 10"deep bowl, deck mount faucet holes with 4" centers, 3-1/2" drain opening with basket drain, stainless steel construction construction, with left & right side splashes, includes economy gooseneck faucet, 3-1/2" spout, NSF, CSA (FLYER NET PRICING FOR EFFINGHAM AND NEVADA)
- 2 ea Z-CUPBRKT-21 Cup Mounting Bracket, under counter mount 16 gauge s/s, size and shape per plan

ITEN

1 ea WORK TABLE, 48", STAINLESS STEEL TOP

John Boos Model No. ST6R1.5-3048SBK

- 1 ea WSUG-4 Welded Setup, (4) legs with gussets, (base is removable from top) (freight class change required when choosing this option)
- 1 ea X-2201J 30" left end splash, stainless steel (up to 6" in height)

## 1 ea COFFEE TEA BREWER

#### 2 ea SODA ICE & BEVERAGE DISPENSER



Lancer Model No. 85-21812-0-2-31S

Ice Beverage Dispenser, Above Counter, 30"W x 31"D, cubed ice, 250 lb. ice capacity, Coca-Cola illuminated merchandiser display, Coca-Cola wrapper decals sides and back, (12) flavors, (2) MVU 3-flavor valves and (6) LEV® self serve lever valves, (2) LEV positions & (2) MVU positions have carb/non-carb flexibility, (2) brand ambient capability, removable drip tray and cup rest, stainless steel interior and exterior, 3/8" barb inlets, 50 psi per minute, 120v/60/1-ph, 2.25 amps, ETL, NSF

- 2 ea DISPENSER ADAPTER
- 1 e2 ADA KIT ADA KIT FOR SELF-SERVE (82-4460/01 KIT. ADA PENDANT, BEV ACIB, M/MVU BD)
- 12 ea 82-3888 KIT, CONV, PC, LEV, EASYTOUCH
- 6 ea 30-12240-SP SPACER, ICE MAKER ADAPTER, 3 INCH, ACIB
- 2 ea 30-12247-SP PLATE,ICE MAKER ADAPTER,30X5,ACIB
- 2 ea 30-12280-SP COVER PLATE, ICE MAKER ADAPTER, 30X5, ACIB
- 2 ea 82-4932 KIT, ICE MAKER ADPATER, 30 INCH, ACIB

## 1 ea CUP MOUNTING BRACKET

John Boos Model No. Z-CUPBRKT-21 Cup Mounting Bracket, under counter mount, 16 gauge s/s, size and shape per plan

ITEI

#### 2 ea DISPOSABLE CUP DISPENSER

Diversified Metal Model No. ADJ-NS-31 Packed 12 ea Cup Dispenser, surface/stand mounted, adjustable, spring-loaded, rim dia. 2-7/8" - 3-1/2", tube dia. 3-11/16", 25-1/2" long, stainless steel construction, NSF, includes mounting brackets & hardware

- 1 ea ADJ-NS-101 Cup Dispenser, surface/stand mounted, adjustable, spring-loaded, rim dia. 3-3/4" 4-5/16", tube dia. 4-5/8", 25-1/2" long, stainless steel construction, NSF, includes mounting brackets & hardware
- 1 ea ADJ-NS-151 Cup Dispenser, surface/stand mounted, adjustable, spring-loaded, rim dia. 4-1/8" 4-3/4", tube dia. 4-7/8", 25-1/2" long, estainless steef-construction, NSF, includes mounting brackets hardware

#### 4 ea DISPOSABLE CUP DISPENSER

Diversified Metal Model No. ADJ-NS-31 Packed 12 ea Cup Dispenser, surface/stand mounted, adjustable, spring-loaded, rim dia. 2-7/8" - 3-1/2", tube dia. 3-11/16", 25-1/2" long, stainless steel construction, NSF, includes mounting brackets & hardware

- 3 ea ADJ-NS-101 Cup Dispenser, surface/stand mounted, adjustable, spring-loaded, rim dia. 3-3/4" 4-5/16", tube dia. 4-5/8", 25-1/2" long, stainless steel construction, NSF, includes mounting brackets & hardware
- 1 ea ADJ-NS-151 Cup Dispenser, surface/stand mounted, adjustable, spring-loaded, rim dia. 4-1/8" 4-3/4", tube dia. 4-7/8", 25-1/2" long, stainless steel construction, NSF, includes mounting brackets & hardware

ITEN

#### 1 ea CUP MOUNTING BRACKET

John Boos Model No. Z-CUP8RKT-23

## 1 ea REACH-IN UNDERCOUNTER FREEZER

Beverage Air Model No. UCFD27AHC-2-23

#### 1 ea GAS CONNECTOR HOSE KIT

Krowne Metal Model No. M7548K3



Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stainless steel corrugated tubing & radial wrap with green antimicrobial PVC coating, (1) quick disconnect, & (2) 90° elbows, restraining cable with mounting hardware, 180K BTU/hr minimum flow capacity

**ITE** 

#### 1 ea FRYER PARTS & ACCESSORIES

John Boos Model No. Z-DELTACO-29B Deep Fryer Splash, 20-1/2"W x 12"H, 18 gauge stainless steel, shape per plan

ITE

#### 1 ea FRYER CAP

John Boos Model No. 2-DELTACO-29C

Fryer Cap, 16 gauge s/s, size and shape per plan

171

## 1 ea SANDWICH / SALAD PREPARATION REFRIGERATOR

Beverage Air Model No. SPE27HC-B

## 1 ea WORK TABLE, 36", STAINLESS STEEL TOP

John Boos Model No. ST6-3636SBK

Work Table, 36"W x 36"D x 35-3/4"H overall size, 16/300 stainless s
flat top, with Stallion Safety Edge front & back, 90° turndown on six
stainless steel legs, side & rear adjustable bracing, adjustable built
feet, NSF, CSA-Sanitation, KD

1 ea WSUG-4 Welded Setup, (4) legs with gussets, (base is removable fitop) (freight class change required when choosing this option)

#### 1 ea COUNTERTOP GRIDDLE

Imperial Model No. ITG-48-DEL-03

## 1 ea GAS CONNECTOR HOSE KIT

Krowne Metal Model No. M7548K3



Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stainles steel corrugated tubing & radial wrap with green antimicrobial PVC coating, (1) quick disconnect, & (2) 90° elbows, restraining cable with mounting hardware, 180K BTU/hr minimum flow capacity

ŧΤ

#### 1ea RANGE

Imperial Model No. ISP-18M-2-DEL-II
Double Stock Pot

- 180,000 BTU's, Stainless steel front and both sides
- Short legs with reinforced brackets to give overall height of 25-1/8"
- Includes set of 3 locking & 3 non-locking casters
- Rear gas line turn down

IT

#### 1 ea GAS CONNECTOR HOSE KIT

าการพิทิธาศีetal Model No. M7548K3

#### 1ft BUMPER BAR

John Boos Model No. Z-DELTACO-BUMPER Packed 1 ft 1" x 3" x 4" x 3" x 1" x 24" long Per Sketch

#### 1 ea RETHERMAUZER WATER TANK

Pitco Frialator Model No. SRTG14

### 1 ea GAS CONNECTOR HOSE KIT

Krowne Metal Model No. M7548K3



Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stainless steel corrugated tubing & radial wrap with green antimicrobial PVC coating, (1) quick disconnect, & (2) 90° elbows, restraining cable with mounting hardware, 180K BTU/hr minimum flow capacity

ITEN

## 1 ea WORK TABLE, 36", STAINLESS STEEL TOP

John Boos Model No. ST6-2436SSK-X

#### 2 ea CLAMSHELL GRILL

Proluxe Model No. SL1-266DTA Split Lid Grill with 7.2"L power cord=120v/50/60hz 1900 w/15:8amps=NEMA 5-20P

2 ea RELEZE Grill and Platen Saver Coating, 24 oz., aluminum cooking surfaces only (No discount allowed on this product) (NET)

**ITEM T** 

#### 1 ea TACO COUNTER

OmniTeam, inc: Model No. DOUBLE: IACO ASSEMBLY COUNTER

## ea THERMOGLO

Marshall Air Systems Model No. 167670

#### 1 ea CONVEYOR TOASTER



Antunes Model No. GST-1H DEL TACO UNIT PC-14016 DEL TACO Flat Bread Toaster, front load/front return, motorized conveyor, adjustable digital controls, top & bottom high-temperature platens, accommodates products up to 16" wide, stainless steel construction, 208v/60/1-ph, 4600 watts, NEMA L6-30P (twist lock), cETLus, ETL-Sanitation

- 1 ea 1 year parts & labor warranty, standard
- 1 ea 70001659 MAIN BELT, (2) PACK

M

#### 1 ea MOBILE HEATED CABINET

FWE / Food Warming Equipment Co., Inc. Model No. TST-19SL-DT

#### 1 ea DRY STORAGE

Cambro Model No. CAMSHELVING

Lot to Consist of:

1 ea ESU184884V5580 Camshelving® Elements Starter Unit, 18"W x 48"L x

Lea ESU183684V5580 Camshelving Elements Starter Unit, 18 W x 36 L x

2 ea ESU183084V5580 Camshelving® Elements Stationary Starter Unit,

#### 1 ea FRONT UNDERCOUNTER

Cambro Model No. SHELVING
To Consist of:

2011/04 Brokimies, 110.

3 ea ESU184830V2580 Camshelving® Elements Stationary Starter Unit, :

## 1 ea SOLID SHELVING



Metro Model No. 2442FS

Super Erecta® Shelf, solid, 42"W x 24"D, stainless, flat, raised "ship's edge" on all (4) sides, aluminum castings lock corners to posts

- 1 ea 25CP Super Erecta® Post, special cut length, 25-3/8"H, for stationary use, includes: post cap & leveling bolt, chrome plated finish
- 1 ea 9991P Glide, smooth polymer cover fits over leveling bolt to protect floors

#### 1 ea BAG HOLDER

John Boos Model No. Z-DELTACO-BAGHOLDER Drive Thru Bag Holder, 16 gauge s/s, size per plan

#### 1 ea BAG IN BOX SYRUP TANK SYSTEM

50 1000 20 1000 2510

#### 2 ea BEVERAGE DISPENSER, PARTS

Lancer Model No. 82-4200/01 LANCER PUMP, PUMP ASSY,100FT,LOW LEAD BRASS, 82-4200/01

**BULK CO2 TANK** 

**BULK CO2 TANK** 

BY OWNER

#### 1 ea SHAKE MACHINE

Taylor Company Model No. 490

1 ea Spinner panel mount assy

### 1 ea WALL SHELF

John Boos Model No. Z-DELTACO-48

Shelf, wall-mounted, 32" x 17" with concealed brackets, printer slot, and 4 paper tray slots

IT

#### 2 ea TACO TIMER

FAST Inc. Model No. TT-500-DT
Taco Timer, Generic touchscreen
**PROGRAMMED WITH DEL TACO SOFTWARE

П

#### 1 ea FOOD PROCESSOR

Sammic Model No. CA-411VV DT

#### 1 ea FREEZER SHELVING

Cambro Model No. CAMSHELVING FREEZER Lot to Consist of:

- 1 ea ESU183072V5580 Camshelving Elements Stationary Starter Unit,
- 2 ea ESU183672V5580 Camshelving® Elements Stationary Starter Unit,
- 3 ea ESU184872V5580 Camshelving® Elements Stationary Starter Unit,
- 1 ea ESU186072V5580 Camshelving® Elements Stationary Starter Unit,

## 1ea COOLEGHELVING

Cambro Model No. CAMSHELVING WALK-IN Loi: to Consist of

- 1 ea ESU214872V4580 Camshelving® Elements Starter Unit,
- 1 ea ESU213072V4580 Camshelving® Elements Stationary Starter Unit,
- 1 ea EA214872V4580 Camshelving® Elements Add-On Unit,

كسادات	-
- 17	
4 I N	

- 1.ea :: EA216072V4580 Camshelving Elements Stationary Add-On Unit,
- 1 ea ESU212472V4580 Camshelving® Elements Stationary Starter Unit, .
  - 2 ea ECC10580 Camshelving® Elements Corner Connector Set, I
  - 1 ea ANGLE RUNNER RACK, DOUBLE

Lockwood Manufacturing Model No. RA76-ER11E-DW Double Wide Aluminum Rack, double wide.

## 1 ea ANGLE RUNNER RACK, SINGLE

Lockwood Manufacturing Model No. RA76-ER11E Single Wide Aluminum Rack

#### 9 ea CORNER GUARD

John Boos Model No. CORNER482-OUT-X

## 2 ea LOCKER

Winholt Equipment Model No. WE66

## 1 ea WALL TRAX SYSTEM

SPG International Model No. WST1772E

#### 1 ea REACH-IN UNDERCOUNTER REFRIGERATOR

Beverage Air Model No. UCR20Y

## 18 soft WALLGLADDING FOR MOPSINK

John Boos Model No. WESQET20 Packed 1 sq ft

## ilea CORNER602=00 Comer Guards couside comer

## 1 ea WATER FILTRATION SYSTEM, PARTS & ACCESSORIES Ecolab Model No. ECOL 92213705 €00

1 ea ECOL-92213690-00 TO20S (ICE MACHINE, BREWERS) Del Taco Spec filter for Single head unit

ITEN

# 1 ea WATER FILTRATION SYSTEM, PARTS & ACCESSORIES Ecolab Model No. ECOL-92213708-00

1 ea ECOL-92223627 BY-PASS PLUG KIT

2 ea ECOL-92213684-00 TO10 FILTER (POST MIX)Del Taco Spec, Coffee/Tea Filter for Dual Head System

#### 141 sq - WALL CLADDING, FOR HOOD

fft.

John Boos Model: No: WF-SQFT20 Racked 1 sq.ft.
Wall Flashing: 20 gauge stain less steel; #4 brushed finish, priced per
square foot (maximum size per section 48" x 120")

- 2 ea: WE CS7 Wall Flashing Edge Cap, 84 long, stainless steel capping stri bright-finish (for Wall Flashing)
- 3ea WF DB7 Wall Flashing Divider Bar, 84" long, stainless steel, oright finish (for Wall Flashing)

  Buyout Flashing, Quoted at 195" x 48" x 80"

# 21 sg ft WALLC ADDING, OVER SINKS John Boos Model No. WESQET20 — Packed Lsg ft

#### lea custom walkin box only

Custom Model No. KOLPAK WALK-IN BOX 4'-10" x:5'-0" x 8'-6:1/4"

ΠE

## Lea WORKSTABLE, STAINLESS STEEL TOP

John Boos Model No: \$16:301855K Work Table, 18"Wix 30"D: 16/300 stainless steel flat top with Stallion safety edge front & back, 90° turndown on sides, stainless steel legs & adjustable undershelf, bullet feet, NSF, KD

- 1 ea X=02090-4 Modification to leg height (4) leg table, 32"H overall
- 1st CAS01-R X Casters; 5", heavy duty; locking, for 1-5/8" diameter legs (set of 4) (FLYER NET PRICING)

ITEI

## 30.sq ft: WALL CLADDING; FOR SOFFIT

John Boos Model No. WT-SQFT18 Packed 1 sq ft

## Engile Walledlanding, Miopsink Cap

## 1 ea WORKTOP COOK STAND REFRIGERATOR

Beverage Air Model No. WTRCS48-1

#### ace a stable; a syawakwiak

Marshall Air Systems Model No. RR5485PTDT

## QTY DESCRIPTION

- 1 HME EOS/HD 5 Headsets Package
- 1 HME Vehicle Detector VDB102
- 1 HME P202 Promo Credit \$695,00
- HME P202 Promo Credit \$695 00
- 1 Quam Cook Celling Speaker
- 1 Quam Speaker Bridge Model SSB2
- 1 Zoom 3.0 Timer 22" LCD & VDB
- 1 HME Basic Cloud Service (Free)
- 1 HDMI 75' Cable Zoom 3:0
- 1 HDMI Flex Cable 1ft

6-EXTERIOR ICONS-TOMATO, CHICKEN, CHEESE, BURGER, KETTLE, PEPPERS

3-BOLD FRESH FLAVOR MOUNT TO CLEAR ACRYLIC

3-LETTERS; CHEDDAR, CHICKEN, BEANS- MOUNTED TO BLACK PVC

54- STANDOFFS

1-SAWBLADE MURAL

#### 7-BACKER BOARDS WITH STANDOFFS

4FT HOOD W/BUILT IN 3" BACK STANDOFF

ANSUL 6 GAL MANIFOLDED FIRE SYSTEM IN UTILITY CABINET

2-HIGH SPEED DIRECT DRIVE CENTRIFUGAL EXHAUST FAN

D76 LOW CFM DIRECT FIRED HEATER, DIRECT DIRVE

DVC2111 DEMAND CONTROL VENTILATION W/CONTROL FOR 2 EXHAUST FANS

**ULTRABOS/ALOHA FRANCHISE LEVEL 1 SUPPORT SERVICES** 

DEL TACO BACK OFFICE ULTRA BOS SOFTWARE

LENOVO TOWER W DELL MONITOR AND SOUND BAR

4- KDS ARTICULATING ARM MOUNTING BRACKETS

9- 19" KDS FLAT SCREEN MONITORS

## 42" LEVITON TEMELCOM BOX W 2" EXTENTION BRACKET

#### 3 BAR CODE SCANNER PACKAGE

#### LINE BUSTER PACKAGE

#### **QSR KITCHEN SOFTWARE**

TYPE AZ: ACCESS LIGHTING SYDNEY 1 LIGHT GLASS PENDANT IN BRUSHED STEEL WITH RED GLASS	8
TYPE A3 - ACCESS LIGHTING SYDNEY 1 LIGHT GLASS PENDANT IN BRUSHED STEEL WITH GREEN GLASS	3
TYPE A2 & A3:	9
TYPE B1: NHIC-6LMRAT - 6" LED IC AT DED DIAMOND HSG Q	33
TYPE B1:12W 5/6" Round Dimmable LED Reflector, 120V, 750 Lumens, 90+ CRI, 3000K, White Finish, White Flange	33
TYPE B1X: NHIC-6LMRAT - 6" LED IC AT DED DIAMOND HSG  _Q	11
TYPE B1X: 12W 5/6" Round Dimmable LED Reflector, 120V, 750 Lumens; 90+ CRI, 3000K, White Finish, White Flange	11
TYPE EM1: LED EMERGENCY WITH 3.6V NI-CAD BATTERY- 3.6V, 1.5WX2 HEADS WITH 9 LEDS, 1.5 HOUR DISCHARGE, 24 HOUR CHARGE-REMOTE CAPABLE 3.6V 3W-120/277V	4
TYPE H1 & H1X: 38W, 2x4 HIGH PERFORMANCE LED PANEL, 4000K	17
TYPE J & JZ: LPACK WALLPACK 18W WARM LED W/ BACKPLATE & JUNCTION BOX BRONZE	4
TYPE J & J2: SWIVEL ARM 24" WITH ROUND WALL PLATE & LPACK ADAPTER	4
TYPE K1: Size: 227.7x172x105mm Voitage: AC 120-277V PF>0.90 CRI>70CCT: 40K - LUMLLEDS COB - 30W - DARK BRONZE- 30W WALL PACK - TYPE	10
TYPE 13: OSL48LS32W3200LDMV40KBK- OUTDOOR SIGN LIGHTER - 54.5"LX5.25"WX3.06"H AL EXT. CLEAR LENS 48W 4800L	13
TYPE K: LPACK WALLPACK 18W WARM LED W/ BACKPLATE & JUNCTION BOX BRONZE	2

TYPE K1: Size 227.7x172x105mm Voltage: AC 120-277V	10
PF>0.90 CRI>70CCT 40K LUMILEDS COB. 30W DARK	
BRONZE-30V/WALLPACK-TYPE	
TYPE M1 (Z32MV-4) STRIP, 2 LAMP 18	2
TYPE M1: T8 LED GLASS TUBE, 1:2M, 15W, FROSTED, 4000K,	4
1600LM, DE COMPATIBLE (WORKING WITH BALLAST)	
TYPEXI 120/22/70 LEDIEXIT SIGN (RED. LETTER) MANUAL	3
TEST/UL LISTED BATTERY BACKUP	
TYPEYLEEXTERIOR WALLSCONCE; BRUSHED COPPER, WALL	13
MOUNTED	
TYPEYE TOP EUTESERIES ALU ASTAMPE GOESTO YA	26

33W, 2800 LUMEN TRACK HEAD - 60 DEGREE FLOOD, 3500K, WHITE FINISH WITH H-STYLE TRACK ADAPTOR	11
NT-303W - 6FT TRACK/WHITE	2
NT-310W - STRAIGHT CONNECTOR /WHITE	2
NT-316W - LIVE END/WHITE	2
TIMECLOCK ASTRONOMICAL 2 CHANNEL, PHOTOCELL AND OCC SENSORS WITH 8 POLE CONTACTOR	2
DUAL RELAY OCCUPANCY SENSING WALL SWITCH, WHITE	3

2-P1535 60 GB RAM WEPR7 64BIT MST NO BIOS

2-P1535 60 GB RAM WEPR7 64BIT MST NO BASE NO BIOS

USB MINI KEYBOARD

4- TRIPPLITE 550VA UPS BATTERY BACKUP

3-16" MS CASH DRAWER

3-16"CASH TILL

3-16"CASH DRAWER MOUNTING BRACKETS

3-MS CASH DRAWER ADAPTER

3-EPSON TM88V THERMAL RECEIPT PRINTER

3-EPSON TM88V PRINTER CABLE

#### POWERVAR 400VA POWER CONDITIONER"

**NETGEAR 24 PORT SWITCH** 

5-4"RADIAL ARM WALL MOUNT BRACKET

3-LONG REDIAL ARM WALL MOUNT

2-WALLMOUNT ASSEMBLY KIT

CASHDRAWER LOOPBACK CABLE

SMALL BUSINESS INTALL KIT

4-ALOHA QUICKSERVICE POS TERMINAL

**4-CREDIT CARD PAYMENT TERMINAL LICENSE** 

ALOHA THIRD PARTY GIFT CARD INTERFACE

COMMAND CENTER SITE LICENSE

**CONFIGURATION CENTER SITE LICENSE** 

**NORTON ANTIVIRUS** 

**CUSTOMER SATISFACTION SURVEY** 

ALOHA CONNECT

ALOHA VIDEO SOFTWARE LICENSE

#### 2-EXTERNAL INTERFACE TERMINAL

4-27X20 TABLE TOP, NATURAL MAPLE

2-27X30 TABLE TOP, NATURAL MAPLE

7-27X42 TABLE TOP, NATURAL MAPLE

32X42 TABLE TOP, NATURAL MAPLE

3-EMBEDDED HANDICAP EMBLEMS

**4-TABLE BASES** 

4-HANDICAP TABLE BASES

8-STANDARD TABLE BASES

30" DOUBLE BOOTH

3-42"DOUBLE BOOTH

2-30"SINGLE BOOTH

6-42" SINGLE BOOTH

		3			

8-FLOATING PANEL DIVIDER WALLS

2-PLEXIGLASS ARTWORK POSTS

4-GRAPHIC SIGN POST

PLEXIGLASS ARTWORK STANCHION POST

2-DEL DOUBLE TRASH UNIT W ROLL OUT LINER

9-DEL TACO CHAIRS

74X36 BEVERAGE CABINET

**CHAIR RAIL** 

30X196 SOLID SURFACE COUNTER TOP

WINDOW SILL

LAMINATED FASCIA PANEL

LAMINATED WAINSCOT PANEL

#### **EXHIBIT A**

#### PROPERTY DESCRIPTION

Approximately 30,000 square feet of the Southernmost portion (approximately 90 feet) of the Northwest corner of Washburn Way and Onyx Avenue with the address of 3370 Washburn Way, Klamath Falls, Oregon 97603, which includes a building of approximately 2,121 square feet (the "Building"), parking and landscaping (collectively, the "Premises").

The legal description of the parcel on which the Premises is located is:

THE SOUTHERN ONE HUNDRED TWENTY (120) FEET OF LOT 4, BLOCK 1, TRACT 1249, KLAMATH COUNTRY, OREGON.