

2025-007651
Klamath County, Oregon
08/28/2025 08:56:01 AM
Fee: \$92.00

After recording, return to:
Arnold Gallagher P.C.
Attn: Benjamin M. Kearney
800 Willamette Street, Suite 800
Eugene, Oregon 97401


DEED OF RECONVEYANCE

Arnold Gallagher P.C., an Oregon professional corporation, the undersigned trustee under that certain Trust Deed dated June 11, 2024, in which Angela M. Cox, as Grantor, and Gordon C. Gallic, Trustee of the Gallic Family Revocable Trust dated January 16, 2013, as Beneficiary, recorded on June 18, 2024, Instrument No. 2024-004941, Klamath County Deeds and Records, having received from the beneficiary under said Trust Deed a written request to reconvey, reciting that the obligations secured by the Trust Deed have been fully satisfied, hereby conveys without warranty, to the persons entitled thereto all of the right, title and interest now held by said trustee in and to the property covered by said Trust Deed, and described as follows:

See attached Exhibit A


DATED: August 28, 2025

ARNOLD GALLAGHER P.C.


By: Benjamin M. Kearney
Its: Secretary

STATE OF OREGON)
) ss.
COUNTY OF LANE)

This instrument was acknowledged before me on August 28, 2025, by Benjamin M. Kearney who is the Secretary of Arnold Gallagher P.C.





Notary Public for Oregon
My commission expires: 06/23/2029

Exhibit A

The SE1/4 SW1/4, Section 30, Township 24 South, Range 9 East of the Willamette Meridian, in the County of Klamath, State of Oregon, more particularly described as follows:

From a starting point commencing on the Southeasterly boundary of Main Street, extended, 15 feet Southwesterly from the intersection of the Southerly boundary of the N1/2 NW1/4 SE1/4 SW1/4 of Section 30, Township 24 South, Range 9 East of the Willamette Meridian (said Southerly boundary being also the Southerly boundary line of the Ranger Station in Crescent, Oregon) and the said Southeasterly boundary of Main Street, extended; thence Southeasterly and at right angles with said Main Street, extended, a distance of 90 feet; thence Southwesterly parallel with said Main street, extended, a distance of 88 feet; thence Northwesterly and at right angles with said Main Street, extended, a distance of 90 feet, to the Southeasterly boundary of said Main Street, extended; thence Northeasterly along the Southeasterly boundary of said Main Street, extended, a distance of 88 feet, more or less, to the point of beginning.

EXCEPTING THEREFROM A parcel of land situate in the SE1/4 SW1/4 of Section 30, Township 24 South, Range 9 East of the Willamette Meridian, in Klamath County, Oregon, more particularly described as follows:

Commencing at a point on the Southeasterly boundary of Main Street, extended, 15 feet Southwesterly from the intersection of the Southerly boundary of the N1/2 NW1/4 SE1/4 SW1/4 of said Section 30 (said Southerly boundary being also the Southerly boundary line of the Ranger Station in Crescent, Oregon) and the Southeasterly boundary of Main Street, extended, said point marked with a 3-1/4" diameter brass cap; thence South 39°37'41" West 88.04 feet upon the Southeasterly boundary of Main Street, extended to a 5/8" diameter rebar; thence South 50°28'17" East 65.20 feet to an orange plastic cap marked with LS2253 set atop a 5/8" diameter rebar being the POINT OF BEGINNING; thence North 84°18'23" East 35.27 feet to a point; thence South 39°37'41" West 25.04 feet to a point; thence North 50°28'17" West 24.80 feet to the Point of Beginning and terminus of this description.

TOGETHER WITH a parcel of land situate in the SE1/4 SW1/4 of Section 30, Township 24 South, Range 9 East of the Willamette Meridian, in Klamath County, Oregon, more particularly described as follows:

Commencing at a point on the Southeasterly boundary of Main Street, extended, 15 feet Southwesterly from the intersection of the Southerly boundary of the N1/2 NW1/4 SE1/4 SW1/4 of said Section 30 (said Southerly boundary being also the Southerly boundary line of the Ranger Station in Crescent, Oregon) and the Southeasterly boundary of Main Street, extended, said point marked with a 3-1/4" diameter brass cap; thence South 39°37'41" West 88.04 feet upon the Southeasterly boundary of Main Street, extended, to a 5/8" diameter rebar; thence South 50°28'17" East 65.20 feet to an orange plastic cap marked with LS2253 set atop a 5/8" diameter rebar; thence North 84°18'23" East 35.27 feet to the POINT OF BEGINNING; thence North 39°37'41" East 62.98 feet; thence South 50°27'41" East 10.00 feet to an orange plastic cap marked with LS2253 set atop a 5/8" diameter rebar; thence South 39°37'41" West 52.89 feet to an orange plastic cap marked with LS2253 set atop a 5/8" diameter rebar; thence South 84°18'23" West 14.23 feet to the Point of Beginning and terminus of this description.